R3830-1.5-u

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

DX LENGTH OF STAY BY DIAGNOSIS



UNITED STATES

Northeastern REGION

1984

Length of Stay by Diagnosis, Northeastern Region, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii

Discussion of the Data 1

Source of the Data. 1

Data Quality. 2

Coverage 3

Organization of Length of Stay Tables. 5

Definition of Multiple Diagnosis Patients 5

Definition of Operated Patients 5

Explanation of Statistics. 6

Defining the Extended Stay Case 7

Length of Stay Tables 17

Summary of All Patients. 18

Summary of All Patients Except Newborn 19

Diagnosis Groups 1-398 20

Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219

Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1984

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** is based on the ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] ***International Classification of Diseases, 9th Revision, Clinical ·Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in ***UHDDS Classes of Procedures, ICD-9-CM,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) (*see also* Cholecystitis, acute) 575.0
  - gangrenous (*see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current (*see also* Fever, paratyphoid) 002.9
  - suppurative (*see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis (impacted) (multiple) 574.2**

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** (*see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** (*see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** (*see also* Cholera) 001.9
- **Cholestasis** (*see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) (*see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138807	3.4	12	1	1	3	4	5	7	15
20-34	115345	3.9	23	1	1	3	4	6	10	26
35-49	42574	5.4	35	1	1	4	6	11	16	30
50-64	31551	6.1	40	1	1	4	8	12	17	32
65+	29653	7.1	54	1	2	5	9	14	19	39
B. *Operated*										
0-19 YRS	72523	2.9	11	<1	<1	2	3	6	8	16
20-34	146070	3.3	9	<1	<1	3	4	6	8	14
35-49	68609	4.1	17	<1	1	3	5	8	11	20
50-64	57984	5.0	26	<1	1	3	7	11	14	24
65+	55980	6.0	46	1	1	3	8	14	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118734	4.8	40	1	1	3	5	8	12	36
20-34	83794	6.1	53	1	1	4	7	13	20	38
35-49	86144	7.0	51	1	2	5	8	14	20	37
50-64	153349	7.8	55	1	2	6	10	15	21	40
65+	342690	10.1	96	2	3	8	12	20	28	66
B. *Operated*										
0-19 YRS	48597	5.2	71	<1	1	3	6	11	19	51
20-34	133651	5.4	42	<1	1	4	6	9	14	37
35-49	100987	7.1	67	1	1	5	8	14	21	45
50-64	132446	9.7	112	1	2	7	12	21	30	62
65+	223726	13.2	181	2	2	9	17	30	43	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357930	4.3	26	1	1	3	5	8	12	26
B. *Operated*	401166	4.0	20	<1	1	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	784711	8.1	74	1	2	6	10	16	23	50
B. *Operated*	639407	9.3	122	1	2	6	11	21	31	68
1. SINGLE DX	759096	4.2	23	<1	1	3	5	8	12	24
2. MULTIPLE DX	1424118	8.6	96	1	2	6	10	19	27	60
A. NOT OPERATED	1142641	6.9	62	1	2	4	8	14	20	44
B. OPERATED	1040573	7.2	89	<1	1	4	8	17	25	55
TOTAL 0-19 YRS	378661	4.0	29	<1	1	3	4	7	10	28
20-34	478860	4.5	31	<1	1	3	5	8	12	29
35-49	298314	6.1	48	1	1	4	7	12	18	36
50-64	375330	7.9	72	1	2	5	10	16	23	47
65+	652049	10.7	124	2	2	8	13	23	32	75
GRAND TOTAL	**2183214**	**7.1**	**75**	**1**	**1**	**4**	**8**	**15**	**22**	**50**

332 Hospitals, Northeastern Region, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76265	3.5	21	1	1	3	4	6	9	22
20-34	115345	3.9	23	1	1	3	4	6	10	26
35-49	42574	5.4	35	1	1	4	6	11	16	30
50-64	31551	6.1	40	1	1	4	8	12	17	32
65+	29653	7.1	54	1	2	5	9	14	19	39
B. *Operated*										
0-19 YRS	72497	2.9	11	<1	<1	2	3	6	8	16
20-34	146070	3.3	9	<1	<1	3	4	6	8	14
35-49	68609	4.1	17	<1	1	3	5	8	11	20
50-64	57984	5.0	26	<1	1	3	7	11	14	24
65+	55980	6.0	46	1	1	3	8	14	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76586	4.8	50	1	1	3	5	9	14	44
20-34	83794	6.1	53	1	1	4	7	13	20	38
35-49	86144	7.0	51	1	2	5	8	14	20	37
50-64	153349	7.8	55	1	2	6	10	15	21	40
65+	342690	10.1	96	2	3	8	12	20	28	66
B. *Operated*										
0-19 YRS	47641	5.0	59	<1	1	3	5	11	17	44
20-34	133651	5.4	42	<1	1	4	6	9	14	37
35-49	100987	7.1	67	1	1	5	8	14	21	45
50-64	132446	9.7	112	1	2	7	12	21	30	62
65+	223726	13.2	181	2	2	9	17	30	43	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295388	4.6	30	1	1	3	5	9	13	28
B. *Operated*	401140	4.0	20	<1	1	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	742563	8.3	76	1	2	6	10	17	24	52
B. *Operated*	638451	9.3	121	1	2	6	11	21	31	68
1. SINGLE DX	696528	4.2	24	<1	1	3	5	8	12	25
2. MULTIPLE DX	1381014	8.7	97	1	2	6	11	19	27	60
A. NOT OPERATED	1037951	7.2	66	1	2	5	9	15	21	46
B. OPERATED	1039591	7.2	89	<1	1	4	8	17	25	55
TOTAL 0-19 YRS	272989	4.0	34	<1	1	3	4	7	11	30
20-34	478860	4.5	31	<1	1	3	5	8	12	29
35-49	298314	6.1	48	1	1	4	7	12	18	36
50-64	375330	7.9	72	1	2	5	10	16	23	47
65+	652049	10.7	124	2	2	8	13	23	32	75
GRAND TOTAL	**2077542**	**7.2**	**77**	**1**	**1**	**4**	**9**	**16**	**23**	**51**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1688	3.2	5	1	1	3	4	6	7	12
20-34	797	3.3	11	1	1	3	4	6	7	11
35-49	266	3.9	13	1	1	3	5	6	7	16
50-64	159	4.0	7	1	1	3	5	8	10	12
65+	155	4.4	15	1	1	3	5	9	11	23
B. *Operated*										
0-19 YRS	26	5.2	8	2	3	4	7	8	12	14
20-34	66	5.4	12	2	2	5	7	8	12	21
35-49	23	6.9	13	2	3	6	8	13	15	16
50-64	11	6.3	5	3	3	7	8	9	9	9
65+	6	7.3	28	3	3	5	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2328	3.7	9	1	1	3	4	6	8	15
20-34	931	3.8	8	1	1	3	5	7	9	17
35-49	588	4.6	22	1	1	4	5	8	11	17
50-64	669	5.0	14	1	2	4	6	9	11	18
65+	1369	6.9	48	2	2	5	8	13	17	37
B. *Operated*										
0-19 YRS	53	8.2	70	3	3	5	8	21	35	97
20-34	85	8.7	128	2	2	5	9	17	28	68
35-49	71	10.7	107	2	3	7	11	23	39	46
50-64	80	11.0	73	2	3	8	14	26	29	41
65+	134	14.4	181	3	4	10	18	31	45	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3065	3.4	8	1	1	3	4	6	7	13
B. *Operated*	132	5.8	11	2	3	5	7	9	14	18
2. MULTIPLE DX										
A. *Not Operated*	5885	4.7	22	1	2	4	5	9	12	20
B. *Operated*	423	11.2	128	2	3	7	13	26	34	63
1. SINGLE DX	3197	3.5	8	1	1	3	4	6	8	13
2. MULTIPLE DX	6308	5.1	31	1	2	4	6	10	13	29
A. NOT OPERATED	8950	4.2	17	1	1	3	5	8	10	18
B. OPERATED	555	9.9	106	2	3	7	11	21	32	60
TOTAL 0-19 YRS	4095	3.5	8	1	1	3	4	6	8	14
20-34	1879	3.9	16	1	1	3	5	7	9	18
35-49	948	4.9	29	1	2	4	6	8	12	32
50-64	919	5.4	21	1	2	4	6	10	13	26
65+	1664	7.2	61	2	2	5	9	14	19	44
GRAND TOTAL	**9505**	**4.6**	**24**	**1**	**1**	**3**	**5**	**8**	**12**	**23**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	9.7	123	3	3	5	8	34	38	42
20-34	48	12.8	93	3	4	11	16	22	26	51
35-49	38	13.9	91	3	4	11	18	27	31	48
50-64	15	14.1	157	1	2	9	20	23	44	51
65+	7	11.6	65	4	4	11	14	25	27	27
B. *Operated*										
0-19 YRS	2	12.5	61	7	7	12	18	18	18	18
20-34	21	22.4	624	1	2	14	28	61	89	90
35-49	36	17.4	356	2	2	12	21	35	61	94
50-64	30	13.0	69	1	2	13	17	20	26	42
65+	14	13.7	92	1	2	13	20	28	32	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	14.3	199	1	1	12	16	37	48	50
20-34	56	16.4	208	3	6	12	18	30	42	92
35-49	75	19.1	196	3	4	16	25	37	55	92
50-64	76	21.9	348	5	6	17	28	66	85	99+
65+	110	17.0	270	3	5	13	20	34	65	99+
B. *Operated*										
0-19 YRS	2	24.5	61	19	19	24	30	30	30	30
20-34	41	24.0	390	3	7	19	31	52	65	91
35-49	56	16.8	240	4	5	11	19	36	59	99
50-64	65	17.0	207	4	6	13	21	32	60	96
65+	104	19.6	211	3	5	17	24	41	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	12.4	105	3	3	9	16	24	35	51
B. *Operated*	103	16.5	289	2	2	13	19	33	44	92
2. MULTIPLE DX										
A. *Not Operated*	329	18.4	260	3	5	14	24	37	66	99+
B. *Operated*	268	19.1	246	3	6	15	24	41	58	99+
1. SINGLE DX	245	14.2	185	2	3	11	18	27	39	89
2. MULTIPLE DX	597	18.7	253	3	5	14	24	39	63	99+
A. NOT OPERATED	471	16.6	220	3	4	13	21	35	51	99+
B. OPERATED	371	18.4	258	3	5	14	23	38	58	98
TOTAL 0-19 YRS	50	11.5	141	1	3	7	15	33	38	50
20-34	166	18.0	286	3	5	13	21	36	51	91
35-49	205	17.2	217	3	4	13	21	35	53	96
50-64	186	18.1	247	3	5	14	22	38	67	99+
65+	235	17.8	230	3	4	14	23	36	58	99+
GRAND TOTAL	**842**	**17.4**	**238**	**3**	**4**	**14**	**21**	**36**	**55**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	2	16.0	98	9	9	16	23	23	23	23
35-49	4	8.8	106	2	2	4	15	24	24	24
50-64	2	13.5	25	10	10	13	17	17	17	17
65+	5	15.6	74	5	5	14	19	29	29	29
B. *Operated*										
0-19 YRS	5	5.0	32	<1	<1	1	10	13	13	13
20-34	13	7.5	32	1	2	7	11	16	18	18
35-49	6	18.8	463	2	2	12	19	57	61	61
50-64	11	11.2	162	<1	1	4	18	29	42	43
65+	3	6.0	16	2	2	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	5	16.6	120	6	6	18	22	33	33	33
35-49	8	9.6	38	5	5	9	15	69	99+	99+
50-64	6	12.2	64	4	4	11	16	24	25	25
65+	21	18.8	200	3	4	16	29	39	44	50
B. *Operated*										
0-19 YRS	3	12.7	226	3	3	5	24	30	30	30
20-34	25	21.4	355	2	3	16	28	64	77	99+
35-49	32	25.4	452	5	7	14	38	63	77	99+
50-64	21	17.7	282	2	3	11	23	45	56	60
65+	41	27.6	483	3	7	22	39	70	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	12.2	69	2	3	10	17	24	28	29
B. *Operated*	38	9.9	141	<1	1	7	13	19	34	61
2. MULTIPLE DX										
A. *Not Operated*	42	15.4	139	4	5	12	22	37	43	99+
B. *Operated*	122	23.7	412	3	4	17	34	60	76	99+
1. SINGLE DX	53	10.5	120	1	2	7	15	21	28	60
2. MULTIPLE DX	164	21.6	354	3	4	16	32	55	71	99+
A. NOT OPERATED	57	14.6	121	3	4	12	21	35	40	96
B. OPERATED	160	20.4	381	2	2	13	30	55	68	99+
TOTAL 0-19 YRS	12	7.8	65	<1	1	6	10	18	28	30
20-34	45	16.6	253	2	2	14	19	44	66	99+
35-49	50	20.8	392	3	5	12	32	61	78	99+
50-64	40	14.9	204	1	2	10	18	38	48	60
65+	70	23.2	377	3	5	18	34	51	75	98
GRAND TOTAL	**217**	**18.9**	**319**	**2**	**3**	**13**	**27**	**51**	**65**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	2.8	3	1	1	2	3	5	6	8
20-34	54	2.8	2	1	1	3	4	5	5	6
35-49	19	3.6	2	2	2	3	4	6	7	7
50-64	3	3.3		3	3	3	4	4	4	4
65+	6	4.0	1	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	28	2.0	3	1	1	2	2	2	3	10
20-34	5	1.4		1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	472	3.3	4	1	2	3	4	5	7	10
20-34	114	3.9	4	1	2	3	5	6	8	12
35-49	43	5.3	11	2	2	4	6	11	13	14
50-64	29	4.4	5	2	2	4	6	8	9	11
65+	16	6.8	21	2	2	5	10	15	16	17
B. *Operated*										
0-19 YRS	26	2.3	3	<1	1	2	2	6	6	6
20-34	6	6.8	23	2	2	7	8	14	15	15
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	2	10.0	50	5	5	10	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	2.9	2	1	1	3	4	5	6	8
B. *Operated*	33	1.9	2	1	1	2	2	2	2	10
2. MULTIPLE DX										
A. *Not Operated*	674	3.7	5	1	2	3	4	6	8	13
B. *Operated*	37	3.6	12	1	1	2	5	7	12	15
1. SINGLE DX	311	2.8	2	1	1	2	4	5	6	8
2. MULTIPLE DX	711	3.7	5	1	2	3	4	6	8	13
A. NOT OPERATED	952	3.4	4	1	2	3	4	6	7	12
B. OPERATED	70	2.8	8	1	1	2	2	6	8	15
TOTAL 0-19 YRS	722	3.1	3	1	1	3	4	5	6	9
20-34	179	3.6	5	1	2	3	4	6	7	12
35-49	63	4.8	9	2	2	4	6	9	13	14
50-64	34	4.3	5	2	2	4	5	7	9	11
65+	24	6.4	19	2	2	5	8	15	16	17
GRAND TOTAL	**1022**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	326	4.8	11	1	2	4	6	9	11	16
20-34	21	5.9	8	1	2	6	7	10	11	11
35-49	22	8.0	65	2	2	5	8	18	30	34
50-64	27	12.7	96	2	3	9	14	30	33	40
65+	47	12.0	70	5	6	9	14	21	33	42
B. *Operated*										
0-19 YRS	14	7.5	23	2	2	6	11	14	15	15
20-34	2	15.5	5	14	14	15	17	17	17	17
35-49	2	14.5	41	10	10	14	19	19	19	19
50-64										
65+	4	24.5	71	16	16	29	50	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	454	6.4	21	2	2	5	8	12	15	24
20-34	166	11.9	143	2	3	8	14	27	38	63
35-49	172	11.2	62	3	4	9	13	22	30	40
50-64	513	12.3	72	4	5	10	15	23	31	45
65+	2476	14.0	106	4	6	12	16	24	32	70
B. *Operated*										
0-19 YRS	36	12.5	100	3	4	10	15	27	33	47
20-34	47	14.1	143	3	4	11	18	40	46	99+
35-49	75	20.9	213	4	6	16	28	47	55	89
50-64	197	21.2	211	6	8	17	28	42	55	99+
65+	650	24.3	290	8	9	19	31	55	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	6.2	32	1	2	5	7	11	15	33
B. *Operated*	22	12.0	72	2	3	11	17	30	57	99+
2. MULTIPLE DX										
A. *Not Operated*	3781	12.6	97	3	4	10	15	23	31	58
B. *Operated*	1005	22.5	263	6	8	18	29	50	65	99+
1. SINGLE DX	465	6.5	35	1	2	5	8	12	17	34
2. MULTIPLE DX	4786	14.7	148	3	5	11	18	29	41	79
A. NOT OPERATED	4224	11.9	94	3	3	10	14	22	30	55
B. OPERATED	1027	22.3	262	5	8	18	29	49	65	99+
TOTAL 0-19 YRS	830	6.0	23	1	2	5	8	11	14	26
20-34	236	11.8	133	2	3	8	14	27	40	69
35-49	271	13.7	124	3	4	10	16	29	39	56
50-64	737	14.7	125	4	5	11	18	30	38	62
65+	3177	16.1	160	5	6	13	19	31	44	91
GRAND TOTAL	5251	14.0	143	3	4	11	17	28	39	78

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	7.9	19	2	3	7	11	14	15	21
20-34	49	6.3	24	1	2	5	8	12	13	29
35-49	36	6.7	20	2	2	6	9	13	14	23
50-64	33	5.7	13	3	3	5	6	10	16	18
65+	16	7.1	19	3	3	6	8	13	17	19
B. *Operated*										
0-19 YRS	9	11.3	25	2	5	11	12	19	21	21
20-34	7	10.4	140	<1	1	9	24	80	99+	99+
35-49	7	15.6	59	8	8	12	23	27	27	27
50-64	5	13.6	187	2	2	6	25	33	33	33
65+	4	14.8	131	5	5	12	23	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	8.4	51	2	2	7	11	15	19	35
20-34	62	9.2	88	2	3	7	11	19	25	58
35-49	58	8.3	32	2	3	6	11	17	22	24
50-64	121	9.1	33	3	4	7	11	17	20	31
65+	223	12.2	76	4	4	10	15	22	32	74
B. *Operated*										
0-19 YRS	13	13.2	27	5	7	13	17	21	22	22
20-34	23	31.8	538	4	6	28	47	60	87	88
35-49	16	19.9	176	3	5	16	29	42	46	47
50-64	37	19.8	359	2	3	12	31	45	65	75
65+	66	23.4	301	5	6	18	33	48	55	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	7.3	19	2	2	6	10	13	15	21
B. *Operated*	32	12.8	86	2	2	11	18	31	35	99+
2. MULTIPLE DX										
A. *Not Operated*	665	9.9	60	2	3	8	13	18	23	46
B. *Operated*	155	22.6	330	4	5	17	32	48	55	88
1. SINGLE DX	362	7.8	28	2	2	7	11	14	16	30
2. MULTIPLE DX	820	12.3	136	3	3	9	15	24	36	67
A. NOT OPERATED	995	9.0	48	2	3	7	11	16	21	39
B. OPERATED	187	20.9	301	3	5	15	30	45	55	89
TOTAL 0-19 YRS	419	8.4	35	2	2	8	11	14	17	27
20-34	141	11.9	216	2	2	7	13	31	48	89
35-49	117	9.8	68	2	3	8	12	22	27	44
50-64	196	10.7	115	3	4	7	12	18	32	63
65+	309	14.3	144	4	5	11	17	31	38	85
GRAND TOTAL	1182	10.9	107	2	3	8	13	21	31	60

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	481	4.0	7	1	2	3	5	8	9	15
20-34	322	4.3	9	1	2	3	5	8	10	16
35-49	90	4.5	7	1	2	4	6	8	10	12
50-64	18	5.3	10	<1	1	5	8	11	11	11
65+	4	5.3	8	3	3	5	7	9	9	9
B. *Operated*										
0-19 YRS	8	4.9	6	2	2	4	6	8	9	9
20-34	4	3.3	3	1	1	3	4	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	4.7	13	2	2	4	5	9	12	20
20-34	187	5.5	19	2	2	5	7	9	12	19
35-49	60	7.2	33	2	2	5	10	16	18	28
50-64	26	5.4	11	1	2	5	6	8	12	17
65+	28	13.2	102	2	3	10	19	26	30	46
B. *Operated*										
0-19 YRS	8	8.6	20	3	3	9	12	14	15	15
20-34	13	15.7	422	4	4	8	13	45	71	77
35-49	5	16.4	253	2	2	10	26	42	42	42
50-64	2	24.5	265	13	13	24	36	36	36	36
65+	3	61.3	1226	21	21	79	83	84	84	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	915	4.2	8	1	2	3	5	8	10	14
B. *Operated*	12	4.3	5	1	2	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	516	5.8	26	2	2	4	7	11	16	26
B. *Operated*	31	19.0	514	3	4	10	21	56	79	84
1. SINGLE DX	927	4.2	8	1	2	3	5	8	10	14
2. MULTIPLE DX	547	6.5	62	2	2	4	7	12	18	42
A. NOT OPERATED	1431	4.8	15	1	2	4	6	9	12	20
B. OPERATED	43	14.9	412	2	3	7	13	38	78	84
TOTAL 0-19 YRS	712	4.3	9	1	2	3	5	8	11	16
20-34	526	5.0	25	1	2	4	6	8	11	21
35-49	155	5.9	28	2	2	4	7	12	16	29
50-64	46	6.2	31	1	2	5	8	11	14	36
65+	35	16.4	355	2	3	10	20	28	71	84
GRAND TOTAL	**1474**	**5.1**	**29**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	267	3.4	8	1	1	3	4	6	7	14
20-34	82	4.7	7	1	2	4	6	8	10	12
35-49	28	4.7	5	1	2	4	6	8	9	11
50-64	61	5.8	23	1	1	5	6	10	13	30
65+	89	6.2	19	1	1	5	8	12	15	23
B. *Operated*										
0-19 YRS	5	3.2		3	3	3	4	4	4	4
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	6	3.3	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	496	4.1	9	1	2	3	5	7	9	16
20-34	135	6.4	16	2	2	6	8	11	13	22
35-49	99	8.7	85	2	2	7	10	16	23	55
50-64	173	7.5	28	2	3	6	9	14	16	26
65+	794	10.6	85	2	3	8	13	21	29	55
B. *Operated*										
0-19 YRS	11	13.5	154	3	4	10	15	32	46	47
20-34	15	11.5	84	3	3	9	15	25	32	35
35-49	9	7.4	10	2	3	8	10	11	11	11
50-64	17	15.0	162	2	2	12	24	31	41	46
65+	63	17.3	212	2	4	13	25	41	57	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	527	4.4	12	1	1	4	6	8	10	17
B. *Operated*	18	3.5	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	1697	8.0	59	2	2	6	10	16	22	43
B. *Operated*	115	15.1	172	2	3	11	22	36	47	73
1. SINGLE DX	545	4.4	12	1	1	4	6	8	10	17
2. MULTIPLE DX	1812	8.4	69	2	2	6	10	17	25	47
A. NOT OPERATED	2224	7.1	50	1	2	5	8	14	20	41
B. OPERATED	133	13.5	165	2	3	9	19	32	45	66
TOTAL 0-19 YRS	779	4.0	12	1	1	3	5	7	8	17
20-34	234	6.1	19	1	2	5	8	11	13	25
35-49	138	7.8	65	2	2	6	9	15	21	47
50-64	254	7.5	40	1	2	6	9	14	19	32
65+	952	10.6	91	2	3	8	13	22	30	59
GRAND TOTAL	**2357**	**7.5**	**59**	**1**	**2**	**5**	**9**	**15**	**22**	**43**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	6.0	16	2	2	5	7	10	12	25
20-34	268	6.6	15	2	3	6	8	12	15	21
35-49	84	7.4	44	2	2	6	10	14	16	42
50-64	52	8.7	33	2	3	7	11	18	23	25
65+	18	7.1	20	2	3	6	10	15	16	16
B. *Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	10	5.4	23	<1	<1	4	8	13	15	15
35-49	5	6.6	26	2	2	5	11	13	13	13
50-64	1	16.0		16	16	16	16	16	16	16
65+	3	12.7	258	1	1	6	25	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	8.3	184	1	2	6	7	14	24	90
20-34	212	8.5	38	2	3	7	10	16	19	35
35-49	110	9.9	56	2	3	8	13	18	24	43
50-64	92	10.2	44	4	4	9	12	17	22	41
65+	105	12.0	136	3	4	9	14	21	32	70
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	18	11.8	81	2	2	8	18	24	31	35
35-49	15	13.7	94	5	6	11	15	20	39	45
50-64	26	18.2	134	2	3	16	26	33	40	46
65+	24	11.8	78	2	3	9	16	26	30	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	6.8	22	2	3	6	8	12	16	24
B. *Operated*	21	7.1	53	<1	1	5	11	15	23	31
2. MULTIPLE DX										
A. *Not Operated*	565	9.7	74	2	3	8	12	17	23	42
B. *Operated*	84	14.2	103	2	3	12	20	29	34	46
1. SINGLE DX	543	6.8	23	2	2	6	8	12	16	24
2. MULTIPLE DX	649	10.3	80	2	3	8	13	19	26	45
A. NOT OPERATED	1087	8.3	51	2	3	7	10	15	19	36
B. OPERATED	105	12.8	101	1	2	10	18	27	32	45
TOTAL 0-19 YRS	149	6.8	70	1	2	6	7	11	14	35
20-34	508	7.5	29	2	3	6	9	14	18	28
35-49	214	9.1	56	2	3	7	12	16	20	47
50-64	171	11.0	63	3	4	9	13	22	26	45
65+	150	11.4	115	2	3	8	14	21	31	51
GRAND TOTAL	**1192**	**8.7**	**57**	**2**	**3**	**7**	**11**	**16**	**22**	**39**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	3.8	5	1	2	3	5	7	8	11
20-34	161	4.6	7	2	2	4	6	8	10	12
35-49	20	6.2	25	1	2	5	8	11	17	23
50-64	6	6.7	3	4	4	7	8	9	9	9
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	6	5.7	11	1	1	6	9	9	9	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	666	4.4	7	2	2	4	5	7	9	15
20-34	223	4.9	9	2	2	4	6	9	11	14
35-49	37	6.0	14	2	2	5	9	11	13	14
50-64	11	10.4	36	4	4	8	13	20	24	24
65+	7	12.6	52	4	4	12	15	24	26	26
B. *Operated*										
0-19 YRS	15	7.9	18	3	3	8	10	13	17	18
20-34	13	8.3	13	3	4	9	10	14	15	15
35-49	4	7.8	24	4	4	6	11	15	15	15
50-64	3	10.7	14	8	8	9	13	15	15	15
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	619	4.1	6	1	2	3	5	7	9	11
B. *Operated*	9	5.1	9	1	1	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	944	4.7	9	2	2	4	6	8	11	15
B. *Operated*	36	8.2	15	3	4	8	10	15	15	18
1. SINGLE DX	628	4.1	6	1	2	3	5	7	9	11
2. MULTIPLE DX	980	4.8	10	2	2	4	6	9	11	16
A. NOT OPERATED	1563	4.5	8	1	2	4	5	8	10	14
B. OPERATED	45	7.6	15	2	3	7	9	14	15	18
TOTAL 0-19 YRS	1115	4.2	7	1	2	4	5	7	9	13
20-34	403	4.9	8	2	2	4	6	9	11	14
35-49	62	6.2	17	2	2	5	9	11	14	22
50-64	20	9.3	25	4	4	8	11	16	20	24
65+	8	11.9	48	4	5	11	14	23	26	26
GRAND TOTAL	**1608**	**4.6**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	171	1.7	1	<1	<1	1	2	3	4	6
20-34	569	1.9	2	<1	<1	2	2	3	4	7
35-49	150	2.0	2	<1	<1	2	3	3	4	7
50-64	40	2.3	8	<1	<1	2	3	3	4	19
65+	13	2.3	2	<1	<1	2	3	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	4	6	6	8	9	10	10	10
20-34	8	2.4	6	<1	<1	1	3	7	8	8
35-49	2	6.5	61	1	1	6	12	12	12	12
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	32	2.5	8	<1	<1	2	3	4	5	17
20-34	160	2.6	6	<1	1	2	3	4	6	10
35-49	91	3.0	6	<1	1	2	3	6	7	12
50-64	51	3.2	7	<1	<1	2	4	7	10	11
65+	19	3.3	4	<1	1	2	5	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*	943	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	16	3.8	14	<1	<1	2	7	10	11	12
B. *Operated*	353	2.8	6	<1	<1	2	3	5	7	12
1. SINGLE DX	948	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	369	2.8	6	<1	<1	2	3	6	7	12
A. NOT OPERATED	21	3.1	12	<1	<1	1	4	9	11	12
B. OPERATED	1296	2.1	3	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	209	1.9	3	<1	<1	1	2	4	4	10
20-34	737	2.0	3	<1	<1	2	2	4	4	8
35-49	243	2.4	4	<1	<1	2	3	4	6	12
50-64	95	2.7	7	<1	<1	2	3	5	8	15
65+	33	2.8	3	<1	<1	2	4	6	6	7
GRAND TOTAL	**1317**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2012	2.9	4	1	1	3	4	5	6	10
20-34	329	3.6	12	1	1	3	4	6	9	14
35-49	161	3.8	9	1	1	3	5	7	9	15
50-64	88	4.2	10	1	1	3	5	7	9	19
65+	64	4.1	6	1	2	4	5	7	9	13
B. *Operated*										
0-19 YRS	57	3.1	9	<1	<1	2	4	6	7	19
20-34	17	5.0	28	<1	<1	3	5	13	19	21
35-49	7	6.9	37	3	3	5	7	18	20	20
50-64	5	8.8	105	<1	<1	5	14	26	26	26
65+	2	12.5	181	3	3	12	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2007	3.3	5	1	1	3	4	6	7	10
20-34	657	4.1	8	1	1	3	5	7	9	15
35-49	409	4.8	11	1	2	4	6	9	11	18
50-64	446	4.9	13	1	2	4	6	9	12	19
65+	864	6.7	43	2	2	5	8	11	16	35
B. *Operated*										
0-19 YRS	53	4.3	27	<1	<1	3	5	7	10	30
20-34	72	8.9	86	1	2	6	12	18	25	55
35-49	39	9.5	68	1	2	8	12	19	27	41
50-64	53	11.1	59	2	3	9	14	21	27	42
65+	76	15.9	283	3	5	9	17	36	56	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2654	3.1	5	1	1	3	4	5	7	11
B. *Operated*	88	4.3	24	<1	<1	3	5	8	20	24
2. MULTIPLE DX										
A. *Not Operated*	4383	4.4	16	1	2	3	5	8	10	20
B. *Operated*	293	10.4	133	1	2	7	12	20	31	59
1. SINGLE DX	2742	3.2	6	1	1	3	4	5	7	12
2. MULTIPLE DX	4676	4.7	25	1	2	3	5	9	11	25
A. NOT OPERATED	7037	3.9	12	1	1	3	5	7	9	16
B. OPERATED	381	8.9	115	<1	1	6	10	19	28	58
TOTAL 0-19 YRS	4129	3.1	5	1	1	3	4	5	7	10
20-34	1075	4.3	16	1	1	3	5	8	10	19
35-49	616	4.8	16	1	2	4	6	9	12	21
50-64	592	5.4	21	1	2	4	7	10	14	23
65+	1006	7.2	65	2	2	5	8	12	18	47
GRAND TOTAL	**7418**	**4.2**	**19**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.8	9	1	2	4	6	9	11	13
20-34	15	4.9	11	1	1	4	6	7	13	15
35-49	23	3.8	3	1	1	4	5	6	7	7
50-64	9	4.8	11	2	2	3	7	10	12	12
65+	2	[illegible]	32	9	9	13	17	17	17	17
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.1	12	1	2	4	6	11	12	12
20-34	14	6.8	24	2	3	5	8	16	18	18
35-49	8	5.3	6	<1	1	5	7	8	9	9
50-64	2	12.5	113	5	5	12	20	20	20	20
65+	2	17.0	162	8	8	17	26	26	26	26
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	16.0		16	16	16	16	16	16	16
35-49	1	21.0		21	21	21	21	21	21	21
50-64	2	10.0		10	10	10	10	10	10	10
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	4.7	10	1	2	4	6	8	11	16
B. *Operated*	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	38	6.8	29	1	2	5	8	15	19	26
B. *Operated*	5	12.6	35	6	6	10	17	21	21	21
1. SINGLE DX	82	4.8	9	1	2	4	6	8	11	16
2. MULTIPLE DX	43	7.4	33	1	3	5	10	17	20	26
A. NOT OPERATED	118	5.4	17	1	2	5	6	10	14	22
B. OPERATED	7	10.6	36	4	4	10	15	20	21	21
TOTAL 0-19 YRS	44	4.9	9	1	2	4	6	10	11	13
20-34	31	6.1	20	1	2	5	6	15	16	18
35-49	33	4.8	13	1	1	4	6	7	9	21
50-64	13	6.8	27	2	2	5	10	14	19	20
65+	4	15.0	70	8	8	13	21	26	26	26
GRAND TOTAL	**125**	**5.7**	**19**	**1**	**2**	**5**	**7**	**11**	**16**	**22**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	5.5	11	1	2	5	7	10	13	15
20-34	110	5.6	9	2	3	5	7	10	11	15
35-49	24	7.5	46	<1	1	6	11	15	21	29
50-64	7	6.6	50	1	1	3	9	19	21	21
65+	10	5.6	45	1	1	2	10	16	21	21
B. *Operated*										
0-19 YRS	18	3.9	6	1	1	3	6	8	9	10
20-34	50	3.0	12	<1	<1	2	2	9	12	14
35-49	19	5.0	199	<1	<1	1	2	5	37	63
50-64	5	3.4	3	2	2	3	4	6	6	6
65+	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	6.2	10	2	3	6	9	10	12	15
20-34	97	6.8	28	2	3	5	9	11	16	33
35-49	22	6.6	22	1	2	6	8	12	19	21
50-64	21	11.0	163	1	1	6	13	28	44	51
65+	29	9.6	102	2	2	6	12	21	27	51
B. *Operated*										
0-19 YRS	8	3.1	6	<1	<1	2	4	7	8	8
20-34	34	6.4	79	<1	<1	3	7	13	28	44
35-49	16	13.0	493	1	2	5	10	43	74	86
50-64	13	10.5	137	1	2	5	18	30	35	36
65+	18	12.2	123	2	2	9	16	27	37	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	5.8	16	1	2	5	7	10	14	21
B. *Operated*	95	3.6	46	<1	<1	2	3	7	11	41
2. MULTIPLE DX										
A. *Not Operated*	248	7.2	43	2	2	6	9	12	18	42
B. *Operated*	89	9.0	167	<1	1	5	10	25	36	70
1. SINGLE DX	318	5.1	26	<1	1	4	7	10	13	21
2. MULTIPLE DX	337	7.7	76	1	2	6	9	14	21	47
A. NOT OPERATED	471	6.6	31	1	2	5	8	11	15	28
B. OPERATED	184	6.2	112	<1	<1	3	6	13	26	57
TOTAL 0-19 YRS	177	5.5	10	1	2	5	7	10	12	15
20-34	291	5.6	25	<1	1	5	7	10	13	27
35-49	81	7.8	164	<1	1	4	8	15	25	79
50-64	46	9.3	123	1	1	5	11	23	37	51
65+	60	9.4	97	1	1	6	12	21	27	50
GRAND TOTAL	**655**	**6.5**	**53**	**1**	**1**	**5**	**8**	**12**	**16**	**44**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.5	5	2	2	4	6	8	9	10
20-34	8	4.9	5	1	2	5	6	7	8	8
35-49	9	10.0	180	2	2	5	9	33	43	43
50-64	6	14.3	364	1	1	6	19	48	51	51
65+	3	13.3	64	5	5	14	19	21	21	21
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	6	4.7	11	<1	<1	4	7	10	10	10
35-49	7	5.0	11	1	1	5	8	9	9	9
50-64	13	6.5	57	<1	<1	4	8	14	26	29
65+	6	9.5	33	2	2	10	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	6.1	30	<1	2	4	7	13	19	28
20-34	30	8.1	86	1	1	5	11	13	35	43
35-49	26	13.7	209	3	4	7	15	39	47	61
50-64	42	11.3	214	1	2	6	14	20	48	72
65+	110	13.0	152	2	4	10	16	23	45	70
B. *Operated*										
0-19 YRS	6	19.2	287	3	4	11	31	46	48	48
20-34	26	22.5	476	2	3	10	41	60	63	66
35-49	23	25.8	465	6	8	21	48	98	99+	99+
50-64	32	17.8	411	2	3	11	21	52	90	99+
65+	32	14.8	155	2	4	13	18	38	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	7.6	97	1	2	5	7	19	28	51
B. *Operated*	34	6.2	33	<1	1	5	8	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	262	10.8	141	1	2	7	12	21	36	67
B. *Operated*	119	19.6	365	3	4	13	30	56	89	99+
1. SINGLE DX	78	7.0	68	1	1	5	8	13	20	49
2. MULTIPLE DX	381	13.6	227	2	3	8	17	38	53	99+
A. NOT OPERATED	306	10.4	135	1	2	6	12	20	36	65
B. OPERATED	153	16.6	322	2	2	10	25	50	70	99+
TOTAL 0-19 YRS	80	6.7	53	1	2	4	7	12	20	43
20-34	70	12.8	268	1	2	6	11	42	56	65
35-49	65	16.5	319	2	3	9	24	49	87	99+
50-64	93	13.0	276	1	2	7	15	38	58	98
65+	151	13.2	145	2	4	10	17	26	45	72
GRAND TOTAL	**459**	**12.5**	**206**	**2**	**2**	**8**	**15**	**31**	**49**	**99**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.5	19	1	1	3	5	11	16	16
20-34	5	5.0	5	3	3	5	6	8	8	8
35-49	5	9.0	74	3	3	5	12	24	24	24
50-64	4	12.3	24	6	6	13	16	17	17	17
65+	2	20.5	181	11	11	20	30	30	30	30
B. *Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	4	9.5	16	4	4	10	12	13	13	13
50-64	3	8.7	34	2	2	11	12	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.0	14	1	1	4	5	11	13	13
20-34	8	7.5	21	1	2	7	11	14	14	14
35-49	4	18.8	380	2	2	15	34	43	43	43
50-64	6	6.8	19	3	3	5	10	14	14	14
65+	4	9.0	25	2	2	10	12	14	14	14
B. *Operated*										
0-19 YRS	6	4.5	5	2	2	5	6	7	7	7
20-34	6	6.8	7	3	3	7	8	11	11	11
35-49	10	15.8	186	2	2	12	27	35	42	42
50-64	4	15.3	94	4	4	15	22	27	27	27
65+	5	19.0	118	3	3	19	25	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	7.9	51	2	2	5	11	17	25	30
B. *Operated*	13	6.3	21	1	2	4	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	29	8.5	74	1	2	5	11	14	27	43
B. *Operated*	31	12.3	114	2	3	7	19	28	33	42
1. SINGLE DX	39	7.4	41	1	2	5	11	16	21	30
2. MULTIPLE DX	60	10.5	97	2	2	6	14	26	30	43
A. NOT OPERATED	55	8.2	62	1	2	5	11	16	25	42
B. OPERATED	44	10.5	93	2	2	7	14	27	29	42
TOTAL 0-19 YRS	26	4.6	11	1	2	4	5	7	14	16
20-34	22	6.0	13	1	2	5	8	12	13	14
35-49	23	13.7	158	2	3	9	24	31	42	43
50-64	17	10.4	44	2	3	11	14	18	24	27
65+	11	15.6	101	2	3	14	22	31	33	33
GRAND TOTAL	**99**	**9.3**	**76**	**2**	**2**	**6**	**13**	**23**	**28**	**43**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.7	10	1	2	5	7	12	12	12
20-34	37	5.2	18	1	2	4	7	8	13	24
35-49	26	8.0	17	2	3	7	11	14	16	18
50-64	7	5.9	15	2	2	5	7	13	14	14
65+	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	6	4.5	8	1	1	4	6	9	9	9
20-34	148	5.0	38	1	1	3	6	10	14	37
35-49	94	5.7	33	1	2	3	7	15	19	25
50-64	32	6.3	20	2	2	5	9	10	15	23
65+	5	3.8	9	2	2	3	5	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	7.2	175	1	2	5	6	9	15	81
20-34	59	10.8	122	2	3	8	12	21	29	64
35-49	80	11.8	99	2	3	9	15	23	38	47
50-64	63	8.4	51	2	2	6	10	20	27	32
65+	49	11.8	105	3	4	10	13	18	31	64
B. *Operated*										
0-19 YRS	7	12.0	324	2	2	6	11	44	52	52
20-34	167	14.0	140	2	2	11	22	29	40	57
35-49	188	17.5	258	2	3	14	24	37	48	99+
50-64	86	13.9	151	2	2	11	18	31	40	58
65+	38	14.1	135	2	3	9	19	34	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	6.1	17	1	2	5	8	12	14	22
B. *Operated*	285	5.4	33	1	1	3	7	12	16	32
2. MULTIPLE DX										
A. *Not Operated*	286	10.3	105	2	3	7	12	20	27	59
B. *Operated*	486	15.3	191	2	2	12	22	33	43	96
1. SINGLE DX	373	5.5	29	1	2	4	7	12	15	27
2. MULTIPLE DX	772	13.4	165	2	3	10	18	29	40	78
A. NOT OPERATED	374	9.3	87	2	2	7	11	18	24	50
B. OPERATED	771	11.6	156	1	2	7	16	27	37	70
TOTAL 0-19 YRS	63	7.1	134	1	2	5	7	10	14	77
20-34	411	9.5	106	1	2	6	12	24	30	51
35-49	388	12.8	179	2	2	9	17	27	37	91
50-64	188	10.5	100	2	2	7	13	23	31	55
65+	95	12.0	115	2	3	9	15	27	38	83
GRAND TOTAL	**1145**	**10.9**	**134**	**1**	**2**	**7**	**14**	**25**	**34**	**64**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	4	12.5	87	4	4	10	19	25	25	25
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	7.0		7	7	7	7	7	7	7
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	7.0	12	4	4	7	10	10	10	10
B. *Operated*	3	9.3	121	2	2	4	17	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	7	9.1	68	1	1	7	13	23	25	25
B. *Operated*	2	5.5	5	4	4	5	7	7	7	7
1. SINGLE DX	7	8.0	48	2	2	4	10	20	22	22
2. MULTIPLE DX	9	8.3	55	1	2	7	11	21	25	25
A. NOT OPERATED	11	8.4	46	1	2	7	10	18	24	25
B. OPERATED	5	7.8	66	2	2	4	11	22	22	22
TOTAL 0-19 YRS	4	9.3	86	1	1	7	16	22	22	22
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	4.8	13	2	2	3	7	10	10	10
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	5	12.0	67	4	4	10	17	25	25	25
GRAND TOTAL	**16**	**8.2**	**48**	**1**	**2**	**6**	**10**	**21**	**24**	**25**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	5.0	3	3	3	5	6	7	7	7
35-49	20	6.5	34	1	1	5	8	13	21	26
50-64	39	6.0	28	1	1	6	7	10	18	27
65+	27	6.4	27	1	1	6	7	15	18	22
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	11	6.0	60	1	2	3	4	19	26	27
35-49	64	7.3	73	<1	1	4	9	21	25	44
50-64	199	7.9	98	1	1	4	9	18	30	62
65+	211	6.1	86	1	1	3	7	14	20	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	6	6.7	25	3	3	5	8	15	16	16
35-49	45	7.7	103	2	2	5	8	14	18	66
50-64	134	10.2	138	1	2	7	12	22	32	62
65+	193	10.5	157	2	2	7	12	20	34	78
B. *Operated*										
0-19 YRS	4	29.5	1055	9	9	15	47	78	78	78
20-34	15	15.5	176	3	3	10	24	42	42	42
35-49	113	13.2	106	2	2	12	19	26	30	50
50-64	401	13.9	210	1	2	9	20	32	42	83
65+	582	13.1	220	2	2	9	17	28	47	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	6.2	27	1	1	6	7	11	17	27
B. *Operated*	486	7.0	89	1	1	4	8	16	23	56
2. MULTIPLE DX										
A. *Not Operated*	380	10.0	141	1	2	7	12	20	31	67
B. *Operated*	1115	13.5	207	2	2	9	18	29	43	83
1. SINGLE DX	577	6.9	80	1	1	4	8	16	23	50
2. MULTIPLE DX	1495	12.6	192	2	2	8	16	28	40	79
A. NOT OPERATED	471	9.2	121	1	2	6	11	18	28	65
B. OPERATED	1601	11.6	180	1	2	7	15	26	38	77
TOTAL 0-19 YRS	8	20.3	578	6	6	12	19	61	78	78
20-34	36	9.9	114	2	3	5	13	27	37	42
35-49	242	10.1	99	1	2	6	14	23	28	47
50-64	773	11.3	167	1	2	7	15	27	38	74
65+	1013	11.0	183	1	2	7	14	24	38	80
GRAND TOTAL	**2072**	**11.0**	**167**	**1**	**2**	**7**	**14**	**25**	**36**	**76**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	10.5	65	1	1	9	18	22	22	22
50-64	15	9.9	102	1	3	7	10	22	36	41
65+	29	7.4	40	1	1	6	10	15	17	30
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	30.0	507	4	5	29	53	58	58	58
50-64	60	11.7	176	1	2	8	15	25	34	70
65+	65	10.0	89	1	2	7	13	24	30	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.7	20	1	1	6	9	10	10	10
35-49	15	12.9	309	2	3	5	13	41	58	64
50-64	91	11.1	171	1	2	6	14	30	44	85
65+	129	12.5	121	2	3	9	16	25	36	53
B. *Operated*										
0-19 YRS										
20-34	5	26.8	284	8	8	36	40	42	42	42
35-49	25	24.6	499	3	8	19	29	70	95	99+
50-64	194	21.4	319	2	4	17	29	47	64	84
65+	283	19.0	294	2	3	14	25	41	57	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	8.5	60	1	1	6	10	17	22	41
B. *Operated*	132	11.8	165	1	2	7	15	27	38	64
2. MULTIPLE DX										
A. *Not Operated*	238	11.9	149	2	2	8	15	27	41	65
B. *Operated*	507	20.3	314	2	4	15	28	45	64	90
1. SINGLE DX	182	10.9	138	1	2	7	14	25	34	61
2. MULTIPLE DX	745	17.6	276	2	3	12	23	40	55	85
A. NOT OPERATED	288	11.3	135	1	2	8	15	25	41	64
B. OPERATED	639	18.5	295	2	3	13	25	41	58	85
TOTAL 0-19 YRS										
20-34	8	18.9	288	1	2	9	37	41	42	42
35-49	53	20.4	427	2	3	14	26	59	70	99+
50-64	360	16.7	273	2	2	12	22	40	55	80
65+	506	15.5	225	2	3	11	20	34	47	78
GRAND TOTAL	**927**	**16.3**	**256**	**2**	**2**	**11**	**21**	**38**	**51**	**81**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	4.3	16	2	2	2	7	9	9	9
50-64	7	4.7	3	3	3	5	6	7	7	7
65+	21	5.9	18	1	1	5	8	10	15	19
B. *Operated*										
0-19 YRS										
20-34	3	9.7	86	2	2	7	17	20	20	20
35-49	14	12.0	133	<1	1	10	15	28	37	40
50-64	40	14.0	105	1	2	12	17	24	31	58
65+	100	15.4	123	1	2	14	23	30	33	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	9	4.7	8	2	2	4	5	9	11	11
50-64	85	9.0	59	1	2	7	11	17	25	35
65+	252	11.0	154	1	2	8	14	21	31	71
B. *Operated*										
0-19 YRS	3	14.0	100	4	4	14	21	24	24	24
20-34	7	16.4	97	2	4	16	22	31	33	33
35-49	51	20.3	260	4	8	15	23	40	58	79
50-64	336	19.3	179	4	6	16	24	36	47	81
65+	875	21.1	192	5	8	18	27	39	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	5.4	14	1	2	4	7	10	11	19
B. *Operated*	157	14.6	118	1	2	13	21	29	33	52
2. MULTIPLE DX										
A. *Not Operated*	347	10.4	128	1	2	7	13	20	31	67
B. *Operated*	1272	20.5	191	5	8	18	26	38	50	86
1. SINGLE DX	189	13.1	112	1	2	11	18	27	32	50
2. MULTIPLE DX	1619	18.4	195	2	4	15	24	36	48	84
A. NOT OPERATED	379	9.9	120	1	2	7	12	19	30	64
B. OPERATED	1429	19.9	186	3	7	17	26	37	49	84
TOTAL 0-19 YRS	3	14.0	100	4	4	14	21	24	24	24
20-34	12	13.3	88	2	2	12	19	26	32	33
35-49	77	16.4	231	2	2	12	21	32	52	77
50-64	468	16.7	166	2	4	14	22	34	43	67
65+	1248	18.3	195	2	4	16	24	36	47	85
GRAND TOTAL	**1808**	**17.8**	**189**	**2**	**4**	**15**	**24**	**35**	**46**	**82**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	6	14.8	121	7	7	8	28	30	30	30
65+	9	13.2	101	3	4	10	16	30	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	5.3	23	1	1	4	8	12	12	12
50-64	12	7.6	21	2	3	7	10	14	17	17
65+	14	8.5	30	2	3	7	11	17	19	20
B. *Operated*										
0-19 YRS										
20-34	3	10.3	52	2	2	14	15	15	15	15
35-49	15	19.6	260	5	7	15	21	52	59	61
50-64	63	21.6	175	9	10	17	26	44	48	62
65+	83	22.4	162	9	10	19	27	40	50	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	12.5	85	6	6	12	19	19	19	19
B. *Operated*	18	13.1	87	4	6	9	14	29	34	36
2. MULTIPLE DX										
A. *Not Operated*	30	7.7	25	2	2	6	10	15	17	20
B. *Operated*	164	21.6	174	8	10	18	26	41	51	62
1. SINGLE DX	20	13.1	82	4	5	9	16	29	33	36
2. MULTIPLE DX	194	19.4	176	3	7	16	25	40	48	62
A. NOT OPERATED	32	8.0	27	2	3	7	11	17	19	20
B. OPERATED	182	20.7	171	7	9	17	26	40	49	62
TOTAL 0-19 YRS										
20-34	4	10.0	35	2	2	11	14	15	15	15
35-49	22	15.5	216	2	4	11	18	34	56	61
50-64	81	19.0	172	4	7	15	25	40	45	61
65+	107	19.8	162	4	8	16	25	37	43	63
GRAND TOTAL	**214**	**18.8**	**170**	**3**	**6**	**15**	**24**	**38**	**46**	**61**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	2.2	3	<1	<1	2	3	5	5	5
50-64	22	4.3	27	1	1	3	5	10	18	23
65+	53	7.8	138	<1	1	4	11	15	25	73
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	13	13.5	12	10	10	12	16	19	21	21
35-49	44	9.7	14	<1	3	10	11	15	16	18
50-64	294	11.8	29	5	7	11	13	18	22	33
65+	550	13.2	56	2	5	12	16	22	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	8	9.1	54	1	1	7	16	19	20	20
35-49	53	7.8	42	1	2	6	10	15	23	30
50-64	247	9.1	90	1	2	6	11	19	27	53
65+	706	10.7	140	2	2	7	12	23	33	70
B. *Operated*										
0-19 YRS	8	11.5	37	4	4	11	18	18	18	18
20-34	31	15.1	177	1	5	12	17	28	41	70
35-49	231	15.3	64	7	8	13	18	25	31	45
50-64	1477	16.3	103	6	8	14	19	27	35	62
65+	4863	19.6	155	7	9	16	24	35	46	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	6.4	100	<1	1	3	7	14	22	62
B. *Operated*	902	12.6	45	2	7	11	15	20	24	37
2. MULTIPLE DX										
A. *Not Operated*	1016	10.1	122	1	2	7	12	21	31	60
B. *Operated*	6610	18.7	143	7	9	16	22	33	43	76
1. SINGLE DX	984	12.1	52	2	3	11	15	20	24	38
2. MULTIPLE DX	7626	17.5	148	4	6	15	21	32	42	74
A. NOT OPERATED	1098	9.9	122	1	2	6	12	21	30	61
B. OPERATED	7512	18.0	135	6	9	15	21	32	41	71
TOTAL 0-19 YRS	11	9.8	38	2	3	9	16	18	18	18
20-34	53	13.5	119	1	3	12	16	21	35	69
35-49	334	13.2	65	2	4	12	16	24	28	42
50-64	2040	14.7	98	3	5	12	18	25	33	58
65+	6172	17.9	156	4	6	15	22	33	43	79
GRAND TOTAL	**8610**	**16.9**	**140**	**3**	**6**	**14**	**21**	**31**	**40**	**70**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	4.2	8	1	1	5	6	8	8	8
50-64	24	9.1	113	1	1	5	9	26	32	47
65+	25	6.1	23	1	1	4	9	14	15	18
B. *Operated*										
0-19 YRS										
20-34	4	8.8	39	2	2	9	14	15	15	15
35-49	46	10.9	32	2	3	11	14	18	20	25
50-64	239	12.5	57	2	3	12	15	20	25	36
65+	418	13.7	106	2	3	12	17	25	30	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	6	2.5	6	<1	<1	1	4	7	7	7
35-49	29	6.0	28	1	2	5	7	14	17	24
50-64	166	9.2	60	1	2	7	13	21	25	35
65+	404	11.0	113	2	3	7	14	26	37	81
B. *Operated*										
0-19 YRS	4	12.0	54	2	2	14	17	18	18	18
20-34	14	14.8	42	3	5	16	20	25	81	99+
35-49	132	15.4	107	3	5	14	19	28	31	58
50-64	845	17.0	101	4	8	15	21	29	36	57
65+	2202	19.8	174	4	7	17	25	37	47	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	7.3	63	1	1	5	8	15	24	46
B. *Operated*	707	13.1	85	2	3	12	17	22	28	43
2. MULTIPLE DX										
A. *Not Operated*	607	10.1	95	1	2	7	14	23	32	62
B. *Operated*	3197	18.8	153	4	7	16	24	34	43	82
1. SINGLE DX	761	12.7	85	2	3	12	16	22	27	45
2. MULTIPLE DX	3804	17.4	154	3	4	15	23	33	42	77
A. NOT OPERATED	661	9.9	93	1	2	7	13	22	31	59
B. OPERATED	3904	17.8	146	3	5	15	22	32	41	76
TOTAL 0-19 YRS	6	9.0	54	2	2	7	17	18	18	18
20-34	24	10.7	58	<1	1	11	17	23	44	99+
35-49	212	12.9	90	2	3	11	17	24	29	48
50-64	1274	15.0	96	2	4	13	19	27	34	50
65+	3049	17.7	168	3	4	15	23	34	44	83
GRAND TOTAL	**4565**	**16.7**	**146**	**2**	**4**	**14**	**21**	**31**	**40**	**74**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	7.0	45	1	1	5	12	16	16	16
50-64	12	4.6	25	<1	<1	3	5	13	16	17
65+	15	4.8	13	1	1	4	6	11	13	14
B. *Operated*										
0-19 YRS	4	6.0	38	2	2	4	10	15	15	15
20-34	7	4.1	5	1	1	4	6	7	7	7
35-49	7	14.3	86	4	4	11	23	26	27	27
50-64	39	12.2	75	2	3	10	16	24	31	40
65+	59	14.5	146	1	2	11	20	32	37	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	5	1	1	4	6	7	7	7
20-34	4	5.8	30	1	1	4	10	13	13	13
35-49	21	10.6	97	2	3	6	15	22	32	43
50-64	91	7.7	64	1	1	5	10	17	23	39
65+	173	10.4	98	2	3	8	13	21	29	96
B. *Operated*										
0-19 YRS	7	20.6	66	10	11	21	22	33	36	36
20-34	14	14.1	102	1	5	11	20	32	37	38
35-49	56	17.7	162	3	5	14	24	36	39	63
50-64	195	17.9	154	2	5	15	25	35	46	90
65+	460	20.8	217	4	7	17	26	37	55	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.7	19	<1	1	3	6	12	15	17
B. *Operated*	116	12.8	112	1	2	11	17	28	33	50
2. MULTIPLE DX										
A. *Not Operated*	296	9.4	86	1	1	7	12	20	27	68
B. *Operated*	732	19.7	194	3	6	17	25	37	50	86
1. SINGLE DX	151	10.9	102	1	2	8	15	25	32	45
2. MULTIPLE DX	1028	16.7	185	2	3	14	22	35	44	84
A. NOT OPERATED	331	8.9	81	1	1	6	11	19	25	57
B. OPERATED	848	18.7	189	2	5	16	24	36	47	79
TOTAL 0-19 YRS	21	9.4	94	<1	1	5	16	22	28	36
20-34	26	9.8	81	1	1	7	12	21	32	38
35-49	88	15.2	145	2	4	11	22	33	38	56
50-64	337	14.0	139	1	2	12	19	31	38	62
65+	707	17.4	201	2	4	14	23	35	48	88
GRAND TOTAL	**1179**	**16.0**	**178**	**2**	**3**	**13**	**21**	**34**	**42**	**79**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	13	5.2	10	2	2	4	6	11	12	12
65+	30	8.7	136	1	2	5	10	16	27	63
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	9	16.3	190	1	1	12	26	36	38	38
50-64	41	17.4	154	1	2	17	23	34	41	52
65+	65	18.5	142	2	5	16	23	35	41	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	33.0	288	21	21	33	45	45	45	45
20-34	2	1.0		1	1	1	1	1	1	1
35-49	26	9.6	60	<1	1	8	15	18	26	31
50-64	163	8.8	68	2	2	6	10	19	25	43
65+	329	11.8	119	2	3	8	16	24	36	59
B. *Operated*										
0-19 YRS	3	21.0	7	18	18	22	23	23	23	23
20-34	6	28.7	264	2	4	28	42	47	48	48
35-49	60	18.5	191	3	5	17	24	32	38	80
50-64	359	18.9	157	4	6	17	24	33	45	67
65+	787	21.7	187	4	7	19	28	41	51	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	7.7	100	1	2	5	9	12	22	63
B. *Operated*	116	17.9	147	1	2	16	24	34	40	56
2. MULTIPLE DX										
A. *Not Operated*	522	10.8	103	2	3	8	14	22	32	46
B. *Operated*	1215	20.8	180	4	7	18	27	39	50	70
1. SINGLE DX	159	15.1	154	1	2	12	20	33	39	57
2. MULTIPLE DX	1737	17.8	178	3	4	15	24	35	45	67
A. NOT OPERATED	565	10.6	104	2	2	7	13	22	31	47
B. OPERATED	1331	20.5	178	4	6	18	27	38	49	68
TOTAL 0-19 YRS	5	25.8	119	18	18	22	28	45	45	45
20-34	9	20.6	321	1	1	23	34	46	48	48
35-49	95	15.9	167	1	2	14	23	31	36	73
50-64	576	15.6	150	2	3	13	21	31	41	58
65+	1211	18.5	186	3	4	16	25	37	47	67
GRAND TOTAL	**1896**	**17.5**	**176**	**2**	**4**	**15**	**23**	**35**	**45**	**66**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.3	14	1	1	7	8	8	8	8
35-49	39	4.8	24	1	1	3	7	11	17	22
50-64	147	5.3	44	1	1	4	6	11	16	38
65+	157	6.5	65	1	1	4	7	12	19	48
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	9	13.3	92	7	7	10	14	29	37	37
35-49	123	9.1	51	2	2	8	11	18	25	37
50-64	511	10.0	65	1	2	9	14	20	24	41
65+	576	10.3	74	1	2	9	14	20	27	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.4	25	1	1	3	9	13	13	13
20-34	14	8.1	133	1	1	5	7	14	40	47
35-49	321	8.6	85	1	2	5	11	19	28	57
50-64	1435	8.6	69	1	2	6	11	19	25	40
65+	2131	11.4	121	2	2	8	15	24	33	57
B. *Operated*										
0-19 YRS	3	15.7	522	1	1	4	32	42	42	42
20-34	19	14.4	146	2	4	13	16	29	44	53
35-49	460	14.7	127	3	4	12	19	28	34	57
50-64	2456	14.6	117	2	4	12	19	29	37	54
65+	3694	16.0	172	2	4	13	21	32	43	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	5.8	51	1	1	4	7	11	16	44
B. *Operated*	1220	10.1	68	1	2	9	14	20	26	39
2. MULTIPLE DX										
A. *Not Operated*	3906	10.1	101	1	2	7	13	22	30	54
B. *Operated*	6632	15.4	149	2	4	12	20	30	40	65
1. SINGLE DX	1566	9.1	67	1	2	7	12	19	24	40
2. MULTIPLE DX	10538	13.4	137	2	3	10	18	28	37	61
A. NOT OPERATED	4252	9.8	98	1	2	7	12	22	29	54
B. OPERATED	7852	14.6	140	2	3	12	19	29	38	62
TOTAL 0-19 YRS	9	9.3	168	1	1	4	11	30	42	42
20-34	45	11.6	127	1	3	8	14	21	39	53
35-49	943	11.5	109	2	2	9	15	25	31	53
50-64	4549	11.9	103	2	2	10	16	24	31	49
65+	6558	13.8	151	2	3	11	18	28	38	65
GRAND TOTAL	**12104**	**12.9**	**130**	**2**	**2**	**10**	**17**	**27**	**35**	**59**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	13.0	200	3	3	13	23	23	23	23
50-64	14	5.6	14	<1	1	5	10	11	11	11
65+	18	3.3	6	<1	1	2	4	7	8	9
B. *Operated*										
0-19 YRS	6	7.5	57	2	2	5	11	20	21	21
20-34	9	7.9	84	2	2	3	9	24	28	28
35-49	47	5.8	33	<1	1	3	10	14	19	21
50-64	215	7.7	81	1	1	2	13	20	24	44
65+	210	6.6	87	1	1	2	9	17	23	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	5.8	16	1	1	5	10	12	12	12
35-49	17	6.5	23	1	2	6	8	13	17	19
50-64	71	9.8	66	1	1	9	14	19	26	37
65+	106	9.3	117	1	1	6	12	26	33	99+
B. *Operated*										
0-19 YRS	3	7.3	36	<1	<1	8	12	13	13	13
20-34	17	12.6	143	2	2	8	22	40	76	99+
35-49	70	15.2	237	1	2	11	20	35	50	68
50-64	352	14.5	216	1	2	12	20	33	46	91
65+	448	14.8	245	1	2	11	22	34	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.5	20	<1	1	3	7	10	11	23
B. *Operated*	487	7.0	78	1	1	2	11	18	23	45
2. MULTIPLE DX										
A. *Not Operated*	205	9.1	87	1	1	7	12	19	30	83
B. *Operated*	890	14.7	230	1	2	11	21	34	47	99+
1. SINGLE DX	524	6.8	74	1	1	2	11	18	22	44
2. MULTIPLE DX	1095	13.6	208	1	2	10	19	32	45	99+
A. NOT OPERATED	242	8.4	79	1	1	6	11	18	28	73
B. OPERATED	1377	12.0	190	1	1	8	18	30	40	87
TOTAL 0-19 YRS	10	6.8	44	<1	<1	5	11	17	21	21
20-34	39	9.0	94	1	2	5	12	25	39	99+
35-49	136	10.8	158	1	1	7	15	25	36	66
50-64	652	11.6	161	1	1	9	17	26	36	73
65+	782	11.6	195	1	1	6	17	30	42	99
GRAND TOTAL	**1619**	**11.4**	**175**	**1**	**1**	**7**	**16**	**28**	**38**	**85**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.3	52	<1	1	3	11	19	19	19
20-34	5	26.8	1074	7	7	13	35	85	85	85
35-49	4	10.0	145	3	3	4	16	28	28	28
50-64	7	7.3	27	2	2	7	11	15	16	16
65+	11	6.5	13	1	2	7	9	11	12	12
B. *Operated*										
0-19 YRS	56	6.6	43	1	2	4	9	13	17	41
20-34	37	6.3	37	1	2	4	7	14	22	29
35-49	50	5.7	22	<1	1	5	7	10	13	24
50-64	58	9.2	109	1	2	6	11	25	35	50
65+	90	9.8	143	2	2	6	12	21	42	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	6.6	58	<1	1	4	9	15	25	33
20-34	20	5.3	27	<1	<1	3	7	14	18	19
35-49	13	5.2	5	1	2	5	7	8	8	8
50-64	27	11.8	320	2	3	7	11	22	37	96
65+	63	11.7	112	1	2	9	17	24	31	59
B. *Operated*										
0-19 YRS	34	11.9	136	3	3	9	16	21	27	66
20-34	36	12.5	244	1	2	9	17	24	27	92
35-49	44	11.5	120	1	1	8	19	28	39	99+
50-64	89	13.9	188	2	3	10	17	30	44	63
65+	160	16.4	308	2	3	10	20	41	66	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	9.3	181	1	1	5	12	18	22	85
B. *Operated*	291	7.9	85	1	2	5	9	16	29	49
2. MULTIPLE DX										
A. *Not Operated*	164	9.1	120	1	1	6	10	20	26	59
B. *Operated*	363	14.4	235	2	2	10	19	33	50	95
1. SINGLE DX	334	8.1	97	1	2	5	9	17	28	51
2. MULTIPLE DX	527	12.8	205	1	2	8	16	30	42	93
A. NOT OPERATED	207	9.1	132	1	1	6	11	19	26	72
B. OPERATED	654	11.5	178	1	2	7	14	28	41	77
TOTAL 0-19 YRS	147	7.8	73	1	1	5	10	18	20	43
20-34	98	9.4	178	1	2	5	11	20	25	89
35-49	111	8.1	69	1	1	5	9	23	28	65
50-64	181	11.8	178	2	2	8	14	29	36	64
65+	324	13.3	223	2	2	9	16	34	47	83
GRAND TOTAL	**861**	**10.9**	**168**	**1**	**2**	**7**	**13**	**25**	**36**	**76**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	3	3.3		3	3	3	4	4	4	4
50-64	11	5.9	15	<1	1	4	9	11	12	12
65+	2	16.0	128	8	8	16	24	24	24	24
B. *Operated*										
0-19 YRS	5	2.4	1	2	2	2	3	4	4	4
20-34	54	5.7	16	1	2	5	8	9	12	23
35-49	117	4.9	13	1	2	4	7	10	12	19
50-64	168	5.2	13	1	2	4	7	9	11	19
65+	136	6.3	57	1	2	4	7	13	17	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	5	6.2	35	1	1	3	12	14	14	14
35-49	23	6.5	66	<1	1	4	5	21	27	34
50-64	32	7.6	49	1	1	5	11	19	24	27
65+	51	9.1	68	2	3	6	13	25	31	99
B. *Operated*										
0-19 YRS	4	3.5	6	2	2	3	5	7	7	7
20-34	33	8.1	29	3	3	6	10	15	19	26
35-49	75	7.2	31	1	2	7	9	13	17	32
50-64	150	8.8	56	2	2	7	11	17	23	34
65+	202	9.9	104	2	2	8	12	20	26	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	6.1	30	<1	1	4	9	11	19	24
B. *Operated*	480	5.5	26	1	2	4	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	113	7.9	60	1	2	5	11	20	29	58
B. *Operated*	464	8.9	71	2	2	7	11	18	23	37
1. SINGLE DX	499	5.5	26	1	2	4	7	10	13	23
2. MULTIPLE DX	577	8.7	69	1	2	6	11	18	24	37
A. NOT OPERATED	132	7.7	56	1	1	5	10	19	27	46
B. OPERATED	944	7.2	51	1	2	5	9	14	19	34
TOTAL 0-19 YRS	11	2.7	3	<1	1	2	3	5	7	7
20-34	95	6.5	22	1	2	6	8	12	15	25
35-49	218	5.9	25	1	2	4	8	11	15	27
50-64	361	6.9	37	1	2	5	8	14	19	27
65+	391	8.6	85	1	2	6	11	18	24	59
GRAND TOTAL	**1076**	**7.2**	**52**	**1**	**2**	**5**	**9**	**15**	**21**	**35**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49										
50-64										
65+	10	7.1	50	<1	1	5	7	19	23	23
B. *Operated*										
0-19 YRS	6	1.5		<1	<1	1	2	2	2	2
20-34	27	3.8	38	<1	1	2	3	7	12	33
35-49	100	2.3	13	<1	<1	2	2	4	6	22
50-64	234	2.7	10	<1	<1	2	3	5	8	17
65+	511	3.3	18	<1	<1	2	3	7	10	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	13.9	177	2	2	8	26	34	35	35
35-49	10	6.4	7	2	2	7	8	9	10	10
50-64	9	6.3	62	<1	<1	4	7	20	26	26
65+	57	7.8	94	1	1	3	10	18	35	42
B. *Operated*										
0-19 YRS	5	11.0	32	4	4	14	15	17	17	17
20-34	20	11.7	253	<1	<1	6	12	33	49	62
35-49	89	6.1	67	<1	<1	2	7	19	25	39
50-64	288	5.7	80	<1	<1	3	6	14	20	51
65+	872	7.2	104	1	1	3	9	17	26	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.5	43	<1	1	4	7	18	22	23
B. *Operated*	878	3.0	16	<1	<1	2	3	6	9	23
2. MULTIPLE DX										
A. *Not Operated*	83	8.0	88	1	1	4	10	20	32	42
B. *Operated*	1274	6.9	99	<1	1	3	8	17	25	60
1. SINGLE DX	890	3.1	16	<1	<1	2	3	6	9	23
2. MULTIPLE DX	1357	6.9	98	<1	1	3	8	17	25	56
A. NOT OPERATED	95	7.8	82	<1	2	4	9	19	29	42
B. OPERATED	2152	5.3	68	<1	<1	2	5	12	19	41
TOTAL 0-19 YRS	11	5.8	38	<1	<1	2	12	15	17	17
20-34	56	7.9	143	<1	<1	3	8	30	34	60
35-49	199	4.2	40	<1	<1	2	4	10	19	32
50-64	531	4.4	51	<1	<1	2	4	10	16	37
65+	1450	5.8	76	<1	1	3	7	14	21	44
GRAND TOTAL	**2247**	**5.4**	**69**	**<1**	**<1**	**2**	**6**	**13**	**20**	**42**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	14	7.4	294	<1	1	2	4	18	55	66
50-64	16	3.9	13	1	1	3	5	7	13	16
65+	17	4.6	15	<1	1	3	7	10	13	15
B. *Operated*										
0-19 YRS	5	4.8	7	1	1	6	7	7	7	7
20-34	118	5.2	9	1	1	5	7	9	10	13
35-49	759	5.7	11	1	2	6	8	9	11	15
50-64	1236	6.4	12	1	2	6	8	10	12	16
65+	1224	6.7	11	2	2	7	8	11	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	5.9	41	<1	1	4	7	17	21	26
35-49	149	9.8	120	1	1	7	13	20	36	99+
50-64	339	10.7	114	1	2	7	14	24	31	58
65+	473	12.4	171	2	3	8	16	27	34	84
B. *Operated*										
0-19 YRS	4	8.5	14	6	6	7	11	14	14	14
20-34	144	7.0	27	2	2	6	8	11	13	26
35-49	944	8.0	48	2	3	7	9	12	17	41
50-64	2182	9.0	64	2	4	7	10	15	20	50
65+	3370	10.0	61	3	4	8	11	17	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.1	93	1	1	3	5	9	15	66
B. *Operated*	3342	6.3	12	1	2	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	983	11.3	142	1	2	8	15	25	33	77
B. *Operated*	6644	9.4	60	2	4	8	10	16	22	48
1. SINGLE DX	3390	6.3	13	1	2	6	8	10	12	17
2. MULTIPLE DX	7627	9.6	71	2	3	8	11	17	24	51
A. NOT OPERATED	1031	11.0	141	1	2	7	14	25	33	75
B. OPERATED	9986	8.3	46	2	3	7	10	14	18	40
TOTAL 0-19 YRS	9	6.4	13	1	2	7	7	11	14	14
20-34	285	6.1	21	1	2	6	8	11	12	23
35-49	1866	7.2	42	1	2	6	9	12	15	39
50-64	3773	8.3	53	2	3	7	9	14	19	43
65+	5084	9.4	62	2	3	8	11	16	24	46
GRAND TOTAL	**11017**	**8.6**	**55**	**2**	**3**	**7**	**10**	**15**	**20**	**43**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	3.9	6	1	1	4	5	7	9	9
35-49	25	3.8	8	1	2	4	4	5	8	16
50-64	31	5.1	23	2	2	4	5	8	11	28
65+	43	4.7	11	2	2	4	5	7	12	19
B. *Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	68	4.0	9	<1	1	3	6	8	10	13
35-49	103	5.3	21	1	1	4	7	12	14	22
50-64	93	5.0	18	1	1	3	7	10	16	19
65+	77	5.1	16	1	2	4	7	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	7.7	48	1	2	5	10	18	25	28
35-49	39	7.5	81	1	1	4	10	18	28	44
50-64	59	7.4	47	<1	1	6	10	16	25	30
65+	77	7.8	39	2	2	6	10	19	22	25
B. *Operated*										
0-19 YRS	2	19.5	113	12	12	19	27	27	27	27
20-34	81	9.0	128	<1	1	6	11	20	26	69
35-49	161	9.4	87	1	2	7	12	21	26	40
50-64	175	9.9	92	1	2	7	14	22	28	69
65+	205	11.8	199	2	2	8	15	25	36	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	4.5	13	2	2	4	5	7	11	23
B. *Operated*	343	4.9	17	1	1	3	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	198	7.6	50	1	2	5	10	18	23	30
B. *Operated*	624	10.3	131	1	2	7	14	22	29	78
1. SINGLE DX	453	4.8	16	1	1	4	6	10	13	19
2. MULTIPLE DX	822	9.7	113	1	2	7	12	21	27	71
A. NOT OPERATED	308	6.5	39	1	2	4	8	14	22	29
B. OPERATED	967	8.4	97	1	2	5	10	19	25	56
TOTAL 0-19 YRS	4	12.8	104	3	3	10	19	27	27	27
20-34	183	6.7	71	1	1	4	8	14	21	32
35-49	328	7.5	63	1	2	5	10	17	23	37
50-64	358	7.8	64	1	2	5	10	19	23	35
65+	402	9.0	122	2	2	5	11	19	26	74
GRAND TOTAL	**1275**	**8.0**	**84**	**1**	**2**	**5**	**10**	**18**	**23**	**42**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	11	2.7	2	<1	<1	3	4	4	4	4
50-64	39	2.8	1	1	1	3	4	5	5	5
65+	33	5.2	37	1	1	3	5	9	24	26
B. *Operated*										
0-19 YRS										
20-34	6	6.3	3	3	3	7	8	8	8	8
35-49	71	5.5	13	<1	1	6	8	10	10	17
50-64	276	6.1	11	<1	1	7	8	10	11	14
65+	270	6.7	19	1	2	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	9	4.1	22	<1	<1	2	4	12	16	16
50-64	65	6.4	65	1	2	4	6	15	22	47
65+	144	12.2	222	2	2	7	15	28	53	99+
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	18	7.2	14	1	1	8	10	12	13	13
35-49	153	6.8	23	<1	1	7	9	12	16	25
50-64	749	8.3	63	1	2	7	9	14	18	40
65+	1077	9.9	90	2	2	8	12	19	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	3.8	16	1	1	3	4	5	7	26
B. *Operated*	623	6.3	15	1	1	7	8	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	219	10.1	174	1	2	5	12	22	39	99
B. *Operated*	1998	9.0	75	1	2	8	11	17	23	45
1. SINGLE DX	708	6.0	16	1	1	6	8	10	12	20
2. MULTIPLE DX	2217	9.1	85	1	2	8	11	17	23	51
A. NOT OPERATED	304	8.3	138	1	2	4	10	20	29	91
B. OPERATED	2621	8.4	62	1	2	7	10	15	20	37
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	27	6.9	10	1	2	7	9	11	12	13
35-49	244	6.1	20	<1	1	6	8	10	15	21
50-64	1129	7.4	50	1	2	7	9	13	17	34
65+	1524	9.5	91	1	2	8	11	18	25	52
GRAND TOTAL	**2925**	**8.4**	**70**	**1**	**2**	**7**	**10**	**15**	**21**	**46**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	2.6	4	1	1	2	3	6	6	6
35-49	27	3.4	20	1	1	2	3	8	11	23
50-64	81	2.5	7	1	1	2	2	4	5	18
65+	83	2.7	5	1	1	2	3	5	7	14
B. *Operated*										
0-19 YRS	8	7.0	8	4	4	6	8	12	13	13
20-34	22	6.9	4	4	5	7	8	10	11	11
35-49	26	9.3	15	4	5	9	12	16	16	17
50-64	70	10.4	62	2	5	9	12	16	19	56
65+	43	11.6	31	4	6	10	16	19	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	9	2.9	7	1	1	2	3	7	10	10
35-49	44	4.7	29	1	1	3	6	10	14	30
50-64	240	4.9	41	1	1	3	6	11	17	35
65+	300	8.1	106	1	2	4	10	19	28	57
B. *Operated*										
0-19 YRS	9	13.1	52	5	6	12	16	25	28	28
20-34	54	11.5	33	5	6	10	15	18	23	97
35-49	161	13.9	157	6	6	10	15	23	36	78
50-64	436	15.3	122	6	7	12	19	27	36	57
65+	479	18.5	158	7	8	15	22	34	51	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	2.7	8	1	1	2	3	5	7	18
B. *Operated*	169	9.9	39	4	5	9	12	17	19	26
2. MULTIPLE DX										
A. *Not Operated*	594	6.5	75	1	1	3	7	14	23	44
B. *Operated*	1139	16.2	141	6	7	13	20	29	42	73
1. SINGLE DX	366	6.0	35	1	1	4	9	13	17	23
2. MULTIPLE DX	1733	12.9	140	1	2	10	17	26	36	70
A. NOT OPERATED	791	5.5	61	1	1	3	6	13	19	35
B. OPERATED	1308	15.4	133	5	7	12	19	28	39	72
TOTAL 0-19 YRS	19	9.7	38	3	4	7	12	18	25	28
20-34	90	9.0	32	2	2	8	11	16	22	74
35-49	258	10.8	124	1	2	8	12	21	28	66
50-64	827	10.6	109	1	1	8	14	22	29	51
65+	905	13.3	154	1	2	11	18	28	38	72
GRAND TOTAL	**2099**	**11.7**	**128**	**1**	**2**	**9**	**15**	**24**	**33**	**63**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	4	4.0	3	2	2	4	5	6	6	6
35-49	2	2.0		2	2	2	2	2	2	2
50-64	3	2.3		2	2	2	3	3	3	3
65+	9	3.0	3	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS										
20-34	7	6.3	14	1	2	5	9	12	12	12
35-49	13	7.5	33	1	1	7	13	15	16	16
50-64	25	7.6	45	1	1	5	11	20	22	25
65+	56	9.6	120	1	1	5	14	26	32	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	7	18.3	550	1	2	10	17	60	70	70
50-64	12	10.8	400	<1	1	4	9	32	67	73
65+	46	11.3	208	2	2	6	11	26	48	70
B. *Operated*										
0-19 YRS										
20-34	8	13.3	199	3	4	7	16	38	45	45
35-49	10	12.5	103	<1	1	10	25	57	96	99+
50-64	59	14.6	202	1	2	11	20	35	42	72
65+	158	13.4	173	2	3	10	17	29	38	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.5	7	<1	1	3	4	6	10	13
B. *Operated*	101	8.6	83	1	1	5	12	21	26	45
2. MULTIPLE DX										
A. *Not Operated*	67	11.7	265	1	2	6	11	26	54	73
B. *Operated*	235	13.7	177	2	2	10	19	29	40	90
1. SINGLE DX	120	7.8	74	1	1	4	11	19	25	42
2. MULTIPLE DX	302	13.3	196	2	2	9	17	29	43	81
A. NOT OPERATED	86	9.9	219	1	2	5	9	21	48	72
B. OPERATED	336	12.1	154	1	2	9	16	27	38	76
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	21	8.4	91	2	2	6	8	16	32	45
35-49	32	11.1	172	1	2	9	15	28	64	99+
50-64	99	12.0	188	1	2	8	16	24	40	74
65+	269	11.9	166	1	2	7	15	27	38	73
GRAND TOTAL	**422**	**11.7**	**167**	**1**	**2**	**7**	**15**	**26**	**39**	**74**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	2	3.0		3	3	3	3	3	3	3
50-64	8	6.0	81	<1	<1	3	4	21	28	28
65+	44	7.6	78	1	2	5	8	15	27	48
B. *Operated*										
0-19 YRS										
20-34										
35-49	10	5.6	15	1	1	5	9	11	13	13
50-64	328	6.4	31	1	2	5	8	13	16	25
65+	1062	6.7	26	2	2	6	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	3	5.0	9	2	2	5	7	8	8	8
50-64	144	10.0	87	1	2	7	13	22	29	47
65+	876	11.1	136	2	2	7	14	24	36	76
B. *Operated*										
0-19 YRS	5	16.6	318	4	4	8	25	47	47	47
20-34										
35-49	16	11.8	179	2	2	8	12	33	46	51
50-64	740	9.4	69	2	2	7	12	19	23	43
65+	4261	11.2	95	2	3	9	14	22	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	7.1	74	1	1	4	7	15	27	47
B. *Operated*	1400	6.6	27	1	2	6	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	1024	11.0	129	2	2	7	14	23	35	68
B. *Operated*	5022	11.0	92	2	3	8	14	21	29	56
1. SINGLE DX	1455	6.6	29	1	2	6	8	12	16	26
2. MULTIPLE DX	6046	11.0	98	2	3	8	14	22	30	57
A. NOT OPERATED	1079	10.8	127	2	2	7	13	23	35	66
B. OPERATED	6422	10.0	81	2	2	8	12	20	26	51
TOTAL 0-19 YRS	7	12.4	263	<1	1	6	15	41	47	47
20-34										
35-49	31	8.5	106	2	2	5	10	15	34	51
50-64	1220	8.7	63	1	2	6	11	17	23	41
65+	6243	10.4	92	2	3	8	13	21	28	56
GRAND TOTAL	**7501**	**10.1**	**88**	**2**	**2**	**8**	**13**	**20**	**27**	**53**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	4.4	3	1	2	5	5	7	7	7
35-49	3	5.0	1	4	4	5	6	6	6	6
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	18	5.6	23	1	2	4	7	12	18	21
20-34	144	4.5	10	1	2	4	6	8	10	19
35-49	64	4.4	11	1	1	4	5	7	11	18
50-64	15	4.9	12	1	1	4	8	9	11	12
65+	26	6.3	29	2	3	5	7	10	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	35	6.9	46	2	3	5	7	9	26	34
35-49	16	7.3	43	1	2	4	11	18	20	21
50-64	5	5.2	17	2	2	3	7	12	12	12
65+	7	8.6	30	3	3	7	12	17	18	18
B. *Operated*										
0-19 YRS	7	8.4	9	3	4	9	10	12	13	13
20-34	56	11.0	97	1	3	7	15	24	31	45
35-49	40	7.8	32	1	2	6	10	16	20	25
50-64	27	9.0	45	1	2	6	14	19	22	24
65+	46	10.1	167	2	2	5	12	27	42	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.9	3	1	1	4	5	6	7	7
B. *Operated*	267	4.8	13	1	2	4	6	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	65	7.0	39	2	2	5	7	14	19	34
B. *Operated*	176	9.6	89	2	2	6	12	22	27	46
1. SINGLE DX	284	4.7	13	1	2	4	6	8	10	20
2. MULTIPLE DX	241	8.9	77	2	2	6	10	20	26	45
A. NOT OPERATED	82	6.3	33	1	2	5	7	12	18	33
B. OPERATED	443	6.7	49	1	2	4	8	14	21	38
TOTAL 0-19 YRS	28	6.1	19	2	2	5	8	12	14	21
20-34	244	6.4	42	1	2	5	7	11	22	34
35-49	123	5.9	24	1	2	4	7	13	18	22
50-64	49	7.1	34	1	1	5	9	16	20	24
65+	81	8.6	109	2	2	5	8	19	28	58
GRAND TOTAL	**525**	**6.6**	**46**	**1**	**2**	**5**	**8**	**14**	**20**	**35**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	7	<1	<1	3	5	7	7	7
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	12	3.3	5	<1	<1	3	5	6	6	6
65+	31	7.0	92	1	2	4	7	16	25	49
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	20	2.9	3	<1	<1	2	4	6	6	6
35-49	160	4.6	26	<1	1	3	6	11	15	29
50-64	753	4.6	20	1	1	3	5	9	13	25
65+	1494	4.9	20	1	2	4	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	3	2	2	5	5	5	5	5
20-34										
35-49	4	5.8	20	2	2	4	9	12	12	12
50-64	69	8.6	108	<1	1	4	12	25	28	48
65+	338	10.4	133	1	2	6	13	26	36	56
B. *Operated*										
0-19 YRS	3	7.7	20	3	3	8	11	12	12	12
20-34	16	4.6	12	<1	1	3	7	9	12	13
35-49	120	7.0	72	1	1	4	8	16	24	47
50-64	1148	7.4	77	1	2	4	9	17	23	45
65+	3950	9.0	96	2	2	6	11	20	28	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.7	63	1	1	4	6	8	24	49
B. *Operated*	2429	4.8	20	1	1	4	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	414	10.0	127	1	2	6	12	26	35	53
B. *Operated*	5237	8.6	91	2	2	5	10	19	27	53
1. SINGLE DX	2477	4.8	21	1	1	4	6	9	13	25
2. MULTIPLE DX	5651	8.7	94	1	2	5	11	19	27	53
A. NOT OPERATED	462	9.6	122	1	2	6	12	24	34	52
B. OPERATED	7666	7.4	72	1	2	5	9	16	23	46
TOTAL 0-19 YRS	12	4.7	10	<1	1	4	6	9	12	12
20-34	36	3.6	8	<1	<1	3	5	8	9	13
35-49	285	5.6	46	1	1	3	6	14	17	34
50-64	1982	6.4	58	1	2	4	7	14	20	38
65+	5813	8.0	82	1	2	5	9	18	26	49
GRAND TOTAL	**8128**	**7.5**	**75**	**1**	**2**	**5**	**9**	**17**	**24**	**47**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	2	1	1	2	3	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	7	4.6	25	1	1	3	6	13	15	15
50-64	3	8.3	70	3	3	4	14	18	18	18
65+	12	8.1	30	1	3	7	11	15	20	21
B. *Operated*										
0-19 YRS	13	8.8	15	2	3	9	11	14	15	15
20-34	7	7.0	34	1	1	4	12	15	15	15
35-49	46	10.6	51	2	3	9	12	18	28	35
50-64	107	10.0	24	2	4	10	12	16	19	25
65+	137	11.8	44	2	2	11	15	19	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.4	116	1	1	4	11	27	31	31
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	21	8.7	203	<1	1	3	9	26	47	59
50-64	81	10.2	139	1	2	7	13	21	32	67
65+	163	12.1	123	1	2	9	16	25	30	57
B. *Operated*										
0-19 YRS	18	20.7	270	3	8	14	24	45	59	67
20-34	9	13.7	57	9	9	11	14	26	33	33
35-49	72	12.7	47	3	5	11	17	21	25	38
50-64	364	13.8	89	3	5	12	17	23	28	62
65+	687	16.2	112	3	6	14	20	29	38	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.0	29	1	1	4	8	14	18	21
B. *Operated*	310	10.7	37	2	2	10	13	18	22	32
2. MULTIPLE DX										
A. *Not Operated*	274	11.1	133	1	2	8	14	24	31	59
B. *Operated*	1150	15.3	104	3	6	13	19	26	36	58
1. SINGLE DX	338	10.3	38	2	2	10	13	18	22	31
2. MULTIPLE DX	1424	14.5	112	2	4	12	18	26	35	58
A. NOT OPERATED	302	10.6	126	1	2	8	13	22	30	58
B. OPERATED	1460	14.3	93	3	5	12	17	25	33	52
TOTAL 0-19 YRS	43	12.9	179	1	1	10	14	29	44	67
20-34	19	9.5	55	1	2	10	13	15	25	33
35-49	146	11.0	72	1	2	10	14	20	27	42
50-64	555	12.5	86	2	3	11	15	22	27	56
65+	999	14.8	108	2	4	13	19	26	35	54
GRAND TOTAL	**1762**	**13.7**	**101**	**2**	**3**	**12**	**17**	**25**	**32**	**54**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	7	3.7	18	1	1	2	4	11	13	13
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	11.0	162	2	2	11	20	20	20	20
50-64	13	5.2	13	2	2	3	8	10	12	13
65+	15	3.9	6	1	1	3	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	2	<1	<1	2	3	4	4	4
20-34										
35-49	4	8.5	7	5	5	9	10	11	11	11
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	6	11.2	37	5	5	10	13	21	22	22
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	8	6.3	46	1	1	3	8	18	21	21
65+	13	6.2	39	1	1	3	9	16	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	38	4.6	16	1	2	3	7	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	17	7.3	29	<1	1	7	10	13	19	22
B. *Operated*	24	6.0	35	1	1	3	7	16	21	21
1. SINGLE DX	39	4.7	16	1	2	3	7	9	13	20
2. MULTIPLE DX	41	6.5	32	1	1	4	9	14	21	22
A. NOT OPERATED	18	7.2	27	<1	1	6	10	13	18	22
B. OPERATED	62	5.1	24	1	1	3	7	13	17	21
TOTAL 0-19 YRS	13	3.0	10	<1	1	2	3	6	12	13
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	8.1	33	2	2	7	10	17	20	20
50-64	23	5.7	23	1	2	4	8	11	16	21
65+	35	6.1	29	1	1	5	8	13	19	22
GRAND TOTAL	**80**	**5.6**	**25**	**1**	**1**	**4**	**8**	**13**	**17**	**22**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.8	15	<1	<1	1	2	8	13	15
20-34	5	6.6	31	1	1	7	14	91	99+	99+
35-49	27	14.4	279	2	2	8	18	35	59	69
50-64	34	15.5	398	2	3	8	13	38	63	91
65+	24	13.0	308	2	2	7	13	30	54	83
B. *Operated*										
0-19 YRS	50	9.6	35	2	2	9	12	16	19	32
20-34	52	11.5	37	3	5	10	16	19	23	29
35-49	48	13.1	76	2	4	10	18	28	33	99+
50-64	86	16.9	175	4	6	14	20	30	39	76
65+	66	22.1	241	6	7	19	23	43	59	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	5.8	51	<1	1	3	7	18	22	29
20-34	31	9.4	108	1	1	5	16	24	29	44
35-49	70	10.6	185	1	2	6	12	21	31	84
50-64	120	13.0	189	2	3	8	16	35	52	99+
65+	162	17.2	274	2	3	11	22	51	57	96
B. *Operated*										
0-19 YRS	72	16.8	280	2	4	11	19	39	53	86
20-34	55	26.3	324	10	11	21	32	63	68	74
35-49	79	21.6	272	5	6	16	29	49	57	73
50-64	133	27.9	455	6	8	20	40	68	75	99+
65+	147	28.1	473	6	9	21	39	76	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	12.4	287	1	1	7	13	33	59	95
B *Operated*	302	15.3	145	3	5	13	19	28	37	73
2. MULTIPLE DX										
A. *Not Operated*	410	13.5	217	1	2	8	18	34	53	93
B. *Operated*	486	25.1	404	5	7	18	34	61	75	99+
1. SINGLE DX	407	14.6	182	2	3	11	18	29	42	83
2. MULTIPLE DX	896	19.8	352	2	3	14	26	52	69	99+
A. NOT OPERATED	515	13.3	231	1	2	8	16	34	53	94
B. OPERATED	788	21.4	327	4	6	15	26	52	68	99+
TOTAL 0-19 YRS	164	11.5	168	1	1	8	14	22	33	76
20-34	143	16.6	221	2	3	13	21	35	59	76
35-49	224	15.5	224	2	3	10	19	33	52	78
50-64	373	19.4	339	3	3	14	25	51	67	98
65+	399	21.8	369	3	5	16	29	56	74	99+
GRAND TOTAL	**1303**	**18.2**	**305**	**2**	**3**	**13**	**23**	**45**	**63**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	10	11.4	42	4	4	10	18	21	23	23
20-34	4	17.3	26	12	12	16	21	24	24	24
35-49	5	9.8	31	3	3	10	13	18	18	18
50-64	5	20.0	287	3	3	17	36	40	40	40
65+	3	16.0	7	14	14	15	18	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	10.5	116	2	2	6	16	29	30	30
20-34	5	3.8	8	1	1	3	6	8	8	8
35-49										
50-64	6	8.7	31	1	1	10	13	15	15	15
65+	15	11.6	67	1	1	11	17	23	26	27
B. *Operated*										
0-19 YRS	24	19.1	221	3	5	16	20	35	59	67
20-34	10	19.8	151	9	10	14	25	40	49	49
35-49	13	22.5	289	3	7	13	34	45	56	59
50-64	4	36.0	953	11	11	26	54	81	81	81
65+	20	30.3	375	3	8	26	44	61	65	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*	27	14.1	82	3	4	12	18	24	36	40
2. MULTIPLE DX										
A. *Not Operated*	32	9.6	63	1	1	8	15	21	27	30
B. *Operated*	71	23.9	315	4	8	18	31	53	63	78
1. SINGLE DX	29	13.4	83	3	4	11	18	24	35	40
2. MULTIPLE DX	103	19.5	279	2	3	15	25	43	59	74
A. NOT OPERATED	34	9.3	61	1	1	7	15	20	26	30
B. OPERATED	98	21.2	269	3	5	16	27	46	60	74
TOTAL 0-19 YRS	40	15.9	171	3	4	14	19	30	44	67
20-34	20	14.4	132	1	2	12	18	28	40	49
35-49	19	18.3	240	2	4	12	30	40	51	59
50-64	15	19.7	425	1	3	13	27	40	71	81
65+	38	21.8	302	1	3	17	27	50	62	67
GRAND TOTAL	**132**	**18.1**	**242**	**2**	**3**	**14**	**23**	**39**	**55**	**70**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.6	10	<1	<1	2	5	7	11	13
20-34	7	2.4	1	1	1	3	3	4	4	4
35-49	13	3.4	3	2	2	3	4	6	8	8
50-64	5	3.6	2	2	2	3	4	6	6	6
65+	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-19 YRS	22	6.7	29	2	3	5	8	10	19	28
20-34	58	4.3	4	2	2	4	5	7	8	13
35-49	65	5.0	11	2	3	4	6	8	14	18
50-64	35	4.9	6	3	3	4	5	8	10	14
65+	27	6.0	21	2	2	5	6	10	19	[illegible]
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	47	<1	<1	1	6	14	23	26
20-34	4	9.3	81	2	2	6	15	22	22	22
35-49	6	3.7	3	2	2	3	4	7	7	7
50-64	27	7.8	87	1	2	4	10	23	31	39
65+	46	15.1	471	2	2	8	13	41	76	96
B. *Operated*										
0-19 YRS	26	15.1	434	2	2	7	19	28	79	84
20-34	75	7.8	115	2	3	5	8	10	21	59
35-49	90	7.6	50	3	3	5	8	16	23	39
50-64	99	7.6	61	2	3	5	8	15	22	45
65+	120	13.7	200	3	4	7	17	34	45	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	3.3	6	<1	1	3	4	6	8	13
B. *Operated*	207	5.1	12	2	3	4	6	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	103	10.3	262	1	1	5	11	23	40	93
B. *Operated*	410	9.9	140	3	3	6	11	22	33	72
1. SINGLE DX	257	4.8	11	1	2	4	5	8	10	19
2. MULTIPLE DX	513	10.0	164	2	3	5	11	22	35	75
A. NOT OPERATED	153	8.0	189	<1	1	4	8	15	28	90
B. OPERATED	617	8.3	102	2	3	5	8	17	26	64
TOTAL 0-19 YRS	90	7.9	164	<1	1	4	8	19	26	82
20-34	144	6.2	66	2	3	4	6	9	12	58
35-49	174	6.2	33	2	2	4	6	12	18	35
50-64	166	7.0	53	2	3	5	8	14	21	38
65+	196	12.8	243	2	3	7	15	32	46	94
GRAND TOTAL	**770**	**8.2**	**119**	**2**	**2**	**5**	**8**	**17**	**26**	**69**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	12	<1	<1	2	4	9	9	9
20-34	10	7.4	26	<1	1	6	12	14	15	15
35-49	34	2.9	6	<1	<1	2	4	5	9	11
50-64	63	10.0	173	1	1	7	11	22	35	66
65+	81	9.8	171	1	1	5	12	19	31	80
B. *Operated*										
0-19 YRS	15	6.3	10	<1	2	6	9	11	12	12
20-34	8	6.0	77	<1	<1	1	8	21	26	26
35-49	51	7.9	64	<1	1	5	12	21	27	28
50-64	136	7.2	52	1	1	4	10	18	23	33
65+	204	7.5	59	1	1	5	10	16	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.7	40	<1	<1	4	8	10	14	33
20-34	151	8.2	73	1	2	5	10	22	29	39
35-49	690	9.7	93	1	2	7	12	21	29	45
50-64	2430	10.5	109	2	2	7	14	23	30	57
65+	4379	12.2	139	2	3	9	15	25	36	67
B. *Operated*										
0-19 YRS	51	12.1	188	2	3	8	13	23	35	71
20-34	184	12.2	181	1	2	8	14	27	41	68
35-49	804	12.1	142	1	2	8	15	27	37	60
50-64	2522	13.9	164	2	2	10	18	31	40	73
65+	3779	15.9	197	2	3	12	21	33	44	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	8.4	137	<1	1	5	10	16	25	68
B. *Operated*	414	7.4	56	1	1	5	10	17	23	32
2. MULTIPLE DX										
A. *Not Operated*	7679	11.4	124	2	2	8	14	24	34	62
B. *Operated*	7340	14.7	181	2	3	11	19	31	42	75
1. SINGLE DX	607	7.7	82	1	1	5	10	17	23	46
2. MULTIPLE DX	15019	13.0	155	2	2	9	17	28	38	69
A. NOT OPERATED	7872	11.3	125	2	2	8	14	24	33	62
B. OPERATED	7754	14.3	177	2	2	10	19	31	42	74
TOTAL 0-19 YRS	100	8.9	119	<1	1	7	9	17	29	69
20-34	353	10.2	132	1	2	7	12	24	36	60
35-49	1579	10.7	118	1	2	7	14	24	33	55
50-64	5151	12.1	138	2	2	9	16	26	35	65
65+	8443	13.8	167	2	3	10	18	29	40	75
GRAND TOTAL	**15626**	**12.8**	**153**	**2**	**2**	**9**	**17**	**28**	**38**	**68**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	4	<1	<1	1	4	5	7	7
20-34	41	4.4	20	<1	1	3	5	9	15	20
35-49	25	5.6	57	<1	<1	2	8	11	20	36
50-64	13	4.7	14	1	1	3	8	11	11	11
65+	12	7.5	41	1	1	6	10	19	19	19
B. *Operated*										
0-19 YRS	74	6.1	17	1	2	6	8	11	13	22
20-34	199	6.4	32	<1	1	6	8	12	16	25
35-49	67	6.9	37	1	1	6	9	15	17	34
50-64	56	6.5	19	1	2	6	9	11	15	20
65+	31	8.3	41	1	2	7	13	17	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.4	4	<1	<1	2	3	6	6	6
20-34	71	4.5	12	1	1	4	6	10	11	15
35-49	44	10.0	197	<1	1	5	12	23	39	71
50-64	45	7.7	28	1	2	6	9	18	19	22
65+	64	8.7	70	1	2	6	11	19	28	37
B. *Operated*										
0-19 YRS	33	10.5	70	1	2	10	12	19	24	46
20-34	113	10.4	123	2	2	8	11	20	29	67
35-49	69	10.7	94	1	2	9	14	23	36	43
50-64	57	14.8	149	2	3	11	20	33	39	57
65+	86	23.8	419	3	4	18	35	56	79	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	4.8	29	<1	1	3	7	11	16	28
B. *Operated*	427	6.6	29	1	1	6	9	12	17	24
2. MULTIPLE DX										
A. *Not Operated*	233	7.2	70	1	1	5	9	15	21	41
B. *Operated*	358	14.4	217	2	2	10	18	35	47	79
1. SINGLE DX	530	6.2	30	1	1	5	8	12	17	24
2. MULTIPLE DX	591	11.5	171	1	2	8	14	26	38	73
A. NOT OPERATED	336	6.5	59	1	1	4	8	14	19	36
B. OPERATED	785	10.1	130	1	2	7	11	22	34	66
TOTAL 0-19 YRS	128	6.6	35	1	1	6	9	12	17	30
20-34	424	6.9	56	1	1	5	9	13	19	44
35-49	205	8.7	95	1	1	6	11	17	28	49
50-64	171	9.4	78	1	2	7	11	20	28	41
65+	193	15.3	276	1	2	9	19	36	52	81
GRAND TOTAL	**1121**	**9.0**	**111**	**1**	**1**	**6**	**11**	**19**	**28**	**59**

47: Lymphoid leukemia (204)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.8	27	<1	<1	1	2	6	8	32
20-34	4	9.5	83	1	1	7	16	22	22	22
35-49	9	10.3	152	<1	1	5	15	32	37	37
50-64	13	6.2	34	1	1	4	8	12	21	23
65+	14	7.6	64	<1	1	4	10	22	24	24
B. *Operated*										
0-19 YRS	58	9.6	204	<1	<1	4	9	26	43	71
20-34	12	18.0	226	3	3	12	29	40	48	49
35-49	9	14.1	253	1	1	6	30	39	41	41
50-64	24	9.1	71	2	3	6	10	23	29	33
65+	22	11.3	216	2	3	6	14	22	42	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	4.9	18	<1	<1	4	8	11	13	18
20-34	15	7.7	59	1	1	4	14	21	22	22
35-49	23	9.6	136	<1	1	6	14	19	35	55
50-64	67	8.4	50	1	2	7	11	17	21	34
65+	233	10.5	105	1	2	7	13	24	30	53
B. *Operated*										
0-19 YRS	73	18.9	329	<1	<1	14	26	45	61	78
20-34	15	21.9	380	4	4	17	37	70	92	99+
35-49	14	16.2	207	2	4	10	23	39	48	50
50-64	59	15.9	251	3	4	10	22	38	53	70
65+	177	14.4	186	2	4	10	16	30	44	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	4.9	51	<1	<1	2	6	11	23	35
B. *Operated*	125	10.9	187	<1	1	5	13	28	39	71
2. MULTIPLE DX										
A. *Not Operated*	440	8.7	81	1	1	6	11	18	25	51
B. *Operated*	338	16.0	239	2	3	11	21	38	50	74
1. SINGLE DX	224	8.2	136	<1	<1	4	9	23	34	55
2. MULTIPLE DX	778	11.9	163	1	2	8	15	28	38	66
A. NOT OPERATED	539	8.0	78	<1	1	5	10	18	25	40
B. OPERATED	463	14.7	230	1	2	9	19	36	48	73
TOTAL 0-19 YRS	292	8.9	171	<1	<1	4	10	24	38	70
20-34	46	15.2	236	1	2	10	22	42	52	99+
35-49	55	12.1	173	1	1	6	15	35	40	55
50-64	163	11.0	137	2	2	7	12	28	35	56
65+	446	12.0	144	2	2	9	15	25	35	64
GRAND TOTAL	**1002**	**11.1**	**159**	**<1**	**1**	**7**	**14**	**26**	**37**	**66**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.5	15	<1	<1	1	4	10	12	14
20-34	19	6.9	67	<1	1	4	7	23	28	29
35-49	21	6.0	85	1	1	3	6	12	28	43
50-64	34	8.6	153	1	1	4	9	20	34	64
65+	52	6.4	115	1	1	3	6	14	24	61
B. *Operated*										
0-19 YRS	9	6.8	54	1	1	2	11	19	21	21
20-34	19	16.2	234	1	1	8	30	39	40	40
35-49	16	19.3	253	1	3	23	29	43	48	50
50-64	25	16.7	336	1	2	8	32	48	55	58
65+	33	19.3	483	2	3	8	22	57	77	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.9	9	<1	<1	2	4	5	9	15
20-34	25	6.4	18	1	1	6	8	9	14	22
35-49	39	9.5	150	1	1	6	10	18	33	68
50-64	142	8.4	105	1	1	5	9	20	31	49
65+	320	8.5	81	1	1	5	12	20	25	48
B. *Operated*										
0-19 YRS	28	25.6	398	1	3	25	39	50	60	85
20-34	40	27.6	488	3	5	27	41	71	94	99+
35-49	60	24.8	372	2	3	24	35	51	64	99+
50-64	127	29.6	469	3	5	29	44	60	72	98
65+	209	22.2	347	3	4	15	33	50	67	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	6.5	99	<1	1	3	7	15	25	61
B. *Operated*	102	17.0	328	1	2	8	26	42	54	79
2. MULTIPLE DX										
A. *Not Operated*	553	8.2	87	1	1	5	10	19	27	48
B. *Operated*	464	25.2	405	3	4	21	38	55	69	99+
1. SINGLE DX	249	10.8	219	1	1	5	12	31	44	71
2. MULTIPLE DX	1017	16.0	304	1	2	9	24	42	55	92
A. NOT OPERATED	700	7.8	90	1	1	5	9	18	26	49
B. OPERATED	566	23.7	401	2	3	19	36	53	67	99+
TOTAL 0-19 YRS	85	11.0	248	<1	<1	3	14	36	44	75
20-34	103	16.5	334	1	1	8	28	41	68	99+
35-49	136	16.9	309	1	2	9	28	43	53	99
50-64	328	17.2	367	1	2	8	29	48	59	86
65+	614	13.6	239	1	2	8	18	36	48	79
GRAND TOTAL	**1266**	**14.9**	**291**	**1**	**1**	**8**	**22**	**41**	**53**	**85**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.9	49	<1	<1	1	4	7	22	29
20-34	30	5.0	13	1	1	4	7	11	12	14
35-49	58	4.4	22	1	1	3	5	9	14	23
50-64	102	6.4	77	1	1	4	7	12	21	56
65+	138	7.5	50	<1	1	5	11	17	24	30
B. *Operated*										
0-19 YRS	15	4.5	15	<1	1	3	7	9	13	15
20-34	73	7.5	65	<1	1	5	10	21	28	35
35-49	114	7.1	41	1	2	5	9	15	20	33
50-64	260	8.6	71	1	2	6	11	19	24	45
65+	302	9.0	58	1	2	7	12	18	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	12	<1	<1	1	3	10	11	11
20-34	57	6.1	53	<1	<1	3	7	16	21	35
35-49	137	7.6	90	1	1	5	9	16	26	40
50-64	402	10.0	100	1	1	7	13	22	28	58
65+	1028	11.5	141	1	2	8	15	25	37	73
B. *Operated*										
0-19 YRS	23	16.2	236	1	2	10	21	47	51	54
20-34	56	13.4	172	2	3	10	14	36	43	64
35-49	179	14.9	172	2	3	12	20	31	39	89
50-64	553	15.9	205	2	3	11	21	36	50	82
65+	1179	18.5	252	2	4	14	24	39	54	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	6.3	51	<1	1	4	7	14	21	30
B. *Operated*	764	8.3	60	1	2	6	11	18	24	41
2. MULTIPLE DX										
A. *Not Operated*	1636	10.5	125	1	2	7	14	23	33	65
B. *Operated*	1990	17.3	231	2	3	13	23	37	51	85
1. SINGLE DX	1108	7.7	58	1	1	5	11	17	23	37
2. MULTIPLE DX	3626	14.2	195	2	2	10	19	32	44	81
A. NOT OPERATED	1980	9.8	115	1	1	7	13	22	30	64
B. OPERATED	2754	14.8	200	2	2	11	19	33	44	80
TOTAL 0-19 YRS	66	8.1	132	<1	<1	4	9	21	34	53
20-34	216	8.3	91	<1	1	5	11	20	31	48
35-49	488	9.8	116	1	2	7	13	23	30	56
50-64	1317	11.9	148	1	2	8	16	26	38	63
65+	2647	14.1	193	2	2	10	18	32	43	80
GRAND TOTAL	**4734**	**12.7**	**170**	**1**	**2**	**9**	**16**	**28**	**39**	**75**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	52	3.4	9	1	1	2	4	7	9	18
20-34	134	3.3	10	1	1	3	4	5	6	12
35-49	163	3.2	2	1	1	3	4	5	5	7
50-64	201	3.5	3	1	1	3	4	6	7	9
65+	125	3.7	3	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	3.3		3	3	3	4	4	4	4
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	15	3.1	10	<1	<1	2	3	6	12	14
20-34	29	2.9	4	1	1	2	3	6	7	9
35-49	63	3.9	7	<1	1	3	4	7	10	15
50-64	120	4.4	8	2	2	4	5	7	9	17
65+	136	4.9	19	2	2	4	5	9	11	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3	1	<1	<1	3	3	3	3	3
B. *Operated*	675	3.4	5	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	5	2.6	1	1	1	3	3	4	4	4
B. *Operated*	363	4.3	12	1	2	4	5	7	9	19
1. SINGLE DX	678	3.4	5	1	1	3	4	5	6	8
2. MULTIPLE DX	368	4.3	12	1	2	4	5	7	9	19
A. NOT OPERATED	8	2.5	1	<1	<1	3	3	4	4	4
B. OPERATED	1038	3.7	7	1	1	3	5	6	8	14
TOTAL 0-19 YRS	68	3.3	9	<1	1	2	4	7	9	17
20-34	165	3.3	9	1	1	3	4	5	6	9
35-49	226	3.4	4	1	1	3	4	5	6	11
50-64	324	3.8	5	1	2	3	5	6	8	12
65+	263	4.3	12	1	2	4	5	7	9	19
GRAND TOTAL	**1046**	**3.7**	**7**	**1**	**1**	**3**	**5**	**6**	**7**	**14**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9		<1	<1	2	2	3	3	3
20-34	6	3.7	8	1	1	3	6	8	8	8
35-49	27	1.6	1	<1	<1	1	2	3	4	5
50-64	39	1.6	1	<1	<1	1	2	4	5	5
65+	71	2.3	6	<1	<1	1	3	4	8	14
B. *Operated*										
0-19 YRS	28	4.4	17	<1	<1	2	9	11	12	13
20-34	46	4.5	11	<1	<1	4	7	10	11	13
35-49	134	3.9	18	<1	<1	2	6	10	13	17
50-64	458	3.0	12	<1	<1	2	3	9	11	16
65+	547	3.2	12	<1	<1	2	3	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	10	1	1	4	6	10	10	10
20-34	10	8.7	65	1	1	6	13	21	28	28
35-49	23	3.3	8	<1	<1	2	5	8	9	10
50-64	90	3.7	13	<1	<1	2	5	9	11	18
65+	282	5.6	46	1	1	4	7	12	15	47
B. *Operated*										
0-19 YRS	31	8.3	55	1	1	7	12	20	24	25
20-34	52	6.4	56	<1	<1	3	8	18	23	34
35-49	213	6.5	56	<1	1	4	9	15	21	39
50-64	875	5.6	41	<1	1	3	8	13	16	30
65+	1932	7.4	71	1	1	4	10	17	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	2.0	4	<1	<1	1	2	4	6	11
B. *Operated*	1213	3.3	13	<1	<1	2	3	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	411	5.1	37	<1	1	3	7	11	14	31
B. *Operated*	3103	6.8	62	1	1	4	9	15	21	37
1. SINGLE DX	1364	3.2	12	<1	<1	2	3	9	11	17
2. MULTIPLE DX	3514	6.6	59	<1	1	4	9	15	20	37
A. NOT OPERATED	562	4.3	30	<1	<1	2	5	10	13	28
B. OPERATED	4316	5.8	51	<1	1	3	8	14	19	32
TOTAL 0-19 YRS	73	5.8	35	<1	1	3	10	13	20	25
20-34	114	5.7	37	<1	1	4	8	12	19	31
35-49	397	5.1	39	<1	<1	2	7	12	17	29
50-64	1462	4.6	31	<1	<1	2	6	11	14	26
65+	2832	6.3	59	<1	1	3	9	14	20	36
GRAND TOTAL	**4878**	**5.7**	**49**	**<1**	**1**	**3**	**8**	**13**	**18**	**32**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0		1	1	2	2	3	3	3
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	95	2.2	2	1	1	2	2	2	4	11
20-34	42	2.4	3	<1	<1	2	2	6	7	7
35-49	50	4.0	12	<1	<1	2	7	9	10	14
50-64	78	4.4	14	<1	1	3	7	9	10	19
65+	49	4.6	22	<1	1	2	6	11	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0		2	2	2	2	2	2	2
65+	10	11.3	151	2	2	5	16	33	35	35
B. *Operated*										
0-19 YRS	21	2.7	2	1	2	2	3	4	6	8
20-34	26	7.3	59	<1	<1	4	12	16	21	32
35-49	38	6.9	53	<1	1	3	11	16	20	35
50-64	73	5.5	25	1	1	3	8	14	17	19
65+	97	9.1	108	1	2	6	13	23	34	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.4	2	1	1	2	3	4	6	6
B. *Operated*	314	3.4	11	<1	1	2	4	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	17	7.4	109	<1	1	3	6	28	34	35
B. *Operated*	255	7.0	65	1	1	4	10	16	21	50
1. SINGLE DX	327	3.4	11	<1	1	2	4	8	10	17
2. MULTIPLE DX	272	7.0	68	1	1	4	10	16	23	48
A. NOT OPERATED	30	5.2	67	1	1	2	4	13	31	35
B. OPERATED	569	5.0	39	<1	1	2	7	12	16	34
TOTAL 0-19 YRS	125	2.2	2	1	1	2	2	3	4	10
20-34	71	4.2	29	<1	<1	2	5	11	15	29
35-49	91	5.1	30	<1	1	2	8	12	15	29
50-64	154	4.8	20	1	1	3	7	10	15	19
65+	158	7.7	87	1	1	4	10	18	31	56
GRAND TOTAL	**599**	**5.0**	**40**	**<1**	**1**	**2**	**7**	**12**	**17**	**35**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	4	<1	<1	1	2	5	7	7
20-34	7	2.1	2	1	1	2	2	4	5	5
35-49	7	2.3	1	1	1	2	3	4	4	4
50-64	11	4.1	8	1	1	4	6	8	9	9
65+	3	3.0	7	<1	<1	2	5	6	6	6
B. *Operated*										
0-19 YRS	562	2.8	4	<1	1	2	3	5	6	12
20-34	657	2.4	4	<1	<1	2	3	4	6	13
35-49	821	2.4	9	<1	<1	2	3	4	6	14
50-64	736	2.5	5	<1	<1	2	3	4	6	11
65+	298	2.8	6	<1	<1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.1	58	<1	<1	1	3	9	24	32
20-34	9	6.3	18	<1	<1	7	11	11	11	11
35-49	20	5.3	15	<1	<1	4	9	11	12	12
50-64	15	5.7	45	1	1	4	7	9	23	28
65+	28	5.7	17	1	1	5	7	12	14	19
B. *Operated*										
0-19 YRS	112	4.2	39	<1	1	3	4	9	11	36
20-34	176	3.9	20	<1	1	2	5	8	14	22
35-49	335	4.2	35	<1	1	2	4	9	12	35
50-64	487	4.1	24	<1	1	3	5	9	13	19
65+	375	5.4	48	1	1	3	6	12	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.8	5	<1	<1	2	4	6	8	9
B. *Operated*	3074	2.5	6	<1	<1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	89	5.4	28	<1	<1	4	7	11	13	30
B. *Operated*	1485	4.4	34	<1	1	3	5	10	14	26
1. SINGLE DX	3111	2.5	6	<1	<1	2	3	4	6	13
2. MULTIPLE DX	1574	4.5	33	<1	1	3	5	10	14	28
A. NOT OPERATED	126	4.6	23	<1	<1	3	7	10	12	29
B. OPERATED	4559	3.1	16	<1	<1	2	3	6	9	18
TOTAL 0-19 YRS	700	3.0	11	<1	<1	2	4	5	7	15
20-34	849	2.8	8	<1	<1	2	3	5	7	16
35-49	1183	2.9	17	<1	<1	2	3	5	9	18
50-64	1249	3.1	14	<1	<1	2	3	6	9	18
65+	704	4.3	31	<1	1	3	5	9	13	28
GRAND TOTAL	**4685**	**3.2**	**16**	**<1**	**<1**	**2**	**3**	**6**	**9**	**19**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.2	8	<1	<1	2	4	7	10	12
20-34	6	3.5	15	1	1	2	4	10	11	11
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	4	3.0	11	<1	<1	1	5	8	8	8
65+	3	4.3	10	2	2	3	7	8	8	8
B. *Operated*										
0-19 YRS	623	2.1	4	<1	<1	2	2	4	5	11
20-34	217	2.2	3	<1	<1	2	3	4	6	10
35-49	174	2.2	5	<1	<1	2	2	5	5	13
50-64	157	2.7	19	<1	<1	2	2	4	6	29
65+	78	2.8	14	<1	<1	2	2	4	8	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.5	5	<1	<1	<1	1	1	5	11
20-34	7	3.0	9	<1	<1	1	4	8	9	9
35-49	8	4.0	9	<1	<1	4	7	7	7	7
50-64	13	4.0	4	<1	<1	4	5	7	8	8
65+	26	8.6	24	2	3	8	11	15	18	24
B. *Operated*										
0-19 YRS	143	4.1	55	<1	<1	2	4	9	14	46
20-34	108	3.1	11	<1	<1	2	4	8	10	17
35-49	153	3.6	26	<1	<1	2	3	8	11	28
50-64	157	4.5	69	<1	<1	2	4	9	14	32
65+	161	7.7	113	<1	1	4	11	17	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.4	9	<1	<1	2	4	8	11	12
B. *Operated*	1249	2.2	7	<1	<1	2	2	4	6	15
2. MULTIPLE DX										
A. *Not Operated*	76	4.7	20	<1	<1	3	7	11	13	22
B. *Operated*	722	4.7	61	<1	<1	2	5	11	17	33
1. SINGLE DX	1282	2.3	7	<1	<1	2	2	4	6	15
2. MULTIPLE DX	798	4.7	57	<1	<1	2	5	11	17	33
A. NOT OPERATED	109	4.3	17	<1	<1	3	7	10	12	19
B. OPERATED	1971	3.2	28	<1	<1	2	3	6	11	25
TOTAL 0-19 YRS	805	2.5	14	<1	<1	2	2	4	7	16
20-34	338	2.5	6	<1	<1	2	3	5	8	13
35-49	338	2.9	15	<1	<1	2	3	6	9	26
50-64	331	3.6	43	<1	<1	2	3	7	13	30
65+	268	6.3	80	<1	<1	3	8	16	22	39
GRAND TOTAL	**2080**	**3.2**	**27**	**<1**	**<1**	**2**	**3**	**7**	**11**	**24**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	223	1.7		<1	<1	2	2	2	3	4
20-34	592	1.7	1	<1	<1	2	2	2	3	4
35-49	440	1.8	1	<1	<1	2	2	3	3	6
50-64	183	2.0	1	<1	<1	2	2	3	3	5
65+	86	2.4	1	<1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	2.0	4	<1	<1	1	3	5	5	5
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	29	1.9	1	<1	<1	2	2	3	3	3
20-34	171	2.1	2	<1	<1	2	2	4	4	8
35-49	299	2.4	3	<1	1	2	3	4	5	13
50-64	208	2.9	10	<1	1	2	3	5	7	20
65+	181	3.5	9	1	2	3	4	6	11	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		1	1	1	2	2	2	2
B. *Operated*	1524	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	9	1.8	2	<1	<1	1	2	4	5	5
B. *Operated*	888	2.7	6	<1	1	2	3	4	6	14
1. SINGLE DX	1528	1.8	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX	897	2.7	6	<1	1	2	3	4	6	14
A. NOT OPERATED	13	1.7	1	<1	<1	1	2	3	5	5
B. OPERATED	2412	2.1	3	<1	<1	2	2	3	4	10
TOTAL 0-19 YRS	253	1.7		<1	<1	2	2	2	3	4
20-34	765	1.8	1	<1	<1	2	2	3	3	4
35-49	744	2.1	2	<1	<1	2	2	3	4	8
50-64	395	2.4	6	<1	1	2	3	3	5	13
65+	268	3.2	6	1	2	2	3	5	9	14
GRAND TOTAL	**2425**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	25	2.8	2	<1	1	3	4	5	6	6
35-49	33	2.9	5	<1	1	2	3	6	9	10
50-64	5	3.4	7	1	1	3	5	7	7	7
65+	2	9.5	85	3	3	9	16	16	16	16
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	435	5.1	7	<1	1	6	7	8	8	11
35-49	1699	5.7	7	<1	1	6	7	8	9	12
50-64	313	5.5	10	<1	1	6	8	8	9	14
65+	17	6.0	102	1	1	3	7	8	31	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	61	3.4	15	<1	<1	2	4	7	9	25
35-49	180	3.2	14	<1	<1	2	5	7	9	23
50-64	49	3.5	10	<1	1	2	4	8	9	17
65+	21	8.6	39	<1	2	7	11	18	23	26
B. *Operated*										
0-19 YRS	11	6.9	34	1	1	6	10	15	20	20
20-34	1276	5.4	11	<1	1	6	7	8	10	16
35-49	8644	6.3	12	1	1	7	8	9	11	17
50-64	2116	6.1	14	<1	1	7	8	9	11	18
65+	243	8.8	39	2	2	8	10	16	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.1	6	<1	1	3	4	6	7	15
B. *Operated*	2466	5.5	8	<1	1	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	311	3.7	17	<1	<1	2	5	8	11	26
B. *Operated*	12290	6.2	13	1	1	7	8	9	11	17
1. SINGLE DX	2532	5.5	8	<1	1	6	7	8	9	12
2. MULTIPLE DX	12601	6.1	13	1	1	6	8	9	11	18
A. NOT OPERATED	377	3.6	15	<1	<1	2	5	7	10	24
B. OPERATED	14756	6.1	12	1	1	6	8	9	11	17
TOTAL 0-19 YRS	14	6.1	29	1	1	6	8	13	18	20
20-34	1797	5.2	10	<1	1	6	7	8	10	15
35-49	10556	6.1	11	1	1	6	8	9	11	16
50-64	2483	6.0	13	<1	1	6	8	9	11	17
65+	283	8.7	43	1	2	7	10	16	22	41
GRAND TOTAL	**15133**	**6.0**	**12**	**1**	**1**	**6**	**8**	**9**	**11**	**17**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	2.6	4	<1	<1	2	3	6	7	7
35-49	23	3.4	6	<1	1	2	6	7	8	8
50-64	9	3.6	7	<1	<1	2	6	7	7	7
65+	5	4.6	16	2	2	2	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	35	5.1	8	<1	1	5	7	8	8	15
35-49	121	5.7	10	1	1	6	7	9	10	15
50-64	46	4.9	15	1	1	4	7	10	11	19
65+	18	5.7	16	1	1	6	8	11	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	50	3.3	6	<1	1	2	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	3	1	1	4	4	4	4	4
B. *Operated*	221	5.4	11	1	1	6	7	9	11	15
1. SINGLE DX	52	3.3	6	<1	1	2	5	7	8	11
2. MULTIPLE DX	224	5.4	11	1	1	6	7	9	11	15
A. NOT OPERATED	5	3.4	2	1	1	4	4	5	5	5
B. OPERATED	271	5.1	11	1	1	5	7	9	10	15
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	48	4.5	8	<1	1	5	6	7	8	15
35-49	146	5.3	10	1	1	6	7	8	10	14
50-64	57	4.6	14	1	1	4	6	10	11	18
65+	23	5.5	15	1	1	6	8	11	13	15
GRAND TOTAL	**276**	**5.0**	**11**	**1**	**1**	**5**	**7**	**8**	**10**	**15**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	2	1	1	3	4	4	4	4
20-34	3	1.3		1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	83	5.5	2	3	4	5	6	7	8	10
20-34	421	5.6	2	3	4	6	6	7	8	11
35-49	146	6.5	4	4	4	6	7	8	10	13
50-64	78	7.6	19	4	5	7	8	9	13	34
65+	40	7.8	7	4	5	7	9	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	3.0	8	<1	<1	2	5	7	7	7
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64										
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	75	6.0	6	3	4	6	7	8	10	16
20-34	478	6.0	3	3	4	6	7	8	9	13
35-49	367	7.2	10	4	5	7	8	10	13	22
50-64	287	9.2	57	5	6	8	9	14	17	34
65+	266	12.5	72	6	6	10	15	22	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.1	2	1	1	2	3	4	4	4
B. *Operated*	768	6.1	5	4	4	6	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	8	4.6	14	<1	<1	4	7	10	11	11
B. *Operated*	1473	8.1	34	4	5	7	8	13	17	32
1. SINGLE DX	776	6.0	5	4	4	6	7	8	9	13
2. MULTIPLE DX	1481	8.1	33	4	5	7	8	13	17	32
A. NOT OPERATED	16	3.4	9	<1	1	2	5	8	10	11
B. OPERATED	2241	7.4	25	4	4	6	8	11	15	28
TOTAL 0-19 YRS	164	5.6	4	3	4	5	6	8	8	15
20-34	906	5.7	3	3	4	6	7	7	8	11
35-49	515	7.0	8	4	5	6	7	9	11	20
50-64	365	8.9	49	5	6	7	9	13	16	35
65+	307	11.9	66	5	6	9	14	20	28	45
GRAND TOTAL	**2257**	**7.4**	**25**	**4**	**4**	**6**	**8**	**11**	**15**	**28**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	10	4.1	7	<1	<1	5	6	7	8	8
35-49	17	2.4	5	<1	<1	1	3	6	8	9
50-64	18	2.6	4	<1	<1	2	3	7	7	7
65+	3	3.0	7	<1	<1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	14	4.4	16	<1	1	2	8	10	12	13
35-49	31	4.1	10	1	1	3	6	8	8	14
50-64	15	4.6	8	<1	2	3	7	8	9	10
65+	11	3.0	3	1	1	3	4	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	51	2.8	5	<1	<1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	75	4.1	9	1	1	3	6	8	10	14
1. SINGLE DX	52	2.9	6	<1	<1	2	5	7	8	9
2. MULTIPLE DX	76	4.0	9	<1	1	3	6	8	10	14
A. NOT OPERATED	2	5.0	32	<1	<1	4	9	9	9	9
B. OPERATED	126	3.5	8	<1	<1	2	6	8	8	13
TOTAL 0-19 YRS	8	2.6	3	<1	<1	2	4	5	5	5
20-34	25	4.4	12	<1	<1	4	7	9	11	13
35-49	48	3.5	9	<1	<1	2	6	8	8	14
50-64	33	3.5	7	<1	<1	2	6	7	8	10
65+	14	3.0	3	<1	1	3	4	6	6	6
GRAND TOTAL	**128**	**3.6**	**8**	**<1**	**<1**	**2**	**6**	**8**	**9**	**13**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.8	3	<1	<1	2	5	5	5	5
20-34	20	5.0	63	<1	1	2	4	14	27	33
35-49	15	2.2	1	<1	1	2	3	3	4	4
50-64	7	2.9	2	<1	<1	3	3	5	6	6
65+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.6	1	<1	<1	1	2	3	3	3
20-34	11	2.9	3	<1	<1	3	4	5	6	6
35-49	9	5.1	9	2	2	5	7	10	11	11
50-64	15	6.4	42	<1	2	4	8	13	23	26
65+	14	6.8	21	3	3	5	8	15	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	51	3.4	27	<1	<1	2	3	5	6	33
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	57	4.9	21	<1	1	3	5	11	14	25
1. SINGLE DX	51	3.4	27	<1	<1	2	3	5	6	33
2. MULTIPLE DX	57	4.9	21	<1	1	3	5	11	14	25
A. NOT OPERATED										
B. OPERATED	108	4.2	24	<1	1	3	5	8	13	29
TOTAL 0-19 YRS	14	2.1	2	<1	<1	2	3	5	5	5
20-34	31	4.2	42	<1	1	3	4	6	20	33
35-49	24	3.3	6	<1	1	3	4	7	9	11
50-64	22	5.3	32	<1	1	3	5	12	18	26
65+	17	5.8	22	<1	1	5	7	14	17	18
GRAND TOTAL	**108**	**4.2**	**24**	**<1**	**1**	**3**	**5**	**8**	**13**	**29**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. Operated										
0-19 YRS										
20-34	10	1.5	1	<1	<1	1	2	3	3	3
35-49	19	4.7	18	<1	1	3	8	12	14	14
50-64	38	3.7	16	<1	<1	3	3	9	11	22
65+	31	3.7	11	<1	1	3	4	8	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. Operated										
0-19 YRS	3	12.7	226	3	3	5	24	30	30	30
20-34	11	4.4	19	<1	<1	2	8	11	12	12
35-49	15	3.9	10	<1	<1	3	5	10	11	11
50-64	52	4.2	16	<1	1	3	5	11	14	16
65+	101	5.6	25	2	2	3	8	12	14	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	98	3.7	14	<1	<1	3	4	10	13	18
2. MULTIPLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	182	5.1	24	<1	1	3	7	11	14	28
1. SINGLE DX	100	3.7	13	<1	<1	3	4	9	12	18
2. MULTIPLE DX	183	5.1	24	1	1	3	7	11	14	28
A. NOT OPERATED	3	2.7		2	2	3	3	3	3	3
B. OPERATED	280	4.6	21	<1	1	3	6	11	14	25
TOTAL 0-19 YRS	3	12.7	226	3	3	5	24	30	30	30
20-34	21	3.0	12	<1	<1	1	3	9	11	12
35-49	35	4.3	14	<1	<1	3	5	10	12	14
50-64	92	4.0	15	<1	1	3	5	9	12	20
65+	132	5.1	22	1	2	3	6	11	14	27
GRAND TOTAL	**283**	**4.6**	**21**	**<1**	**1**	**3**	**6**	**11**	**14**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	16	1.7	1	<1	<1	1	2	3	4	4
20-34	5	1.8	1	<1	<1	2	2	3	3	3
35-49	6	12.2	646	<1	<1	2	4	58	64	64
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	7.3	86	1	1	3	14	18	18	18
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	2	4.0	18	1	1	4	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		1	1	1	1	1	1	1
B. Operated	29	3.9	135	<1	<1	2	2	4	7	64
2. MULTIPLE DX										
A. Not Operated	1	10.0		10	10	10	10	10	10	10
B. Operated	9	4.6	31	1	1	3	6	14	18	18
1. SINGLE DX	32	3.6	122	<1	<1	1	2	3	4	64
2. MULTIPLE DX	10	5.1	30	1	1	3	7	14	18	18
A. NOT OPERATED	4	3.3	20	1	1	1	6	10	10	10
B. OPERATED	38	4.0	109	<1	<1	2	3	5	14	64
TOTAL 0-19 YRS	20	1.6	1	<1	<1	1	2	3	3	4
20-34	6	2.0	1	<1	<1	2	3	3	3	3
35-49	9	10.6	431	<1	<1	2	7	46	64	64
50-64	4	2.5	6	1	1	2	4	6	6	6
65+	3	6.0	21	1	1	7	9	10	10	10
GRAND TOTAL	**42**	**4.0**	**99**	**<1**	**<1**	**2**	**3**	**6**	**13**	**64**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	6	2.0		1	1	2	2	3	3	3
50-64	10	3.5	8	<1	<1	3	5	8	10	10
65+	13	12.6	385	<1	<1	6	12	35	67	74
B. *Operated*										
0-19 YRS	11	11.4	92	3	4	9	13	24	37	38
20-34	39	12.0	106	1	2	10	16	23	33	51
35-49	62	11.7	33	2	4	11	14	21	22	26
50-64	63	10.8	46	1	2	11	14	19	24	31
65+	45	15.9	182	2	4	15	18	26	31	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	5	7	7	7	10	11	11	11
20-34	7	7.0	34	2	2	6	8	17	19	19
35-49	15	6.1	17	3	3	5	8	13	15	16
50-64	23	8.5	63	1	2	6	11	19	26	36
65+	121	14.5	263	2	3	9	16	38	61	99+
B. *Operated*										
0-19 YRS	13	12.2	49	2	2	11	16	23	25	25
20-34	37	20.7	308	2	4	16	29	54	91	99+
35-49	73	18.0	226	3	5	14	22	40	67	99+
50-64	156	21.0	235	3	7	17	27	53	72	99+
65+	201	23.9	319	4	6	20	33	53	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	7.3	185	<1	1	3	6	13	25	74
B. *Operated*	220	12.3	85	2	2	11	15	21	26	43
2. MULTIPLE DX										
A. *Not Operated*	169	12.6	209	2	3	8	14	31	54	97
B. *Operated*	480	21.5	274	3	6	17	29	52	73	99+
1. SINGLE DX	250	11.7	99	1	2	11	15	21	26	51
2. MULTIPLE DX	649	19.2	273	3	4	15	26	47	65	99+
A. NOT OPERATED	199	11.8	208	1	2	7	13	29	51	94
B. OPERATED	700	18.6	233	2	5	15	24	40	60	99+
TOTAL 0-19 YRS	28	11.3	58	2	3	10	14	21	26	38
20-34	83	15.5	211	2	2	13	19	41	54	99+
35-49	156	13.7	141	2	3	12	16	27	38	99
50-64	252	16.6	196	2	3	14	21	37	57	99+
65+	380	19.6	306	3	4	14	27	45	64	99+
GRAND TOTAL	**899**	**17.1**	**235**	**2**	**3**	**13**	**22**	**38**	**59**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	18	3.4	1	2	3	3	4	5	5	5
20-34	192	3.6	1	2	2	4	4	5	6	7
35-49	284	3.9	2	2	3	4	5	5	6	8
50-64	184	4.1	2	2	3	4	5	5	6	11
65+	70	4.8	4	3	3	4	6	7	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	6.0	8	4	4	6	8	8	8	8
65+	5	7.4	12	3	3	8	10	12	12	12
B. *Operated*										
0-19 YRS	6	5.2	9	3	3	4	5	10	11	11
20-34	65	4.1	2	2	3	4	5	5	6	11
35-49	122	4.9	9	2	3	4	5	8	9	21
50-64	142	5.5	8	3	3	5	6	9	11	17
65+	96	8.8	173	2	3	5	8	18	28	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.3	3	3	3	4	6	7	7	7
B. *Operated*	748	3.9	2	2	3	4	5	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	10	5.6	12	1	1	5	8	10	12	12
B. *Operated*	431	5.9	47	2	3	4	6	9	14	30
1. SINGLE DX	754	3.9	2	2	3	4	5	5	6	9
2. MULTIPLE DX	441	5.9	46	2	3	4	6	9	13	30
A. NOT OPERATED	16	5.1	9	1	2	4	7	9	11	12
B. OPERATED	1179	4.6	19	2	3	4	5	6	9	19
TOTAL 0-19 YRS	24	3.8	3	2	3	3	4	5	7	11
20-34	261	3.7	2	2	2	4	4	5	6	8
35-49	408	4.2	4	2	3	4	5	6	7	11
50-64	330	4.7	5	3	3	4	5	7	10	14
65+	172	7.1	102	3	3	5	6	12	19	65
GRAND TOTAL	**1195**	**4.7**	**19**	**2**	**3**	**4**	**5**	**6**	**9**	**19**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	21	10.2	106	3	4	8	10	14	32	53
35-49	31	8.4	26	3	3	7	10	16	18	25
50-64	32	8.7	35	3	3	7	10	14	24	29
65+	22	8.4	79	3	3	5	9	16	32	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	6.4	12	1	2	5	10	11	11	11
35-49	10	6.7	35	2	2	4	8	16	22	22
50-64	26	4.8	10	1	1	4	7	9	10	12
65+	24	10.3	88	2	3	7	11	28	33	40
B. *Operated*										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	32	8.8	11	4	5	9	11	13	14	15
35-49	54	11.8	215	3	4	8	12	21	32	96
50-64	119	11.6	154	3	4	8	12	21	31	71
65+	84	15.4	279	3	4	9	18	31	56	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	3	1	1	3	4	5	5	5
B. *Operated*	108	8.8	53	3	3	7	10	15	25	45
2. MULTIPLE DX										
A. *Not Operated*	70	7.1	45	1	2	5	9	12	22	38
B. *Operated*	291	12.4	187	3	4	9	13	23	34	76
1. SINGLE DX	113	8.5	53	3	3	7	10	14	24	45
2. MULTIPLE DX	361	11.4	164	3	3	8	12	22	31	72
A. NOT OPERATED	75	6.8	43	1	2	5	8	12	20	37
B. OPERATED	399	11.4	153	3	4	8	12	21	31	71
TOTAL 0-19 YRS	5	6.2	14	2	2	5	9	11	11	11
20-34	65	8.7	43	3	3	8	10	13	14	47
35-49	96	10.1	135	3	3	7	11	20	25	75
50-64	178	10.0	116	2	3	7	10	18	25	69
65+	130	13.2	217	3	3	8	14	28	49	80
GRAND TOTAL	**474**	**10.7**	**139**	**3**	**3**	**8**	**11**	**20**	**30**	**70**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	2.8		2	2	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	9	3.9	8	1	1	3	7	8	8	8
20-34	582	3.2	6	<1	1	2	5	6	7	9
35-49	363	4.1	6	1	1	3	6	7	9	11
50-64	84	4.3	7	<1	1	4	7	8	9	11
65+	28	4.6	20	1	1	3	7	9	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	1.4	1	<1	<1	<1	1	3	4	4
35-49	9	1.7	2	<1	<1	1	2	4	5	5
50-64	6	1.7	1	<1	<1	1	2	3	3	3
65+	3	2.7	4	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	6	2.3	3	1	1	2	2	6	6	6
20-34	402	4.3	9	1	1	3	6	8	10	14
35-49	387	6.0	14	1	2	6	8	10	11	16
50-64	104	6.7	28	1	1	7	8	13	16	30
65+	78	7.1	44	2	2	6	9	11	15	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.8		2	2	3	3	3	3	3
B. *Operated*	1066	3.6	7	<1	1	3	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	30	1.7	1	<1	<1	1	2	4	5	5
B. *Operated*	977	5.4	17	1	1	5	7	10	11	17
1. SINGLE DX	1070	3.6	7	<1	1	3	6	7	8	11
2. MULTIPLE DX	1007	5.3	17	1	1	5	7	9	11	17
A. NOT OPERATED	34	1.8	1	<1	<1	1	2	3	5	5
B. OPERATED	2043	4.5	12	1	1	3	6	8	10	15
TOTAL 0-19 YRS	15	3.3	6	1	1	2	5	7	8	8
20-34	996	3.6	7	<1	1	3	5	7	8	12
35-49	759	5.0	11	1	1	5	7	9	10	13
50-64	198	5.5	20	1	1	5	7	10	14	25
65+	109	6.3	38	1	2	5	9	11	15	37
GRAND TOTAL	**2077**	**4.4**	**12**	**1**	**1**	**3**	**6**	**8**	**10**	**15**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	4.0	3	2	2	5	5	5	5	5
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	6	3.5	4	2	2	3	6	6	6	6
20-34	21	2.4	3	<1	<1	2	3	6	6	7
35-49	46	4.2	11	1	1	3	6	8	11	16
50-64	102	4.5	28	<1	1	2	6	10	13	30
65+	111	5.0	39	1	1	3	6	10	14	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	1	7.0		7	7	7	7	7	7	7
50-64	5	4.0	2	2	2	5	5	5	5	5
65+	15	6.7	36	1	1	4	10	17	20	21
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	22	7.6	187	<1	1	4	7	14	37	66
35-49	93	5.2	10	1	2	6	7	9	10	14
50-64	201	6.7	57	1	2	4	9	13	19	36
65+	344	9.1	101	1	2	6	12	21	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.0	2	2	2	4	5	5	5	5
B. *Operated*	286	4.5	27	<1	1	3	6	9	13	31
2. MULTIPLE DX										
A. *Not Operated*	23	5.9	26	1	1	5	8	12	18	21
B. *Operated*	661	7.8	79	1	2	5	10	16	24	47
1. SINGLE DX	291	4.5	27	<1	1	3	6	9	13	30
2. MULTIPLE DX	684	7.7	78	1	2	5	9	16	23	45
A. NOT OPERATED	28	5.5	22	1	1	4	6	11	17	21
B. OPERATED	947	6.8	66	1	1	4	8	14	22	39
TOTAL 0-19 YRS	7	4.1	6	2	2	3	6	8	8	8
20-34	45	5.0	98	<1	<1	2	5	8	14	66
35-49	140	4.9	10	1	1	5	7	9	10	15
50-64	311	5.9	47	1	1	3	8	13	17	32
65+	472	8.1	87	1	1	5	10	18	26	48
GRAND TOTAL	**975**	**6.7**	**65**	**1**	**1**	**4**	**8**	**14**	**21**	**38**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.5	4	<1	<1	1	4	6	7	9
20-34	40	4.2	9	<1	1	3	6	9	10	12
35-49	42	3.6	8	<1	1	3	5	7	9	12
50-64	70	4.7	16	<1	<1	4	7	11	12	17
65+	79	7.1	89	1	1	5	9	13	16	59
B. *Operated*										
0-19 YRS	139	4.7	28	<1	1	2	6	11	15	24
20-34	199	3.8	10	<1	1	3	5	7	8	20
35-49	268	3.9	15	<1	1	2	5	9	10	20
50-64	362	4.2	24	1	1	2	5	9	12	30
65+	383	4.5	24	<1	1	3	5	11	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	5.1	111	1	1	3	5	11	20	99+
20-34	38	4.0	28	<1	<1	2	4	8	16	27
35-49	88	5.4	31	<1	<1	4	6	14	19	25
50-64	200	6.1	43	<1	1	4	8	13	20	30
65+	570	8.1	72	1	1	6	10	18	25	55
B. *Operated*										
0-19 YRS	82	7.7	50	1	1	5	10	19	22	32
20-34	148	8.2	126	1	1	6	8	15	23	84
35-49	263	7.7	66	1	2	6	9	16	23	66
50-64	524	8.2	63	1	2	6	11	17	24	38
65+	1061	11.0	136	2	2	8	14	25	33	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	4.8	35	<1	1	3	7	9	12	25
B. *Operated*	1351	4.2	20	<1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	944	7.1	64	1	1	5	9	16	22	51
B. *Operated*	2078	9.5	106	1	2	6	12	21	29	59
1. SINGLE DX	1626	4.3	23	<1	1	3	5	9	12	23
2. MULTIPLE DX	3022	8.8	94	1	2	6	11	19	27	56
A. NOT OPERATED	1219	6.6	58	<1	1	4	8	15	20	50
B. OPERATED	3429	7.4	79	1	1	4	10	16	24	48
TOTAL 0-19 YRS	313	5.2	45	<1	1	3	6	12	19	34
20-34	425	5.4	56	<1	1	4	6	9	15	28
35-49	661	5.6	40	<1	1	4	7	12	17	35
50-64	1156	6.4	48	1	1	4	8	14	19	35
65+	2093	8.9	102	1	2	6	11	19	28	58
GRAND TOTAL	**4648**	**7.2**	**74**	**1**	**1**	**4**	**9**	**16**	**23**	**48**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	4	4.5	2	3	3	4	5	6	6	6
50-64	5	7.0	15	3	3	5	10	12	12	12
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	14	3.8	1	2	3	4	4	5	5	5
20-34	99	3.9	2	2	3	4	5	5	6	10
35-49	201	4.3	3	2	3	4	5	6	7	10
50-64	159	4.5	3	2	3	4	5	6	8	12
65+	72	4.8	5	2	3	5	6	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	15	3.1	5	<1	<1	3	5	7	7	7
50-64	18	6.6	46	1	1	4	8	17	23	26
65+	50	7.2	49	<1	1	5	9	14	22	42
B. *Operated*										
0-19 YRS	7	5.3	6	3	3	5	7	9	9	9
20-34	32	4.3	17	2	2	4	5	5	5	26
35-49	89	5.5	10	3	3	5	6	9	11	21
50-64	160	5.9	17	3	3	5	6	10	15	23
65+	143	7.7	31	3	3	6	9	15	21	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	5.7	10	2	3	5	7	11	12	12
B. *Operated*	545	4.3	3	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	88	6.0	41	<1	1	4	7	12	19	36
B. *Operated*	431	6.3	21	3	3	5	7	11	16	25
1. SINGLE DX	557	4.4	3	2	3	4	5	6	7	12
2. MULTIPLE DX	519	6.3	24	2	3	5	7	11	18	25
A. NOT OPERATED	100	6.0	37	<1	1	4	7	12	18	34
B. OPERATED	976	5.2	12	2	3	4	5	8	11	22
TOTAL 0-19 YRS	21	4.3	3	2	3	4	5	7	8	9
20-34	138	3.9	5	2	2	4	5	5	6	13
35-49	309	4.6	5	2	3	4	5	6	8	15
50-64	342	5.3	12	2	3	4	5	9	11	23
65+	266	6.8	28	2	3	5	8	13	19	25
GRAND TOTAL	**1076**	**5.3**	**14**	**2**	**3**	**4**	**5**	**9**	**12**	**23**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	4.3	8	1	1	4	6	9	11	11
20-34	63	4.8	13	1	1	4	6	10	12	20
35-49	54	5.5	21	1	2	4	7	10	11	29
50-64	33	4.9	8	2	2	4	7	9	10	13
65+	27	7.3	73	2	2	5	8	10	29	43
B. *Operated*										
0-19 YRS	17	5.5	17	1	2	5	6	9	15	19
20-34	114	4.8	5	3	3	4	5	7	8	16
35-49	75	5.0	10	2	3	4	5	8	11	21
50-64	70	4.4	4	2	3	4	5	6	8	12
65+	21	3.7	3	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.4	27	1	2	5	8	12	15	28
20-34	85	5.8	20	1	2	5	7	11	13	27
35-49	115	7.3	31	2	2	6	9	13	18	30
50-64	188	8.8	33	2	3	7	12	17	20	25
65+	400	12.4	136	3	3	10	16	25	36	99+
B. *Operated*										
0-19 YRS	11	7.6	69	<1	1	5	6	23	27	27
20-34	53	6.9	30	3	3	5	8	13	21	28
35-49	66	8.5	80	2	3	5	9	19	26	53
50-64	74	8.3	49	2	3	6	10	20	24	84
65+	99	12.1	101	3	4	10	15	26	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	5.3	22	1	2	4	6	10	11	28
B. *Operated*	297	4.7	6	2	3	4	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	821	9.9	88	2	3	8	13	19	26	84
B. *Operated*	303	9.3	73	3	3	6	12	21	29	77
1. SINGLE DX	502	4.9	13	1	2	4	6	8	10	20
2. MULTIPLE DX	1124	9.7	84	2	3	7	12	20	27	84
A. NOT OPERATED	1026	9.0	78	2	2	7	11	18	24	61
B. OPERATED	600	7.0	45	2	3	5	7	14	21	45
TOTAL 0-19 YRS	89	5.7	24	1	2	5	7	10	15	28
20-34	315	5.4	15	2	2	4	6	9	13	23
35-49	310	6.7	36	2	2	5	8	12	18	32
50-64	365	7.5	31	2	3	6	9	16	20	29
65+	547	11.7	125	2	3	9	15	24	35	99+
GRAND TOTAL	**1626**	**8.3**	**67**	**2**	**3**	**6**	**10**	**17**	**23**	**56**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	7.2	74	2	3	5	8	11	15	49
20-34	31	5.3	4	3	3	5	7	8	9	10
35-49	25	6.5	14	2	2	6	10	11	13	17
50-64	33	5.8	13	2	2	4	8	10	15	16
65+	20	6.3	22	1	2	6	8	12	17	21
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	10.8	81	2	2	11	18	19	19	19
65+	4	4.8	9	1	1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	4.9	16	1	1	4	7	12	23	99+
20-34	71	6.7	29	1	2	6	8	10	11	38
35-49	107	7.1	26	1	3	6	9	12	15	30
50-64	222	8.1	29	2	3	7	10	14	18	32
65+	309	9.9	82	3	4	8	12	18	27	86
B. *Operated*										
0-19 YRS	1	40.0		40	40	40	40	40	40	40
20-34	6	12.8	171	1	1	7	22	34	35	35
35-49	12	13.7	103	1	4	12	21	29	31	31
50-64	28	15.3	201	3	4	9	20	30	49	63
65+	56	16.8	181	3	5	15	23	37	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	6.6	45	2	3	5	8	10	13	31
B. *Operated*	10	7.0	41	1	1	5	8	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	781	8.3	51	2	3	7	10	15	20	72
B. *Operated*	103	16.0	178	3	4	13	23	33	49	99+
1. SINGLE DX	238	6.6	44	2	2	5	8	10	15	31
2. MULTIPLE DX	884	9.2	71	2	3	7	11	18	26	79
A. NOT OPERATED	1009	7.9	50	2	3	6	10	14	18	52
B. OPERATED	113	15.2	172	2	4	12	22	31	47	99+
TOTAL 0-19 YRS	193	6.5	58	1	2	5	7	12	16	99+
20-34	108	6.6	31	2	3	5	8	10	12	38
35-49	145	7.5	33	1	2	6	9	13	17	31
50-64	287	8.5	49	2	3	7	11	16	19	37
65+	389	10.7	99	3	4	8	13	21	30	99+
GRAND TOTAL	**1122**	**8.6**	**67**	**2**	**3**	**6**	**10**	**16**	**24**	**77**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	580	4.4	10	1	1	4	6	9	10	15
20-34	360	4.6	9	1	2	4	6	8	11	16
35-49	140	6.5	14	2	2	6	9	12	14	18
50-64	101	6.5	13	2	2	6	8	10	12	21
65+	55	6.4	16	2	2	6	8	11	13	23
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	5	8.6	98	2	2	6	11	26	26	26
35-49	1	32.0		32	32	32	32	32	32	32
50-64										
65+	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	443	5.7	37	1	2	4	7	11	14	28
20-34	666	6.8	49	2	2	5	8	12	17	37
35-49	413	8.6	50	2	3	7	11	18	22	35
50-64	476	10.3	59	3	4	9	13	18	23	39
65+	753	13.0	104	3	4	11	16	24	32	77
B. *Operated*										
0-19 YRS	16	11.1	153	1	3	8	11	22	44	53
20-34	60	12.8	94	3	4	9	20	28	35	94
35-49	50	16.1	151	5	6	15	21	34	97	99+
50-64	73	22.3	288	7	8	16	34	50	87	99+
65+	125	26.9	360	8	10	20	38	59	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1236	5.0	11	1	2	4	7	9	11	16
B. *Operated*	8	13.4	128	2	2	9	23	30	32	32
2. MULTIPLE DX										
A. *Not Operated*	2751	9.2	72	2	2	7	11	18	24	45
B. *Operated*	324	20.8	285	5	6	16	27	52	76	99+
1. SINGLE DX	1244	5.0	12	1	2	4	7	9	11	17
2. MULTIPLE DX	3075	10.4	107	2	3	8	13	21	29	67
A. NOT OPERATED	3987	7.9	57	2	2	6	10	16	21	39
B. OPERATED	332	20.6	282	5	6	16	27	51	72	99+
TOTAL 0-19 YRS	1040	5.1	24	1	2	4	6	9	12	22
20-34	1091	6.4	42	2	2	5	7	12	17	35
35-49	604	8.8	56	2	3	7	11	18	23	41
50-64	650	11.1	95	3	3	9	13	21	28	67
65+	934	14.5	159	3	4	11	17	28	44	95
GRAND TOTAL	**4319**	**8.9**	**86**	**2**	**2**	**6**	**11**	**18**	**25**	**57**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	408	5.9	13	1	2	5	7	10	13	20
20-34	425	6.1	18	1	2	5	8	11	13	18
35-49	477	6.3	17	2	3	5	8	11	14	21
50-64	675	6.6	23	2	3	6	8	11	14	18
65+	580	8.2	41	2	3	7	10	14	18	31
B. *Operated*										
0-19 YRS	4	2.8	5	1	1	2	4	6	6	6
20-34	28	5.6	64	1	2	3	6	13	18	42
35-49	36	5.9	89	1	2	2	5	16	25	50
50-64	122	5.9	72	1	2	3	6	13	25	52
65+	127	5.7	64	1	1	2	5	16	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	6.3	44	1	2	5	8	12	17	44
20-34	976	7.2	39	2	2	6	9	13	16	30
35-49	2133	8.2	45	2	3	7	10	14	18	36
50-64	4949	8.7	39	3	3	7	11	15	20	32
65+	7410	10.4	79	3	4	8	12	19	26	61
B. *Operated*										
0-19 YRS	18	6.4	58	1	2	5	7	9	25	35
20-34	214	11.5	134	2	2	8	15	25	38	99+
35-49	698	17.4	244	2	3	13	22	39	53	84
50-64	1915	19.6	313	2	3	14	26	47	64	99+
65+	2822	22.0	333	2	4	17	31	53	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2565	6.7	24	2	3	6	8	11	14	23
B. *Operated*	317	5.7	68	1	2	2	6	15	24	50
2. MULTIPLE DX										
A. *Not Operated*	15764	9.3	60	2	3	7	11	17	22	46
B. *Operated*	5667	20.2	313	2	4	15	28	48	67	99+
1. SINGLE DX	2882	6.6	29	2	2	5	8	12	15	26
2. MULTIPLE DX	21431	12.2	150	2	3	8	14	[illegible]	39	85
A. NOT OPERATED	18329	8.9	56	2	3	7	11	16	21	44
B. OPERATED	5984	19.4	311	2	3	14	27	47	65	99+
TOTAL 0-19 YRS	726	6.1	27	1	2	5	8	11	13	26
20-34	1643	7.4	49	2	2	6	9	14	18	42
35-49	3344	9.8	99	2	3	7	11	19	28	57
50-64	7661	11.2	130	2	3	8	13	22	33	71
65+	10939	13.3	170	3	4	9	16	29	44	99+
GRAND TOTAL	24313	11.5	139	2	3	8	13	24	37	82

74: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	10	3.0	5	1	1	2	4	7	7	7
35-49	3	9.0	147	2	2	2	18	23	23	23
50-64										
65+										
B. *Operated*										
0-19 YRS	14	3.6	4	1	1	3	5	6	7	7
20-34	114	2.7	5	<1	<1	2	4	6	7	10
35-49	8	3.6	8	<1	<1	2	6	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	5	2	2	4	7	7	7	7
20-34	13	5.2	26	1	1	3	7	12	18	19
35-49										
50-64	2	3.0		3	3	3	3	3	3	3
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	32	3.5	3	1	1	3	5	6	7	8
20-34	238	3.5	6	<1	<1	3	6	7	8	9
35-49	38	5.5	12	<1	<1	6	7	10	12	14
50-64	5	3.0	8	<1	<1	1	5	7	7	7
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.1	29	1	1	2	4	7	18	23
B. *Operated*	136	2.9	5	<1	<1	2	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	21	5.3	22	1	1	3	7	12	17	19
B. *Operated*	313	3.7	7	<1	<1	3	6	7	8	11
1. SINGLE DX	152	3.0	8	<1	<1	2	5	6	7	10
2. MULTIPLE DX	334	3.8	8	<1	<1	3	6	7	8	14
A. NOT OPERATED	37	4.8	25	1	1	3	7	10	18	23
B. OPERATED	449	3.5	6	<1	<1	2	5	7	8	10
TOTAL 0-19 YRS	54	3.6	3	1	1	3	5	6	7	8
20-34	375	3.3	6	<1	<1	2	5	7	8	10
35-49	49	5.4	18	<1	<1	5	7	10	14	23
50-64	7	3.0	5	<1	<1	3	5	7	7	7
65+	1	15.0		15	15	15	15	15	15	15
GRAND TOTAL	486	3.6	8	<1	<1	2	5	7	8	13

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	2.3	13	<1	<1	1	2	4	8	26
20-34	81	4.7	42	1	1	4	5	9	11	43
35-49	74	3.9	8	1	1	3	4	7	9	17
50-64	49	3.5	7	<1	1	3	4	7	8	14
65+	54	6.1	33	1	1	4	7	15	18	30
B. *Operated*										
0-19 YRS	13	5.1	15	1	1	3	8	9	13	14
20-34	20	5.6	18	<1	1	5	7	9	14	20
35-49	12	4.3	2	2	3	4	5	6	7	7
50-64	14	5.3	5	1	3	5	6	8	9	10
65+	17	10.5	48	3	4	8	15	21	25	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	3.5	30	<1	1	2	4	7	8	25
20-34	263	5.4	31	1	1	4	7	10	16	28
35-49	308	7.1	84	1	2	4	8	12	20	53
50-64	613	6.8	33	1	2	5	8	13	18	28
65+	1360	8.7	64	2	2	7	11	17	23	51
B. *Operated*										
0-19 YRS	14	14.5	541	2	2	5	15	46	78	87
20-34	38	9.3	77	<1	1	8	11	22	28	42
35-49	75	11.4	181	1	3	8	12	26	36	84
50-64	125	11.9	158	3	3	8	15	26	46	99+
65+	188	17.0	189	4	5	14	23	36	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400	3.7	21	<1	1	2	4	7	11	23
B. *Operated*	76	6.3	23	1	2	5	8	10	19	25
2. MULTIPLE DX										
A. *Not Operated*	2782	7.3	56	1	2	5	9	15	20	48
B. *Operated*	440	13.8	186	3	4	9	18	29	45	99+
1. SINGLE DX	476	4.2	22	<1	1	3	5	8	11	25
2. MULTIPLE DX	3222	8.2	78	1	2	6	10	17	24	55
A. NOT OPERATED	3182	6.9	53	1	1	5	8	14	19	45
B. OPERATED	516	12.7	169	2	3	8	17	27	41	99+
TOTAL 0-19 YRS	407	3.5	44	<1	<1	2	4	7	9	27
20-34	402	5.6	38	1	1	4	7	11	16	32
35-49	469	7.2	90	1	2	4	8	13	20	52
50-64	801	7.4	55	1	2	5	9	15	20	41
65+	1619	9.6	84	2	2	7	12	20	27	60
GRAND TOTAL	**3698**	**7.7**	**73**	**1**	**1**	**5**	**9**	**16**	**23**	**53**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	8.4	27	1	1	7	12	15	17	17
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	4	6.0	12	3	3	6	9	9	9	9
65+	7	13.6	666	2	2	5	5	59	72	72
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	9.0	2	8	8	9	10	10	10	10
35-49	5	4.4	19	1	1	3	6	12	12	12
50-64										
65+	13	7.1	15	1	2	7	9	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	10.6	159	3	4	7	12	23	35	78
20-34	20	8.1	37	2	3	7	8	16	23	28
35-49	24	12.5	136	2	2	8	17	28	35	52
50-64	61	15.0	145	3	4	11	19	32	44	54
65+	310	13.3	133	3	4	10	17	29	38	99+
B. *Operated*										
0-19 YRS	14	13.1	109	3	3	12	16	43	86	99+
20-34	10	10.2	45	2	3	8	13	21	22	22
35-49	24	16.5	118	2	2	15	25	33	35	38
50-64	29	13.9	165	2	3	12	18	24	30	69
65+	136	16.8	190	3	4	13	25	38	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	9.0	198	1	2	5	9	14	33	72
B. *Operated*	21	6.6	15	1	2	7	9	12	13	15
2. MULTIPLE DX										
A. *Not Operated*	464	13.0	135	3	4	9	16	28	38	95
B. *Operated*	213	15.8	167	2	4	12	23	37	53	99+
1. SINGLE DX	45	7.8	112	1	2	6	9	12	15	72
2. MULTIPLE DX	677	13.9	146	3	4	10	18	30	43	99+
A. NOT OPERATED	488	12.8	138	3	4	9	16	28	38	90
B. OPERATED	234	15.0	160	2	3	11	21	36	51	99+
TOTAL 0-19 YRS	74	10.7	130	2	4	7	13	25	37	94
20-34	33	8.7	36	2	4	7	10	19	22	28
35-49	55	13.1	125	2	2	10	19	30	34	51
50-64	94	14.2	147	2	4	11	18	26	43	63
65+	466	14.2	157	3	4	10	18	34	48	99+
GRAND TOTAL	**722**	**13.5**	**146**	**2**	**4**	**10**	**17**	**30**	**42**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	12.9	51	3	5	13	15	20	23	49
20-34	87	13.3	39	2	7	12	16	23	26	32
35-49	3	8.0	16	4	4	8	11	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	20.5	613	3	3	20	38	38	38	38
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	13.6	96	2	4	12	17	26	32	45
20-34	158	12.6	45	4	4	13	15	19	25	36
35-49	10	11.4	55	2	2	11	18	20	21	21
50-64										
65+										
B. *Operated*										
0-19 YRS	23	20.7	197	5	6	15	35	43	47	48
20-34	19	24.9	217	9	12	20	25	53	54	54
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	13.0	46	3	5	13	15	21	24	38
B. *Operated*	4	11.0	325	1	1	2	20	38	38	38
2. MULTIPLE DX										
A. *Not Operated*	400	13.1	75	3	4	12	16	22	29	43
B. *Operated*	42	22.6	206	6	7	18	35	47	53	54
1. SINGLE DX	233	13.0	49	2	5	13	15	21	25	40
2. MULTIPLE DX	442	14.0	95	3	4	13	17	25	33	48
A. NOT OPERATED	629	13.1	64	3	4	12	16	21	27	43
B. OPERATED	46	21.6	220	3	5	17	35	46	53	54
TOTAL 0-19 YRS	395	13.7	89	2	4	13	16	24	32	48
20-34	266	13.7	66	4	5	13	16	22	28	52
35-49	14	10.0	48	2	2	9	17	20	21	21
50-64										
65+										
GRAND TOTAL	**675**	**13.7**	**79**	**3**	**4**	**13**	**16**	**23**	**31**	**48**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	9.2	151	1	1	4	24	68	99+	99+
20-34	5	5.2	6	1	1	6	6	7	7	7
35-49	3	5.0	12	1	1	7	7	7	7	7
50-64	2	6.5	61	<1	<1	6	12	12	12	12
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	11	7.6	6	5	5	7	9	11	14	14
20-34	117	7.1	3	5	5	7	8	9	10	12
35-49	110	7.3	5	5	5	7	9	10	11	15
50-64	10	7.7	6	5	5	7	8	11	14	14
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	31.1	882	1	3	23	57	85	93	99+
20-34	26	3.2	7	<1	<1	2	5	7	9	9
35-49	45	7.2	67	<1	<1	5	10	14	21	44
50-64	14	6.0	29	1	1	5	7	16	17	17
65+	5	7.0	7	3	3	7	8	10	10	10
B. *Operated*										
0-19 YRS	6	7.8	10	5	5	7	12	83	99+	99+
20-34	206	8.8	46	5	5	7	9	12	16	40
35-49	314	9.0	33	5	5	8	9	12	17	35
50-64	72	9.4	40	4	5	8	10	13	23	42
65+	2	8.0	8	6	6	10	77	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	7.0	74	<1	1	6	7	29	65	99+
B. *Operated*	249	7.3	4	5	5	7	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	122	12.5	382	<1	1	5	11	42	71	95
B. *Operated*	600	9.0	38	5	5	8	9	13	18	46
1. SINGLE DX	269	7.2	9	4	5	7	8	10	11	23
2. MULTIPLE DX	722	9.5	97	2	5	7	10	14	24	76
A. NOT OPERATED	142	11.7	341	<1	1	6	11	37	71	99+
B. OPERATED	849	8.5	28	5	5	7	9	11	15	33
TOTAL 0-19 YRS	58	20.8	634	1	2	8	36	79	96	99+
20-34	354	7.7	31	3	5	7	9	10	13	31
35-49	472	8.4	30	4	5	7	9	12	16	33
50-64	98	8.7	36	2	4	7	10	13	19	38
65+	9	7.1	8	3	3	8	10	55	99+	99+
GRAND TOTAL	**991**	**8.9**	**74**	**3**	**5**	**7**	**9**	**12**	**19**	**73**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	235	2.0	7	<1	<1	1	2	3	6	12
20-34	93	4.3	42	<1	<1	1	4	11	19	31
35-49	44	8.7	101	1	2	5	9	23	31	46
50-64	19	4.6	10	1	1	4	5	9	12	13
65+	24	5.9	16	2	2	5	8	11	14	19
B. *Operated*										
0-19 YRS	27	7.4	190	1	1	4	5	18	30	71
20-34	71	3.0	8	1	1	2	4	6	9	15
35-49	106	3.8	29	<1	1	2	4	8	12	31
50-64	57	4.2	18	<1	<1	3	6	8	16	20
65+	25	2.8	5	<1	<1	2	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	5.4	65	<1	1	3	6	11	16	51
20-34	154	9.2	129	1	2	5	11	21	35	71
35-49	212	7.9	83	<1	1	5	9	19	25	58
50-64	201	8.3	46	2	3	7	10	16	20	37
65+	318	10.2	116	2	2	7	12	19	28	62
B. *Operated*										
0-19 YRS	46	12.7	199	1	2	8	21	28	31	81
20-34	160	19.2	356	1	2	14	25	54	65	97
35-49	200	17.4	341	1	2	10	24	44	63	96
50-64	154	10.3	146	1	2	6	13	27	42	98
65+	144	16.4	210	2	3	12	23	37	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	3.6	30	<1	<1	1	4	8	12	30
B. *Operated*	286	3.9	35	<1	1	2	4	8	12	24
2. MULTIPLE DX										
A. *Not Operated*	1055	8.4	92	1	1	6	10	17	25	56
B. *Operated*	704	15.8	275	1	2	10	22	40	56	99+
1. SINGLE DX	701	3.7	32	<1	<1	2	4	8	12	30
2. MULTIPLE DX	1759	11.4	178	1	2	7	14	27	42	78
A. NOT OPERATED	1470	7.1	79	<1	<1	4	9	16	23	51
B. OPERATED	990	12.3	234	1	1	6	16	34	49	90
TOTAL 0-19 YRS	478	4.5	66	<1	<1	2	4	10	17	36
20-34	478	10.7	211	<1	<1	5	13	28	49	78
35-49	562	10.5	194	<1	1	5	14	29	42	80
50-64	431	8.3	80	1	2	6	10	18	26	53
65+	511	11.4	145	2	2	8	14	25	37	71
GRAND TOTAL	**2460**	**9.2**	**148**	**<1**	**1**	**5**	**11**	**23**	**35**	**72**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	4.9	12	1	1	3	8	10	10	10
35-49	24	4.3	5	1	2	4	6	7	9	9
50-64	29	4.8	13	1	1	4	6	11	12	13
65+	35	4.6	8	2	2	4	6	9	11	13
B. *Operated*										
0-19 YRS										
20-34	5	4.4	1	3	3	5	5	5	5	5
35-49	5	3.8	10	<1	<1	3	5	9	9	9
50-64	9	5.1	17	1	1	3	7	12	13	13
65+	10	5.9	19	2	2	4	7	13	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	5.3	18	<1	1	4	6	11	16	16
35-49	51	6.1	26	2	2	5	7	11	15	33
50-64	132	6.5	39	2	2	5	7	11	19	38
65+	351	7.5	50	2	3	6	9	13	16	42
B. *Operated*										
0-19 YRS										
20-34	5	13.6	283	<1	<1	8	22	42	42	42
35-49	14	5.8	10	2	2	6	8	10	10	10
50-64	26	11.8	91	2	2	9	15	29	32	34
65+	80	11.7	90	2	3	9	15	24	31	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	4.6	9	1	2	4	6	9	11	13
B. *Operated*	29	5.0	13	1	2	4	6	10	13	16
2. MULTIPLE DX										
A. *Not Operated*	544	7.1	45	2	2	5	8	13	17	41
B. *Operated*	125	11.1	90	2	2	8	14	25	32	43
1. SINGLE DX	125	4.7	10	1	2	4	6	9	11	14
2. MULTIPLE DX	669	7.8	56	2	2	6	9	15	20	42
A. NOT OPERATED	640	6.7	40	2	2	5	8	12	16	39
B. OPERATED	154	10.0	81	2	2	7	12	22	29	42
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	27	6.6	65	<1	1	5	7	14	20	42
35-49	94	5.5	18	2	2	4	7	9	12	26
50-64	196	6.9	44	1	2	5	8	13	20	35
65+	476	7.9	57	2	2	6	10	15	20	42
GRAND TOTAL	**794**	**7.3**	**50**	**2**	**2**	**5**	**9**	**14**	**19**	**41**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.9	9	1	1	2	3	4	8	18
20-34	26	3.2	3	<1	1	3	4	6	6	6
35-49	24	5.2	15	1	2	4	7	12	13	15
50-64	28	3.2	5	<1	<1	3	4	7	8	8
65+	100	7.2	96	1	2	5	8	13	19	61
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	2	10.0	162	1	1	10	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	655	3.5	16	1	1	3	4	6	9	20
20-34	347	4.1	13	1	1	3	5	7	10	21
35-49	404	5.4	30	1	2	4	7	10	13	22
50-64	922	7.0	54	2	2	5	8	14	19	47
65+	4685	9.9	104	2	3	7	11	19	29	71
B. *Operated*										
0-19 YRS	16	7.9	37	1	2	7	14	20	72	99+
20-34	21	10.9	108	1	2	9	14	24	34	44
35-49	41	10.3	231	2	3	6	10	14	40	90
50-64	87	14.6	214	2	3	10	20	26	56	70
65+	497	21.8	333	4	6	17	28	57	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	4.8	47	1	1	3	6	10	13	23
B. *Operated*	4	6.8	70	1	1	3	12	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	7013	8.4	86	2	2	6	10	17	24	64
B. *Operated*	662	19.5	314	3	5	15	25	50	73	99+
1. SINGLE DX	257	4.9	47	1	1	3	6	10	13	23
2. MULTIPLE DX	7675	9.3	115	2	2	6	11	19	29	76
A. NOT OPERATED	7266	8.2	85	2	2	6	10	16	24	63
B. OPERATED	666	19.4	314	3	4	15	24	49	73	99+
TOTAL 0-19 YRS	747	3.5	16	1	1	3	4	6	9	21
20-34	394	4.4	20	1	1	3	5	8	11	25
35-49	470	5.8	48	1	2	4	7	11	14	31
50-64	1037	7.6	70	2	2	5	9	15	21	55
65+	5284	11.0	138	2	3	8	13	22	36	90
GRAND TOTAL	**7932**	**9.2**	**114**	**2**	**2**	**6**	**11**	**19**	**29**	**75**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	4.3	12	<1	1	4	5	10	13	14
20-34	14	2.8	2	1	1	3	4	5	5	5
35-49	31	5.0	32	1	1	3	6	11	17	27
50-64	22	4.7	10	1	2	4	6	8	11	15
65+	95	5.0	67	<1	1	4	6	8	11	51
B. *Operated*										
0-19 YRS	8	3.9	10	1	1	3	5	9	10	10
20-34	5	6.4	4	3	3	7	8	8	8	8
35-49	10	6.1	9	2	3	6	7	10	13	13
50-64	10	5.6	18	1	1	5	7	12	15	15
65+	26	7.3	33	1	2	6	8	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.8	10	<1	1	4	7	9	11	97
20-34	83	4.9	13	1	2	4	7	10	13	19
35-49	148	5.6	20	1	1	4	7	11	15	22
50-64	254	6.5	24	1	2	5	9	13	16	25
65+	1606	8.0	71	1	2	6	10	15	20	50
B. *Operated*										
0-19 YRS	7	8.3	53	2	2	6	11	21	23	23
20-34	31	8.7	54	2	3	6	12	18	23	36
35-49	89	7.4	24	2	2	7	10	14	16	27
50-64	122	10.3	78	2	3	9	12	17	29	47
65+	624	12.7	113	3	5	10	15	23	37	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	4.7	42	<1	1	3	6	8	11	23
B. *Operated*	59	6.3	21	1	2	6	8	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	2143	7.5	59	1	2	6	9	14	18	42
B. *Operated*	873	11.6	99	3	4	9	14	21	32	69
1. SINGLE DX	250	5.1	37	<1	1	4	6	9	13	27
2. MULTIPLE DX	3016	8.7	74	1	2	7	11	16	22	51
A. NOT OPERATED	2334	7.3	58	1	2	6	9	14	18	40
B. OPERATED	932	11.3	96	2	3	9	13	20	31	67
TOTAL 0-19 YRS	96	4.8	14	<1	1	4	7	10	13	64
20-34	133	5.6	24	1	2	4	7	12	14	25
35-49	278	6.1	23	1	1	5	8	12	16	22
50-64	408	7.5	43	1	2	6	10	14	17	37
65+	2351	9.1	86	1	2	7	11	17	24	58
GRAND TOTAL	**3266**	**8.4**	**72**	**1**	**2**	**7**	**10**	**16**	**21**	**51**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	424	4.6	9	1	1	4	6	9	10	15
20-34	472	5.7	18	1	2	5	7	10	13	18
35-49	105	6.9	29	2	2	6	8	13	16	31
50-64	14	6.4	11	1	3	6	7	12	13	13
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	10.8	29	4	4	11	16	17	17	17
35-49	2	14.0	128	6	6	14	22	22	22	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	6.8	35	1	2	5	9	13	16	30
20-34	377	8.0	32	2	3	6	10	15	18	31
35-49	158	10.3	54	3	4	8	13	20	26	34
50-64	28	10.1	68	3	4	9	12	17	20	47
65+	4	11.8	14	9	9	11	14	17	17	17
B. *Operated*										
0-19 YRS	10	12.3	90	1	2	11	21	26	29	29
20-34	31	13.5	92	3	4	11	20	29	42	99+
35-49	16	14.6	193	2	5	12	17	21	50	62
50-64	7	18.3	68	6	6	21	24	26	26	26
65+	1	21.0		21	21	21	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1016	5.4	16	1	2	5	7	10	12	18
B. *Operated*	10	9.6	50	1	1	8	16	19	22	22
2. MULTIPLE DX										
A. *Not Operated*	887	8.1	40	2	3	7	10	15	18	32
B. *Operated*	65	14.2	111	3	4	11	21	28	33	94
1. SINGLE DX	1026	5.4	16	1	2	5	7	10	12	18
2. MULTIPLE DX	952	8.5	47	2	3	7	11	16	21	34
A. NOT OPERATED	1903	6.6	29	1	2	5	8	12	16	30
B. OPERATED	75	13.6	105	2	3	11	21	27	30	90
TOTAL 0-19 YRS	756	5.6	23	1	2	4	7	11	14	21
20-34	886	7.0	29	2	2	6	9	13	17	31
35-49	281	9.3	56	2	3	7	12	18	23	37
50-64	49	10.2	64	3	4	8	12	21	24	47
65+	6	11.7	45	2	3	11	17	21	21	21
GRAND TOTAL	**1978**	**6.9**	**33**	**1**	**2**	**5**	**9**	**13**	**17**	**31**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	250	2.0	6	<1	<1	1	2	5	6	14
20-34	48	3.3	11	<1	<1	2	4	8	12	14
35-49	52	3.8	11	1	1	3	5	9	11	15
50-64	52	3.8	14	<1	<1	3	5	8	12	20
65+	293	3.7	14	<1	1	2	4	8	11	20
B. *Operated*										
0-19 YRS	38	6.7	120	1	1	5	7	9	16	69
20-34	18	8.5	48	1	2	7	8	18	26	30
35-49	20	12.7	168	2	3	8	16	30	42	54
50-64	40	9.3	37	1	2	8	11	19	23	26
65+	62	8.7	49	2	3	7	12	16	20	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	229	3.2	13	<1	<1	1	4	8	11	17
20-34	149	4.9	46	<1	1	2	6	12	18	32
35-49	283	5.1	25	1	1	3	7	11	15	24
50-64	670	5.7	37	1	1	4	8	13	16	28
65+	2947	7.4	86	1	1	5	9	15	21	53
B. *Operated*										
0-19 YRS	43	7.9	100	1	2	4	8	19	29	53
20-34	55	14.1	219	2	2	10	16	25	45	75
35-49	115	11.4	91	2	3	9	14	21	34	49
50-64	283	11.7	121	2	3	10	16	22	31	72
65+	1051	14.1	157	3	4	11	17	28	40	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	695	3.1	11	<1	<1	2	4	7	10	18
B. *Operated*	178	8.8	76	1	2	7	11	18	23	52
2. MULTIPLE DX										
A. *Not Operated*	4278	6.7	70	1	1	4	8	14	20	45
B. *Operated*	1547	13.3	148	2	4	10	16	26	39	82
1. SINGLE DX	873	4.2	30	<1	<1	2	5	10	14	23
2. MULTIPLE DX	5825	8.4	99	1	1	6	11	18	25	59
A. NOT OPERATED	4973	6.2	64	<1	1	4	8	13	19	40
B. OPERATED	1725	12.8	142	2	3	10	16	25	37	79
TOTAL 0-19 YRS	560	3.2	26	<1	<1	1	4	7	10	21
20-34	270	6.7	89	<1	1	4	8	15	24	51
35-49	470	6.8	55	1	1	4	9	15	20	42
50-64	1045	7.4	66	1	1	5	10	16	21	40
65+	4353	8.8	108	1	1	6	11	19	27	66
GRAND TOTAL	**6698**	**7.9**	**92**	**1**	**1**	**5**	**10**	**17**	**24**	**55**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.4	7	<1	1	3	4	7	10	12
20-34	7	3.9	8	2	2	3	4	9	10	10
35-49	3	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	36.0		36	36	36	36	36	36	36
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	4.6	28	1	1	4	5	8	11	37
20-34	10	4.7	6	1	1	4	6	8	9	9
35-49	5	9.2	37	2	2	7	13	18	18	18
50-64	13	15.1	218	1	3	8	19	41	44	45
65+	4	10.5	66	2	2	9	16	21	21	21
B. *Operated*										
0-19 YRS	3	15.0	79	5	5	18	21	22	22	22
20-34	2	8.5	41	4	4	8	13	13	13	13
35-49	3	4.3	9	1	1	5	6	7	7	7
50-64	2	48.5	25	45	45	48	52	52	52	52
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.2	7	<1	<1	3	4	7	10	12
B. *Operated*	1	36.0		36	36	36	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	93	6.5	66	1	1	4	7	12	21	43
B. *Operated*	11	16.0	302	1	3	7	21	48	52	52
1. SINGLE DX	30	4.3	42	<1	<1	3	4	9	12	36
2. MULTIPLE DX	104	7.5	97	1	1	4	7	17	36	48
A. NOT OPERATED	122	5.8	53	1	1	4	6	12	17	41
B. OPERATED	12	17.7	308	1	3	10	29	47	51	52
TOTAL 0-19 YRS	83	4.7	28	1	1	4	5	9	14	33
20-34	20	6.4	58	1	2	4	7	11	24	36
35-49	11	5.6	30	<1	<1	5	7	14	18	18
50-64	15	19.5	327	2	4	11	39	45	50	52
65+	5	9.2	58	2	2	7	14	21	21	21
GRAND TOTAL	**134**	**6.8**	**86**	**1**	**1**	**4**	**7**	**13**	**32**	**46**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	261	3.3	8	<1	<1	2	4	7	9	13
20-34	46	6.9	49	1	1	5	9	15	23	32
35-49	43	4.0	20	<1	1	3	5	7	12	27
50-64	30	5.8	14	<1	1	6	9	11	12	13
65+	56	5.9	53	<1	1	2	9	15	22	36
B. *Operated*										
0-19 YRS	108	5.9	18	1	2	5	7	10	13	24
20-34	90	8.3	25	3	4	8	10	14	16	32
35-49	38	7.3	37	2	2	6	9	11	17	37
50-64	39	9.1	44	2	2	7	11	20	23	30
65+	46	9.6	57	2	3	8	11	20	28	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	315	4.9	19	<1	1	4	7	10	13	21
20-34	151	6.1	24	1	2	5	8	11	16	26
35-49	176	6.9	55	1	1	5	8	11	17	34
50-64	364	7.9	51	1	2	6	9	15	20	41
65+	887	8.2	60	1	2	6	10	16	22	38
B. *Operated*										
0-19 YRS	76	8.8	89	1	1	6	10	20	27	55
20-34	133	11.2	81	2	3	9	14	22	30	45
35-49	136	13.4	127	3	4	10	16	27	37	55
50-64	231	13.8	129	3	4	10	18	29	33	60
65+	547	15.0	149	3	4	11	19	30	40	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	436	4.3	21	<1	<1	3	6	9	13	25
B. *Operated*	321	7.6	33	2	2	6	9	13	19	34
2. MULTIPLE DX										
A. *Not Operated*	1893	7.3	50	1	2	5	9	14	20	35
B. *Operated*	1123	13.7	133	3	4	10	17	28	37	58
1. SINGLE DX	757	5.7	29	<1	1	5	7	11	15	30
2. MULTIPLE DX	3016	9.7	90	1	2	7	12	20	28	50
A. NOT OPERATED	2329	6.7	46	1	1	5	8	13	19	34
B. OPERATED	1444	12.3	117	2	3	9	15	26	34	56
TOTAL 0-19 YRS	760	4.9	24	<1	<1	4	6	10	12	23
20-34	420	8.3	50	1	2	7	10	15	23	37
35-49	393	8.9	86	1	2	6	10	18	27	47
50-64	664	9.9	84	2	2	7	12	20	28	50
65+	1536	10.6	103	1	2	8	13	22	31	51
GRAND TOTAL	**3773**	**8.9**	**80**	**1**	**2**	**6**	**11**	**19**	**26**	**48**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	674	2.1	2	1	1	2	3	4	4	7
20-34	183	2.2	2	1	1	2	3	4	5	9
35-49	44	2.5	3	1	1	2	3	4	6	9
50-64	7	2.7	3	1	1	2	4	5	5	5
65+	5	2.6		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	250	3.9	3	2	2	4	5	6	6	11
20-34	85	4.3	3	2	3	4	5	6	7	11
35-49	5	4.2	2	3	3	4	5	6	6	6
50-64	2	4.5	5	3	3	4	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	356	2.5	2	1	1	2	3	4	6	8
20-34	95	2.6	2	1	1	3	3	4	5	7
35-49	21	3.2	4	1	1	3	4	6	8	9
50-64	11	3.6	4	1	1	3	6	7	7	7
65+	3	4.3	17	1	1	3	7	9	9	9
B. *Operated*										
0-19 YRS	95	5.5	12	3	3	4	6	10	14	19
20-34	52	5.7	15	2	3	5	6	10	16	19
35-49	9	7.9	13	2	3	8	10	13	13	13
50-64	7	7.6	18	2	3	7	10	14	15	15
65+	5	8.0	12	3	3	8	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	913	2.1	2	1	1	2	3	4	5	7
B. *Operated*	342	4.0	3	2	2	4	5	6	6	11
2. MULTIPLE DX										
A. *Not Operated*	486	2.6	3	1	1	2	3	5	6	8
B. *Operated*	168	5.8	14	2	3	5	7	10	15	19
1. SINGLE DX	1255	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	654	3.4	7	1	1	3	4	6	8	16
A. NOT OPERATED	1399	2.3	2	1	1	2	3	4	5	8
B. OPERATED	510	4.6	7	2	3	4	5	7	10	17
TOTAL 0-19 YRS	1375	2.8	4	1	1	2	4	5	6	10
20-34	415	3.2	5	1	1	3	4	5	7	12
35-49	79	3.4	7	1	1	3	4	7	9	13
50-64	27	4.5	10	1	1	4	6	9	11	15
65+	13	5.1	13	1	2	3	8	10	12	12
GRAND TOTAL	1909	2.9	4	1	1	2	4	5	6	11

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	4.5	7	1	2	4	6	8	10	12
20-34	15	2.6	3	<1	1	2	4	5	6	7
35-49	7	5.0	12	<1	<1	5	6	10	11	11
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	85	2.8	7	<1	<1	2	3	6	8	14
20-34	79	2.8	9	<1	<1	2	3	5	7	20
35-49	33	2.9	8	1	1	2	3	5	6	17
50-64	20	2.3	1	<1	<1	2	3	4	5	5
65+	12	3.1	8	<1	<1	2	3	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	5.1	14	1	2	5	6	8	10	25
20-34	15	3.2	2	1	2	3	5	5	5	5
35-49	5	4.4	5	1	1	5	6	7	7	7
50-64	7	7.4	19	3	3	6	11	14	14	14
65+	4	8.0	18	2	2	9	11	12	12	12
B. *Operated*										
0-19 YRS	39	5.1	14	<1	1	5	8	10	14	16
20-34	52	5.1	62	<1	1	3	6	10	14	54
35-49	41	4.7	19	<1	1	3	7	11	15	17
50-64	28	6.3	17	2	2	5	9	12	14	17
65+	35	12.9	401	1	1	7	13	19	70	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	4.3	7	1	1	4	5	8	10	12
B. *Operated*	229	2.8	7	<1	<1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	116	5.1	13	1	2	5	6	9	10	20
B. *Operated*	195	6.6	104	1	1	4	8	13	16	72
1. SINGLE DX	381	3.4	8	<1	<1	2	4	7	9	14
2. MULTIPLE DX	311	6.0	71	1	1	4	7	11	14	40
A. NOT OPERATED	268	4.6	10	1	2	4	6	8	10	13
B. OPERATED	424	4.5	55	<1	<1	2	5	9	14	22
TOTAL 0-19 YRS	335	4.3	10	<1	1	4	6	8	10	14
20-34	161	3.5	26	<1	<1	2	4	7	9	20
35-49	86	4.0	14	<1	1	3	5	9	13	17
50-64	58	4.9	15	<1	1	3	6	11	13	17
65+	52	10.2	287	<1	1	6	11	17	23	93
GRAND TOTAL	692	4.6	38	<1	1	3	6	9	12	19

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	8.4	67	1	1	6	15	21	22	22
20-34	34	18.0	347	1	3	12	22	40	58	89
35-49	13	19.2	436	2	4	13	19	54	73	77
50-64	14	25.9	768	3	4	21	25	77	89	92
65+	35	16.9	182	1	2	12	26	36	44	51
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	20.1	561	1	2	13	23	69	71	71
20-34	65	22.9	422	2	3	18	31	63	79	99+
35-49	35	11.4	186	1	2	7	15	28	45	60
50-64	73	12.6	174	1	2	8	17	28	51	92
65+	226	10.2	75	2	2	7	14	23	30	59
B. *Operated*										
0-19 YRS										
20-34	5	29.2	991	8	8	16	41	84	84	84
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64	9	25.7	336	6	6	21	37	54	57	57
65+	17	34.8	668	7	10	31	45	79	86	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	18.2	341	1	2	12	23	41	54	90
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	412	13.1	191	2	2	9	18	29	48	99+
B. *Operated*	33	29.8	592	6	7	21	40	76	83	90
1. SINGLE DX	105	17.9	340	1	2	12	22	39	53	90
2. MULTIPLE DX	445	14.3	239	2	2	9	19	32	52	99+
A. NOT OPERATED	515	14.1	224	2	2	9	19	32	49	94
B. OPERATED	35	28.2	602	2	6	18	38	75	83	90
TOTAL 0-19 YRS	20	16.0	408	1	1	10	22	47	70	71
20-34	104	21.6	420	2	3	16	29	60	78	99+
35-49	50	13.3	250	1	2	8	17	28	51	77
50-64	97	15.6	296	2	2	9	21	43	58	96
65+	279	12.5	159	2	2	8	17	30	36	87
GRAND TOTAL	**550**	**15.0**	**259**	**2**	**2**	**10**	**20**	**34**	**52**	**92**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	2.5	6	1	1	2	3	5	7	11
20-34	123	6.2	122	1	1	3	5	12	28	69
35-49	52	6.9	136	1	1	4	6	10	31	66
50-64	59	7.6	47	1	1	5	12	18	23	93
65+	276	14.4	224	2	3	10	20	41	69	99+
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	13.5	61	8	8	13	19	19	19	19
50-64	1	8.0		8	8	8	8	8	8	8
65+	5	14.2	164	3	3	8	27	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	5.7	102	1	1	3	5	11	41	99+
20-34	398	6.6	45	1	2	5	7	12	19	54
35-49	301	8.6	70	2	3	6	9	16	27	43
50-64	267	13.7	204	3	4	9	17	47	61	99+
65+	2079	17.4	305	3	4	12	25	61	99+	99+
B. *Operated*										
0-19 YRS	6	12.5	520	2	2	4	45	92	99+	99+
20-34	24	11.4	147	1	1	9	15	48	99+	99+
35-49	9	17.7	301	3	3	14	20	47	58	58
50-64	23	33.1	1141	3	4	28	88	99	99+	99+
65+	233	26.8	464	5	6	24	52	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	678	8.8	153	1	1	4	10	23	43	99+
B. *Operated*	9	12.0	108	2	2	8	21	28	30	30
2. MULTIPLE DX										
A. *Not Operated*	3191	14.4	252	2	3	9	19	46	85	99+
B. *Operated*	295	25.4	507	3	5	22	49	99+	99+	99+
1. SINGLE DX	687	8.8	152	1	1	4	11	23	42	99+
2. MULTIPLE DX	3486	15.3	283	2	3	10	21	52	99+	99+
A. NOT OPERATED	3869	13.4	240	1	2	8	17	42	77	99+
B. OPERATED	304	25.0	500	3	5	21	48	99+	99+	99+
TOTAL 0-19 YRS	320	4.1	61	1	1	2	4	7	13	99+
20-34	546	6.7	68	1	1	5	7	13	20	69
35-49	364	8.6	86	2	2	6	9	16	28	56
50-64	350	13.9	266	2	3	8	17	48	88	99+
65+	2593	17.9	319	3	4	12	26	64	99+	99+
GRAND TOTAL	**4173**	**14.2**	**268**	**1**	**2**	**9**	**19**	**48**	**91**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	22	11.9	102	1	2	10	18	26	34	37
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	9	24.9	607	1	2	19	59	99+	99+	99+
65+	213	19.2	408	4	4	12	24	61	88	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	14	43.9	537	16	18	52	99	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	11.6	99	1	2	9	18	25	34	37
B. *Operated*	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	222	19.5	415	4	4	12	25	66	88	99+
B. *Operated*	16	39.0	642	5	11	43	98	99+	99+	99+
1. SINGLE DX	25	11.1	94	1	2	7	17	23	33	37
2. MULTIPLE DX	238	20.8	452	4	4	14	31	78	99+	99+
A. NOT OPERATED	245	18.7	390	3	4	12	24	60	88	99+
B. OPERATED	18	35.3	684	4	6	42	90	99+	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	12	19.9	523	1	2	14	57	99+	99+	99+
65+	251	19.8	423	3	4	13	29	71	95	99+
GRAND TOTAL	**263**	**19.8**	**425**	**3**	**4**	**13**	**30**	**72**	**99**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	<1	<1	1	3	5	5	5
20-34	323	4.5	3	2	3	5	5	5	6	12
35-49	375	4.7	3	2	2	5	5	5	7	14
50-64	176	5.2	7	2	3	5	5	6	9	21
65+	23	9.7	239	2	3	5	5	20	47	74
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.5	7	1	1	4	6	8	9	11
20-34	559	5.2	18	1	2	5	6	9	12	21
35-49	893	6.4	34	2	3	5	7	12	15	33
50-64	681	7.9	55	2	3	6	9	15	21	56
65+	242	11.5	134	2	3	8	14	24	37	86
B. *Operated*										
0-19 YRS										
20-34	9	11.7	134	2	2	9	13	30	40	40
35-49	41	13.0	196	3	4	9	14	27	34	83
50-64	36	21.1	336	3	4	15	31	54	69	99+
65+	18	18.9	225	5	6	19	24	55	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	901	4.8	11	2	3	5	5	5	7	16
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2395	7.1	49	2	2	5	8	13	18	42
B. *Operated*	104	16.7	253	3	4	12	23	41	65	99+
1. SINGLE DX	901	4.8	11	2	3	5	5	5	7	16
2. MULTIPLE DX	2499	7.5	61	2	2	5	8	14	21	54
A. NOT OPERATED	3296	6.4	40	2	3	5	7	12	16	38
B. OPERATED	104	16.7	253	3	4	12	23	41	65	99+
TOTAL 0-19 YRS	24	4.1	7	<1	1	4	6	7	9	11
20-34	891	5.0	14	2	2	5	5	8	11	20
35-49	1309	6.1	32	2	3	5	6	11	14	28
50-64	893	7.9	65	2	3	5	8	15	23	60
65+	283	11.9	150	3	3	8	15	27	38	94
GRAND TOTAL	**3400**	**6.8**	**49**	**2**	**3**	**5**	**7**	**12**	**18**	**42**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	6.9	48	1	2	5	8	22	59	99+
20-34	37	7.0	98	1	1	4	7	13	26	55
35-49	9	9.7	59	1	1	6	15	22	23	23
50-64	5	2.0	1	1	1	2	3	3	3	3
65+	12	6.5	45	1	1	4	10	15	23	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	13.3	172	1	2	8	19	32	43	56
20-34	186	9.8	70	2	2	8	13	20	25	48
35-49	77	8.8	75	1	2	6	11	20	22	49
50-64	57	9.0	40	1	2	8	14	19	23	94
65+	138	10.3	129	2	2	8	12	20	29	65
B. *Operated*										
0-19 YRS										
20-34	6	12.2	49	5	5	10	14	24	25	25
35-49	2	14.0	288	2	2	14	26	26	26	26
50-64	5	16.2	185	5	5	7	30	33	33	33
65+	9	19.4	338	3	3	13	26	51	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	6.9	68	1	1	4	8	18	25	84
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	499	10.0	93	2	2	8	13	20	26	53
B. *Operated*	22	16.2	199	2	3	11	25	38	50	52
1. SINGLE DX	84	6.9	68	1	1	4	8	18	25	84
2. MULTIPLE DX	521	10.3	98	2	2	8	14	21	28	53
A. NOT OPERATED	583	9.5	90	1	2	7	13	20	26	55
B. OPERATED	22	16.2	199	2	3	11	25	38	50	52
TOTAL 0-19 YRS	62	11.1	138	1	2	7	15	31	42	94
20-34	229	9.4	75	1	2	7	12	19	25	50
35-49	88	9.0	75	1	2	6	12	20	23	47
50-64	67	9.0	53	1	2	7	13	21	28	88
65+	159	10.6	138	1	2	8	13	21	31	60
GRAND TOTAL	**605**	**9.8**	**95**	**1**	**2**	**7**	**13**	**21**	**27**	**55**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	23.1	295	2	6	19	31	55	72	99+
20-34	963	18.6	226	2	4	15	25	38	48	78
35-49	538	17.3	181	2	3	15	24	35	42	77
50-64	182	18.3	184	2	4	15	24	33	40	80
65+	63	17.3	110	2	5	16	23	37	39	92
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	3	28.0	127	15	15	34	35	35	35	35
50-64	1	26.0		26	26	26	26	26	26	26
65+	1	45.0		45	45	45	45	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	24.5	453	3	5	21	29	49	79	94
20-34	564	21.0	281	3	4	16	29	43	56	78
35-49	361	18.9	190	3	5	17	26	36	47	98
50-64	201	21.7	248	3	7	18	29	45	53	95
65+	114	21.5	257	3	5	18	30	43	52	92
B. *Operated*										
0-19 YRS	3	21.3	758	3	3	8	42	53	53	53
20-34	25	33.0	358	11	11	33	50	60	81	99+
35-49	16	26.8	511	2	7	22	30	49	83	97
50-64	5	49.2	648	24	25	53	83	98	99+	99+
65+	6	37.7	976	12	14	37	98	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1820	18.3	208	2	4	15	25	37	46	82
B. *Operated*	6	27.3	181	9	10	30	35	44	45	45
2. MULTIPLE DX										
A. *Not Operated*	1292	20.7	256	3	5	17	28	42	53	87
B. *Operated*	55	32.5	513	7	11	29	50	91	99+	99+
1. SINGLE DX	1826	18.3	208	2	4	15	25	37	46	81
2. MULTIPLE DX	1347	21.2	272	3	5	18	29	44	56	94
A. NOT OPERATED	3112	19.3	229	2	4	16	26	39	49	84
B. OPERATED	61	32.0	479	7	11	29	48	83	99+	99+
TOTAL 0-19 YRS	129	23.6	361	2	5	20	31	54	75	99+
20-34	1553	19.7	252	2	4	15	27	42	51	78
35-49	918	18.1	191	2	4	15	25	36	44	85
50-64	389	20.5	234	3	5	17	26	39	52	92
65+	184	20.7	240	3	5	18	29	43	53	99+
GRAND TOTAL	**3173**	**19.6**	**237**	**2**	**4**	**16**	**27**	**40**	**51**	**86**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	24.4	514	3	6	18	29	74	93	99+
20-34	83	16.7	124	1	3	14	22	31	39	51
35-49	27	11.5	68	<1	1	9	17	22	28	31
50-64	9	13.3	209	<1	<1	10	18	36	47	47
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	23.1	427	3	5	19	28	78	86	99+
20-34	53	21.1	219	3	6	17	28	44	52	59
35-49	18	18.9	201	3	5	14	28	43	48	51
50-64	4	9.3	18	5	5	8	12	15	15	15
65+	5	15.8	124	3	3	18	23	31	31	31
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	18.1	258	1	3	14	23	34	47	96
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	102	20.4	249	3	5	17	28	44	54	89
B. *Operated*	1	5.0		5	5	5	5	5	5	5
1. SINGLE DX	174	18.1	258	1	3	14	23	34	47	96
2. MULTIPLE DX	103	20.3	249	3	5	16	27	44	54	89
A. NOT OPERATED	276	19.0	255	1	4	15	25	41	50	96
B. OPERATED	1	5.0		5	5	5	5	5	5	5
TOTAL 0-19 YRS	76	24.1	483	3	5	18	29	75	92	99+
20-34	137	18.3	164	2	4	15	24	38	45	56
35-49	45	14.5	131	1	2	12	19	30	41	51
50-64	13	12.1	148	<1	1	9	16	25	43	47
65+	6	14.8	105	3	3	14	20	30	31	31
GRAND TOTAL	**277**	**18.9**	**255**	**1**	**4**	**15**	**25**	**41**	**50**	**96**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	22.5	280	2	4	17	32	48	58	99+
20-34	1509	18.3	234	1	3	15	25	37	48	75
35-49	738	17.6	161	2	4	15	23	34	43	68
50-64	359	19.6	171	2	4	17	26	36	48	62
65+	97	20.4	285	2	5	17	24	40	59	83
B. *Operated*										
0-19 YRS										
20-34	2	28.5	145	20	20	28	37	37	37	37
35-49	2	9.5	25	6	6	9	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	22.6	363	3	5	19	27	56	72	92
20-34	919	19.8	252	2	4	16	27	44	58	99+
35-49	698	18.9	216	3	5	15	25	40	52	87
50-64	465	20.7	195	4	6	19	27	43	54	99+
65+	222	23.0	281	5	8	19	30	54	69	99+
B. *Operated*										
0-19 YRS	2	19.5	41	15	15	19	24	24	24	24
20-34	31	27.9	418	5	8	22	36	69	88	99+
35-49	34	27.1	207	8	12	26	32	46	53	74
50-64	29	32.4	234	12	16	25	44	56	57	66
65+	16	39.1	687	12	15	30	60	94	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2842	18.6	212	2	3	15	25	37	48	75
B. *Operated*	4	19.0	177	6	6	16	28	37	37	37
2. MULTIPLE DX										
A. *Not Operated*	2406	20.2	239	3	5	17	27	44	56	99+
B. *Operated*	112	30.3	346	8	12	26	40	58	74	99+
1. SINGLE DX	2846	18.6	212	2	3	15	25	37	48	75
2. MULTIPLE DX	2518	20.6	248	3	5	17	27	45	58	99+
A. NOT OPERATED	5248	19.3	225	2	4	16	26	40	52	89
B. OPERATED	116	29.9	343	8	11	25	39	58	74	99+
TOTAL 0-19 YRS	243	22.5	311	3	4	18	31	50	62	99+
20-34	2461	19.0	244	2	3	15	26	40	52	88
35-49	1472	18.5	190	2	5	15	25	37	47	73
50-64	853	20.6	191	3	5	19	27	41	54	97
65+	335	23.0	313	4	7	19	29	54	74	99+
GRAND TOTAL	**5364**	**19.5**	**230**	**2**	**4**	**16**	**26**	**41**	**53**	**90**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	11.9	275	<1	<1	4	12	47	49	49
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	10.1	226	1	1	4	15	56	89	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	11.9	275	<1	<1	4	12	47	49	49
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	14	10.1	226	1	1	4	15	56	89	99+
B. *Operated*										
1. SINGLE DX	16	11.9	275	<1	<1	4	12	47	49	49
2. MULTIPLE DX	14	10.1	226	1	1	4	15	56	89	99+
A. NOT OPERATED	30	11.1	245	<1	<1	4	12	49	56	99+
B. OPERATED										
TOTAL 0-19 YRS	30	11.1	245	<1	<1	4	12	49	56	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**30**	**11.1**	**245**	**<1**	**<1**	**4**	**12**	**49**	**56**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	17.3	281	2	3	14	25	41	67	99+
20-34	594	14.7	158	1	2	12	20	30	38	73
35-49	709	14.8	146	1	2	12	20	28	36	57
50-64	641	17.8	164	2	4	15	25	34	41	58
65+	688	20.3	198	1	4	18	27	39	48	69
B. *Operated*										
0-19 YRS										
20-34	1	16.0		16	16	16	16	16	16	16
35-49	3	9.3	21	4	4	12	12	12	12	12
50-64	2	35.5	41	31	31	35	40	40	40	40
65+	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	20.2	372	1	2	14	31	52	76	99+
20-34	1071	17.1	211	2	3	13	23	36	46	70
35-49	1156	17.4	210	2	4	14	23	35	45	79
50-64	1217	20.5	222	3	6	17	28	41	50	87
65+	1682	23.5	284	4	6	20	32	48	61	99+
B. *Operated*										
0-19 YRS	2	26.5	313	14	14	39	85	99+	99+	99+
20-34	51	30.0	399	5	8	27	42	56	76	99+
35-49	74	21.3	201	5	6	19	26	41	46	75
50-64	76	26.5	330	6	7	24	35	61	85	99+
65+	155	36.2	427	10	15	32	51	75	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2752	17.0	177	1	3	14	23	34	42	69
B. *Operated*	7	20.7	170	4	6	16	31	38	40	40
2. MULTIPLE DX										
A. *Not Operated*	5292	20.0	249	3	4	16	27	41	53	89
B. *Operated*	358	30.1	386	7	9	26	41	65	90	99+
1. SINGLE DX	2759	17.0	177	1	3	14	23	34	42	69
2. MULTIPLE DX	5650	20.7	263	3	5	17	28	43	56	96
A. NOT OPERATED	8044	19.0	226	2	4	15	26	39	50	84
B. OPERATED	365	29.9	383	6	9	26	41	64	89	99+
TOTAL 0-19 YRS	288	19.0	334	1	3	14	29	46	77	99+
20-34	1717	16.6	204	1	3	13	23	35	45	74
35-49	1942	16.6	188	2	3	13	22	33	42	73
50-64	1936	19.9	211	3	5	17	27	39	49	84
65+	2526	23.4	282	3	6	20	32	48	60	99+
GRAND TOTAL	**8409**	**19.5**	**238**	**2**	**4**	**16**	**27**	**40**	**52**	**89**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	23.2	266	3	5	21	33	42	55	79
20-34	710	17.4	197	1	3	15	24	35	43	72
35-49	632	16.0	128	2	4	14	22	29	37	56
50-64	393	17.5	146	3	5	15	23	33	38	71
65+	190	18.3	186	1	3	17	25	35	45	91
B. *Operated*										
0-19 YRS										
20-34	1	24.0		24	24	24	24	24	24	24
35-49	2	10.5	13	8	8	10	13	13	13	13
50-64										
65+	2	27.5	685	9	9	27	46	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	24.7	391	2	5	21	33	57	87	99+
20-34	623	18.9	211	2	4	16	26	37	49	70
35-49	572	19.5	192	3	6	16	26	37	50	71
50-64	555	21.8	234	4	7	19	28	43	55	99
65+	358	21.0	214	4	7	18	28	42	50	92
B. *Operated*										
0-19 YRS	3	25.7	630	2	2	37	76	99+	99+	99+
20-34	30	23.3	207	2	8	19	31	39	51	63
35-49	27	26.0	229	6	8	25	37	46	55	57
50-64	35	29.1	307	9	11	26	42	56	65	72
65+	34	41.9	603	14	18	35	64	83	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1987	17.2	167	2	4	15	23	33	41	69
B. *Operated*	5	20.0	252	8	8	13	29	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	2186	20.4	220	3	5	17	27	40	52	88
B. *Operated*	129	30.4	393	8	10	26	41	61	77	99+
1. SINGLE DX	1992	17.2	167	2	4	15	24	33	41	69
2. MULTIPLE DX	2315	20.9	235	3	6	18	28	42	54	92
A. NOT OPERATED	4173	18.9	198	2	4	16	25	36	48	78
B. OPERATED	134	30.0	389	8	9	26	41	60	76	99+
TOTAL 0-19 YRS	143	24.1	336	2	5	21	33	52	66	99+
20-34	1364	18.2	204	2	3	15	25	36	46	70
35-49	1233	17.8	164	3	5	15	23	34	44	62
50-64	983	20.3	208	4	6	17	26	39	49	86
65+	584	21.4	255	3	6	19	28	44	57	97
GRAND TOTAL	**4307**	**19.2**	**207**	**2**	**4**	**16**	**26**	**37**	**49**	**81**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	17.2	322	<1	1	13	23	49	72	99+
20-34	214	11.5	119	<1	1	9	16	27	33	63
35-49	139	12.2	96	1	2	10	16	26	31	45
50-64	82	12.2	113	1	1	11	16	24	30	59
65+	99	15.1	183	1	2	12	21	33	42	62
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	22.0		22	22	22	22	22	22	22
35-49										
50-64	2	7.5	61	2	2	7	13	13	13	13
65+	2	6.5	41	2	2	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	17.6	296	2	2	13	28	51	90	99+
20-34	266	13.8	152	1	2	10	18	29	37	63
35-49	209	13.1	152	1	2	9	17	27	40	62
50-64	199	13.6	130	2	3	10	18	26	35	61
65+	511	14.8	186	2	3	11	19	33	47	99+
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	8	20.6	142	6	6	20	31	36	37	37
35-49	8	24.4	309	9	10	18	28	55	64	64
50-64	16	26.6	545	4	6	19	54	96	99+	99+
65+	57	24.5	431	5	6	20	40	63	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	603	13.0	149	1	1	10	17	29	37	66
B. *Operated*	6	9.0	62	2	2	7	13	21	22	22
2. MULTIPLE DX										
A. *Not Operated*	1249	14.3	170	2	3	10	19	30	44	82
B. *Operated*	90	24.4	402	5	6	19	38	64	99	99+
1. SINGLE DX	609	12.9	148	1	1	10	17	29	37	66
2. MULTIPLE DX	1339	15.0	192	2	3	11	20	33	48	99+
A. NOT OPERATED	1852	13.9	164	1	2	10	18	30	43	72
B. OPERATED	96	23.4	394	4	6	18	35	63	98	99+
TOTAL 0-19 YRS	135	17.3	304	1	2	13	26	49	78	99+
20-34	489	12.9	139	1	2	10	17	28	37	63
35-49	356	13.0	136	1	2	10	17	27	35	64
50-64	299	13.9	154	2	3	11	18	28	40	80
65+	669	15.7	213	2	3	11	21	38	53	99+
GRAND TOTAL	**1948**	**14.3**	**179**	**1**	**2**	**11**	**19**	**31**	**45**	**88**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	4.6	49	<1	<1	3	4	8	21	34
20-34	113	5.8	41	1	1	4	7	13	21	29
35-49	114	5.9	56	1	1	4	7	14	17	42
50-64	59	6.0	30	1	1	4	9	14	18	26
65+	39	7.8	76	1	2	5	10	17	25	47
B. *Operated*										
0-19 YRS										
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	3	6.7	24	1	1	9	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	8.1	210	<1	1	3	8	26	63	99+
20-34	266	9.8	112	1	1	6	13	24	33	46
35-49	287	7.6	66	1	1	5	9	18	24	38
50-64	345	8.7	101	1	2	5	9	22	31	52
65+	311	8.0	101	1	1	5	9	18	26	55
B. *Operated*										
0-19 YRS										
20-34	52	2.6	21	1	1	1	2	5	15	26
35-49	33	4.5	54	<1	1	1	4	13	26	30
50-64	8	19.9	227	3	4	16	34	41	41	41
65+	15	10.7	145	2	2	5	11	37	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	6.0	49	1	1	4	7	14	20	32
B. *Operated*	7	6.3	15	1	1	6	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	1247	8.5	99	1	2	5	10	21	29	53
B. *Operated*	108	5.6	84	1	1	1	5	17	29	40
1. SINGLE DX	356	6.0	48	1	1	4	7	14	20	32
2. MULTIPLE DX	1355	8.2	98	1	1	5	9	21	29	52
A. NOT OPERATED	1596	7.9	89	1	1	5	9	19	27	48
B. OPERATED	115	5.6	79	1	1	1	5	16	29	40
TOTAL 0-19 YRS	62	6.7	149	<1	1	3	6	17	43	95
20-34	433	7.9	88	1	1	4	9	21	27	41
35-49	436	6.9	63	1	1	4	9	17	22	38
50-64	415	8.5	96	1	2	5	9	21	30	49
65+	365	8.1	100	1	2	5	9	19	26	52
GRAND TOTAL	**1711**	**7.8**	**89**	**1**	**1**	**4**	**9**	**19**	**28**	**47**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	18.8	567	1	2	8	22	70	90	99+
20-34	249	9.6	89	1	2	6	14	21	27	40
35-49	189	10.5	78	1	1	8	14	25	29	40
50-64	114	11.8	86	2	2	9	17	25	33	41
65+	77	11.3	112	1	2	8	15	23	35	50
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	33.7	891	1	2	25	60	90	98	99+
20-34	581	14.8	184	1	2	11	21	28	41	70
35-49	529	13.9	127	2	3	10	21	28	34	57
50-64	402	13.0	124	2	3	10	18	28	33	61
65+	403	12.6	142	2	3	9	17	28	34	61
B. *Operated*										
0-19 YRS	5	11.4	62	2	2	8	19	21	21	21
20-34	18	17.6	195	3	4	15	20	43	49	51
35-49	16	18.9	211	4	5	13	34	40	44	46
50-64	13	21.5	282	2	4	20	25	44	63	67
65+	37	23.1	188	8	9	19	33	46	50	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	758	11.9	179	1	2	8	15	26	39	85
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	2120	15.7	254	2	3	11	21	32	53	93
B. *Operated*	89	20.3	201	4	5	16	28	41	48	61
1. SINGLE DX	759	11.9	179	1	2	8	15	26	39	85
2. MULTIPLE DX	2209	15.8	253	2	3	11	21	33	52	92
A. NOT OPERATED	2878	14.7	237	1	2	10	20	31	49	91
B. OPERATED	90	20.2	200	4	5	16	28	41	48	61
TOTAL 0-19 YRS	339	27.7	810	1	2	15	56	85	97	99+
20-34	848	13.3	162	1	2	10	20	27	36	62
35-49	735	13.1	119	2	3	10	20	28	33	55
50-64	529	12.9	121	2	3	10	18	28	34	60
65+	517	13.2	148	[illegible]	3	9	18	29	36	54
GRAND TOTAL	**2968**	**14.8**	**237**	**1**	**2**	**10**	**20**	**31**	**49**	**91**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	9.5	149	1	1	5	13	22	38	99
20-34	325	10.0	131	1	1	6	13	24	33	59
35-49	162	10.3	109	1	2	7	14	23	28	56
50-64	58	10.1	206	<1	1	5	13	23	29	93
65+	30	8.4	61	1	1	6	11	16	24	38
B. *Operated*										
0-19 YRS	4	11.3	208	1	1	6	21	32	32	32
20-34	15	8.4	44	<1	2	5	13	18	21	22
35-49	19	7.5	22	1	1	8	12	13	15	16
50-64	19	5.3	8	1	2	5	7	9	12	13
65+	8	9.5	141	2	2	5	9	30	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	12.6	304	1	1	6	16	31	53	96
20-34	610	12.6	185	1	2	8	17	30	42	79
35-49	318	12.5	165	1	2	9	16	28	39	68
50-64	201	12.6	198	1	2	7	16	28	35	72
65+	191	10.2	111	1	2	7	12	22	38	99+
B. *Operated*										
0-19 YRS	5	31.8	1484	2	2	21	43	99	99	99+
20-34	34	18.2	383	3	3	12	21	42	66	93
35-49	27	10.4	117	1	1	8	14	21	28	55
50-64	36	8.6	127	2	3	6	8	15	23	68
65+	34	17.6	324	3	4	9	25	49	62	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	727	9.9	132	1	1	6	13	23	33	64
B. *Operated*	65	7.5	46	1	2	5	10	13	19	37
2. MULTIPLE DX										
A. *Not Operated*	1499	12.3	188	1	2	8	16	28	40	82
B. *Operated*	136	14.5	302	2	3	8	16	28	55	94
1. SINGLE DX	792	9.7	126	1	1	6	13	23	32	62
2. MULTIPLE DX	1635	12.5	197	1	2	8	16	28	41	83
A. NOT OPERATED	2226	11.5	171	1	1	7	15	27	38	79
B. OPERATED	201	12.2	229	1	2	7	13	26	42	82
TOTAL 0-19 YRS	340	11.5	254	1	1	6	15	29	48	99
20-34	984	11.9	175	1	1	8	16	28	40	77
35-49	526	11.6	141	1	2	8	15	25	34	58
50-64	314	11.2	183	1	2	6	14	26	34	72
65+	263	10.9	139	1	2	8	13	24	39	96
GRAND TOTAL	**2427**	**11.6**	**176**	**1**	**1**	**7**	**15**	**27**	**38**	**79**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	4.4	27	<1	1	2	6	11	13	26
20-34	1282	6.0	25	1	2	5	6	11	18	27
35-49	1409	6.1	22	1	2	5	6	9	17	28
50-64	487	6.6	28	1	2	5	7	14	19	27
65+	105	7.0	29	2	3	5	8	14	20	26
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	323	14.9	128	1	1	13	27	28	29	33
20-34	4020	9.8	77	2	3	6	12	26	28	31
35-49	5118	8.3	49	2	3	6	8	19	27	30
50-64	2711	8.7	55	2	3	6	9	20	27	32
65+	855	10.2	105	2	3	7	12	25	29	55
B. *Operated*										
0-19 YRS	9	10.8	110	<1	1	5	23	26	26	26
20-34	69	15.0	132	1	5	11	22	29	33	60
35-49	98	15.4	143	4	5	11	22	30	35	66
50-64	97	14.2	132	2	2	11	19	28	38	58
65+	62	22.6	279	4	6	20	29	45	50	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3379	6.1	24	1	2	5	6	11	18	27
B. *Operated*	4	3.5	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	13027	9.1	66	2	3	6	10	25	28	32
B. *Operated*	335	16.2	170	2	5	12	23	31	39	64
1. SINGLE DX	3383	6.1	24	1	2	5	6	11	18	27
2. MULTIPLE DX	13362	9.3	70	2	3	6	10	25	28	33
A. NOT OPERATED	16406	8.5	59	2	3	6	8	22	28	31
B. OPERATED	339	16.1	170	2	4	12	23	31	39	64
TOTAL 0-19 YRS	428	12.5	124	<1	1	7	25	28	29	33
20-34	5371	9.0	69	1	2	6	10	25	28	31
35-49	6626	7.9	46	2	3	6	7	17	26	30
50-64	3297	8.5	55	2	3	6	9	19	27	32
65+	1023	10.6	118	2	3	7	13	26	29	57
GRAND TOTAL	**16745**	**8.7**	**62**	**2**	**3**	**6**	**9**	**23**	**28**	**32**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	9.9	41	1	2	10	15	18	19	19
20-34	221	10.4	32	2	3	11	14	16	19	27
35-49	75	10.7	18	3	5	11	13	17	18	19
50-64	5	14.2	50	7	7	13	21	22	22	22
65+										
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	11.9	75	2	2	12	18	24	28	29
20-34	523	12.5	40	3	5	12	16	21	23	31
35-49	211	13.3	52	4	6	13	16	21	27	39
50-64	9	11.8	41	3	4	11	14	21	25	25
65+	4	5.8	9	3	3	5	8	10	10	10
B. *Operated*										
0-19 YRS										
20-34	23	19.0	75	7	10	19	23	31	36	40
35-49	11	19.5	121	7	8	16	28	35	41	42
50-64	2	27.0	72	21	21	27	33	33	33	33
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	10.6	29	2	3	11	14	17	19	24
B. *Operated*	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	771	12.6	44	3	5	12	16	21	25	33
B. *Operated*	37	19.2	91	6	8	18	26	33	38	42
1. SINGLE DX	311	10.5	29	2	3	11	14	17	19	24
2. MULTIPLE DX	808	12.9	48	3	5	12	16	21	26	36
A. NOT OPERATED	1080	12.0	41	3	4	12	15	20	23	31
B. OPERATED	39	18.5	97	4	6	17	25	32	37	42
TOTAL 0-19 YRS	32	11.4	66	1	2	12	16	23	28	29
20-34	768	12.1	41	3	4	12	15	20	23	31
35-49	298	12.8	48	4	5	12	16	20	26	40
50-64	16	14.4	65	4	6	13	21	25	31	33
65+	5	5.4	7	3	3	5	6	10	10	10
GRAND TOTAL	**1119**	**12.3**	**44**	**3**	**4**	**12**	**15**	**20**	**24**	**33**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.2	14	1	1	7	10	11	11	11
20-34	82	7.6	34	1	2	7	9	15	19	31
35-49	26	8.7	26	2	3	7	12	18	19	20
50-64	4	12.0	121	1	1	10	19	27	27	27
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	13.5	104	1	2	9	23	28	29	34
20-34	348	13.2	87	2	3	12	19	27	28	35
35-49	85	11.7	73	2	3	9	17	27	28	36
50-64	47	16.2	139	3	4	13	22	38	46	99+
65+	16	8.7	36	1	2	7	13	18	19	20
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	8	23.4	151	7	8	23	28	42	47	47
35-49	5	12.4	33	7	7	9	18	20	20	20
50-64	4	21.5	36	14	14	22	26	28	28	28
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	7.9	33	1	2	7	11	15	19	30
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	616	13.1	92	2	3	11	20	27	29	39
B. *Operated*	18	19.2	104	7	8	19	24	29	40	47
1. SINGLE DX	125	7.9	33	1	2	7	11	15	19	30
2. MULTIPLE DX	634	13.3	93	2	3	11	20	28	29	40
A. NOT OPERATED	740	12.3	86	2	3	10	18	27	28	38
B. OPERATED	19	18.3	114	4	7	19	24	29	39	47
TOTAL 0-19 YRS	132	12.8	99	1	2	9	23	28	29	33
20-34	439	12.3	85	2	3	10	17	26	28	35
35-49	116	11.1	62	2	3	9	16	23	28	34
50-64	55	16.3	131	2	4	14	22	36	43	97
65+	17	9.1	36	1	2	8	14	18	19	20
GRAND TOTAL	**759**	**12.4**	**87**	**2**	**3**	**10**	**18**	**27**	**28**	**39**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	281	1.3	1	<1	<1	1	1	2	2	4
20-34	104	2.1	11	<1	<1	1	2	4	5	21
35-49	34	2.5	4	<1	<1	2	4	4	7	9
50-64	22	2.7	5	<1	<1	2	4	5	7	10
65+	12	4.7	53	<1	1	2	3	14	25	27
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	2.4	31	<1	<1	1	2	3	5	46
20-34	262	4.3	26	<1	<1	2	5	9	14	28
35-49	163	4.7	20	<1	1	4	6	10	14	22
50-64	105	4.5	19	1	1	3	5	9	14	22
65+	86	6.6	108	1	1	4	7	11	29	89
B. *Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	8	3.0	17	<1	<1	1	3	10	13	13
35-49	5	5.0	19	<1	<1	4	9	10	10	10
50-64	9	6.4	25	<1	<1	7	9	14	14	14
65+	10	11.6	109	1	1	9	20	27	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	1.7	5	<1	<1	1	2	3	4	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	831	4.1	35	<1	<1	2	5	9	14	30
B. *Operated*	34	6.7	54	<1	<1	4	10	15	22	33
1. SINGLE DX	453	1.7	5	<1	<1	1	2	3	4	11
2. MULTIPLE DX	865	4.2	36	<1	<1	2	5	9	14	31
A. NOT OPERATED	1284	3.3	26	<1	<1	1	4	7	11	27
B. OPERATED	34	6.7	54	<1	<1	4	10	15	22	33
TOTAL 0-19 YRS	498	1.8	14	<1	<1	1	2	2	4	18
20-34	374	3.6	22	<1	<1	2	5	8	13	27
35-49	202	4.4	17	<1	<1	3	5	10	14	20
50-64	136	4.4	18	<1	1	3	5	9	14	22
65+	108	6.8	103	1	1	4	7	14	29	82
GRAND TOTAL	**1318**	**3.4**	**27**	**<1**	**<1**	**2**	**4**	**7**	**12**	**28**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.0	12	<1	<1	2	4	6	11	18
20-34	100	5.0	33	<1	1	4	7	9	14	33
35-49	18	3.9	10	<1	1	3	6	10	10	10
50-64	5	12.2	186	<1	<1	5	21	34	34	34
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	8.9	99	1	1	5	11	20	30	51
20-34	288	7.7	55	1	1	6	10	16	25	34
35-49	64	11.8	116	1	2	7	17	28	30	52
50-64	28	10.4	113	2	2	6	13	29	34	40
65+	18	12.6	137	2	3	9	16	27	40	49
B. *Operated*										
0-19 YRS	3	34.0	2704	2	2	6	72	94	94	94
20-34	6	23.2	331	7	7	16	36	52	54	54
35-49	5	12.6	27	7	7	15	17	17	17	17
50-64	2	13.5	145	5	5	13	22	22	22	22
65+	3	28.7	837	10	10	14	50	62	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	4.7	32	<1	1	3	6	9	14	33
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	478	8.8	79	1	1	6	12	22	28	42
B. *Operated*	19	21.9	564	3	5	15	21	59	80	94
1. SINGLE DX	161	4.7	32	<1	1	3	6	9	14	33
2. MULTIPLE DX	497	9.3	102	1	1	6	12	23	28	51
A. NOT OPERATED	639	7.8	70	1	1	5	9	18	26	41
B. OPERATED	19	21.9	564	3	5	15	21	59	80	94
TOTAL 0-19 YRS	121	7.7	139	<1	1	4	8	17	28	64
20-34	394	7.3	58	1	1	5	9	15	24	39
35-49	87	10.2	99	1	1	6	15	26	30	48
50-64	35	10.9	117	1	2	6	17	31	34	40
65+	21	14.9	233	2	4	10	16	36	55	62
GRAND TOTAL	**658**	**8.2**	**89**	**1**	**1**	**5**	**10**	**19**	**27**	**49**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.7	11	1	1	2	6	8	10	16
20-34	37	3.7	6	1	1	3	5	6	8	13
35-49	35	4.0	24	<1	1	3	5	7	10	29
50-64	27	3.5	8	1	1	3	4	7	8	14
65+	13	5.2	12	2	2	4	7	10	13	14
B. *Operated*										
0-19 YRS										
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	3	8.0	52	2	2	6	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	6.8	173	<1	1	3	5	12	34	72
20-34	101	4.8	24	1	1	3	6	9	15	27
35-49	111	4.4	11	1	2	3	6	8	12	19
50-64	121	4.6	22	1	2	4	5	7	9	34
65+	175	6.7	44	1	2	5	8	12	15	41
B. *Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	7	11.9	338	2	2	5	10	45	53	53
35-49	10	8.1	26	1	1	8	13	14	15	15
50-64	8	5.3	4	3	3	5	7	8	8	8
65+	17	12.3	56	2	3	11	17	24	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	3.9	12	1	1	3	5	7	9	16
B. *Operated*	8	5.1	31	<1	<1	2	8	14	16	16
2. MULTIPLE DX										
A. *Not Operated*	563	5.5	43	1	2	4	6	10	14	35
B. *Operated*	44	9.6	84	2	2	8	12	21	25	53
1. SINGLE DX	159	3.9	13	1	1	3	5	7	10	16
2. MULTIPLE DX	607	5.8	47	1	2	4	7	11	15	36
A. NOT OPERATED	714	5.1	37	1	1	4	6	9	13	31
B. OPERATED	52	8.9	78	1	2	7	12	17	24	52
TOTAL 0-19 YRS	96	5.5	105	1	1	3	5	9	15	67
20-34	147	4.9	35	1	1	3	6	9	13	30
35-49	157	4.5	16	1	1	3	6	9	12	19
50-64	158	4.4	19	1	2	3	5	7	8	32
65+	208	7.1	45	1	2	5	9	14	16	35
GRAND TOTAL	**766**	**5.4**	**40**	**1**	**1**	**4**	**6**	**10**	**14**	**32**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	407	10.2	132	1	1	7	14	25	34	47
20-34	501	6.9	60	1	1	5	8	16	21	42
35-49	242	6.8	55	1	1	4	9	14	20	39
50-64	95	9.5	91	<1	1	7	13	24	29	43
65+	30	12.3	86	1	2	11	19	24	31	34
B. *Operated*										
0-19 YRS										
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	1	15.0		15	15	15	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	532	12.7	212	1	2	8	16	33	48	97
20-34	1099	9.4	94	1	2	7	13	19	26	53
35-49	683	9.2	75	1	2	7	12	21	28	42
50-64	280	10.2	110	1	2	7	13	21	29	53
65+	279	12.2	124	2	3	9	16	27	34	55
B. *Operated*										
0-19 YRS	15	14.1	131	<1	<1	12	27	32	80	99+
20-34	28	9.4	37	1	2	9	12	16	19	31
35-49	11	19.7	124	2	7	19	28	35	40	41
50-64	11	17.0	192	3	4	13	19	37	53	54
65+	12	16.5	82	7	8	13	25	50	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1275	8.2	87	1	1	5	11	19	28	43
B. *Operated*	3	8.0	43	2	2	7	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	2873	10.3	117	1	2	7	13	22	31	59
B. *Operated*	77	14.0	105	1	3	12	19	30	39	99+
1. SINGLE DX	1278	8.2	87	1	1	5	11	19	28	43
2. MULTIPLE DX	2950	10.4	117	1	2	7	13	23	32	60
A. NOT OPERATED	4148	9.7	109	1	1	6	13	22	30	55
B. OPERATED	80	13.8	104	1	3	12	19	30	39	99+
TOTAL 0-19 YRS	954	11.6	178	1	1	7	15	29	40	87
20-34	1630	8.6	83	1	1	6	11	18	25	49
35-49	937	8.7	73	1	2	6	11	19	27	42
50-64	386	10.2	108	1	2	7	13	22	29	51
65+	321	12.4	119	2	3	9	17	27	34	64
GRAND TOTAL	**4228**	**9.8**	**109**	**1**	**1**	**7**	**13**	**22**	**30**	**55**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	402	15.5	371	1	1	7	22	50	71	99+
20-34	183	11.5	199	1	1	5	15	32	41	65
35-49	127	7.5	81	1	1	4	9	19	31	44
50-64	54	11.5	119	2	2	7	17	25	35	50
65+	47	12.1	144	1	2	8	15	24	35	67
B. *Operated*										
0-19 YRS	4	2.3	2	<1	<1	2	3	4	4	4
20-34	6	5.2	35	1	1	2	8	15	16	16
35-49	5	6.8	24	2	2	6	10	14	14	14
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	593	23.1	683	1	2	13	46	87	99+	99+
20-34	464	12.1	213	1	2	7	15	29	43	84
35-49	293	11.0	163	1	2	7	13	26	35	64
50-64	232	11.2	147	2	2	7	15	25	34	63
65+	347	11.6	135	2	3	8	14	25	39	64
B. *Operated*										
0-19 YRS	13	46.4	1751	1	3	83	99	99+	99+	99+
20-34	23	14.5	354	<1	1	5	20	30	56	86
35-49	26	16.6	214	2	3	12	22	40	50	52
50-64	23	14.5	109	2	2	13	22	34	56	99+
65+	38	19.8	267	4	6	14	29	55	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	813	12.9	265	1	1	6	18	36	54	99+
B. *Operated*	16	4.7	22	<1	1	3	7	13	15	16
2. MULTIPLE DX										
A. *Not Operated*	1929	15.1	356	1	2	8	19	48	75	99+
B. *Operated*	123	19.9	469	2	3	13	29	77	99+	99+
1. SINGLE DX	829	12.7	261	1	1	6	17	35	54	99+
2. MULTIPLE DX	2052	15.4	364	1	2	8	20	49	77	99+
A. NOT OPERATED	2742	14.5	330	1	2	7	19	42	69	99+
B. OPERATED	139	18.2	441	1	2	12	25	65	99	99+
TOTAL 0-19 YRS	1012	20.3	592	1	2	10	34	78	99+	99+
20-34	676	12.0	213	1	1	6	16	30	41	83
35-49	451	10.3	145	1	2	6	13	26	35	60
50-64	310	11.5	139	2	2	7	16	26	36	66
65+	432	12.4	152	2	3	8	15	27	41	73
GRAND TOTAL	**2881**	**14.6**	**336**	**1**	**2**	**8**	**19**	**43**	**70**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	15.5	366	3	3	7	26	44	44	44
20-34	16	8.8	68	1	1	6	13	18	27	31
35-49	2	8.5	113	1	1	8	16	16	16	16
50-64	3	8.3	2	7	7	8	9	10	10	10
65+										
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	8.5	155	<1	<1	4	12	17	57	99+
20-34	40	14.1	337	1	2	8	16	38	81	99+
35-49	19	10.8	99	<1	1	8	17	32	67	99+
50-64	10	10.4	144	1	1	7	13	28	42	42
65+	4	6.3	25	2	2	5	10	13	13	13
B. *Operated*										
0-19 YRS	7	7.0	143	2	2	2	4	28	34	34
20-34	6	3.0	6	2	2	2	2	7	8	8
35-49	4	7.5	121	2	2	2	13	24	24	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	9.8	100	1	1	8	13	18	34	44
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	109	11.1	208	<1	1	7	15	26	71	99+
B. *Operated*	17	5.7	82	2	2	2	3	21	30	34
1. SINGLE DX	26	9.6	96	1	1	7	13	18	34	44
2. MULTIPLE DX	126	10.3	193	1	1	6	14	25	56	99+
A. NOT OPERATED	134	10.8	187	1	1	7	14	25	51	99+
B. OPERATED	18	5.7	78	2	2	2	5	19	30	34
TOTAL 0-19 YRS	47	8.9	165	<1	1	4	11	24	47	99+
20-34	63	11.5	243	1	2	7	15	22	62	98
35-49	25	10.1	96	<1	1	7	16	29	48	99+
50-64	13	9.9	109	1	1	7	11	20	38	42
65+	4	6.3	25	2	2	5	10	13	13	13
GRAND TOTAL	**152**	**10.2**	**176**	**1**	**1**	**7**	**14**	**24**	**43**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	249	10.8	24	1	3	11	13	16	19	25
20-34	47	7.1	21	2	2	6	11	14	16	20
35-49	27	7.3	20	1	2	8	11	13	15	17
50-64	17	8.8	66	1	2	5	13	21	26	29
65+	5	7.8	64	<1	<1	3	16	17	17	17
B. *Operated*										
0-19 YRS	29	11.0	16	3	6	11	13	16	18	20
20-34	28	6.5	74	1	1	3	6	20	27	37
35-49	18	8.7	139	2	2	5	10	14	38	53
50-64	27	9.6	151	2	2	5	11	25	34	57
65+	5	11.0	96	2	2	7	16	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	12.1	40	2	4	11	15	19	24	37
20-34	65	12.6	88	2	2	11	16	30	36	90
35-49	48	13.1	97	2	3	11	15	24	38	48
50-64	66	13.4	154	2	3	9	16	31	37	64
65+	64	19.6	314	4	5	15	28	42	87	99+
B. *Operated*										
0-19 YRS	54	21.3	280	2	7	17	27	44	57	99+
20-34	33	25.5	386	2	4	21	37	49	66	81
35-49	46	15.8	260	2	2	9	27	39	45	79
50-64	53	27.0	550	2	3	22	43	65	84	99+
65+	27	29.8	562	2	4	33	40	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	9.9	28	1	3	11	13	16	19	25
B. *Operated*	107	9.1	89	2	2	6	11	19	26	55
2. MULTIPLE DX										
A. *Not Operated*	503	13.4	106	2	3	11	16	25	35	89
B. *Operated*	213	23.2	410	2	3	19	35	54	80	99+
1. SINGLE DX	452	9.7	42	1	2	10	12	16	20	29
2. MULTIPLE DX	716	16.3	217	2	3	12	19	36	48	99+
A. NOT OPERATED	848	12.0	77	2	3	11	15	20	29	55
B. OPERATED	320	18.5	347	2	2	12	27	45	63	99+
TOTAL 0-19 YRS	592	12.3	62	2	3	11	14	19	25	45
20-34	173	12.6	168	2	2	9	15	31	41	78
35-49	139	12.3	150	2	2	9	14	28	40	56
50-64	163	16.7	324	2	2	10	22	44	61	88
65+	101	21.3	386	2	4	17	32	51	98	99+
GRAND TOTAL	**1168**	**13.8**	**159**	**2**	**3**	**11**	**16**	**29**	**40**	**94**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49	3	4.0	13	1	1	3	7	8	8	8
50-64	44	11.2	81	2	3	8	16	22	35	39
65+	112	10.7	60	3	4	8	13	23	29	36
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	10.8	4	9	9	11	12	14	14	14
50-64	7	10.9	65	2	2	12	13	23	26	26
65+	7	12.0	28	3	4	13	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	14	9.9	78	1	3	7	12	27	31	32
50-64	119	13.5	178	4	4	8	15	30	41	67
65+	927	15.0	188	3	4	11	19	35	58	99+
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	5.5	10	3	3	4	7	10	10	10
50-64	17	21.6	257	3	5	13	37	43	53	58
65+	125	24.3	369	5	7	21	37	76	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	10.7	65	3	3	8	13	22	29	37
B. *Operated*	19	11.3	32	2	3	11	14	18	22	26
2. MULTIPLE DX										
A. *Not Operated*	1062	14.7	186	3	4	11	19	34	57	99+
B. *Operated*	147	23.3	354	4	7	19	34	67	99+	99+
1. SINGLE DX	179	10.8	61	3	3	8	13	22	28	37
2. MULTIPLE DX	1209	15.7	214	3	4	11	20	38	65	99+
A. NOT OPERATED	1222	14.2	171	3	4	10	18	32	48	99+
B. OPERATED	166	22.0	332	4	6	17	29	65	99+	99+
TOTAL 0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	26	8.7	49	1	3	8	11	14	27	32
50-64	187	13.6	163	3	4	9	16	33	40	63
65+	1171	15.5	204	3	4	11	20	37	65	99+
GRAND TOTAL	**1388**	**15.1**	**197**	**3**	**4**	**11**	**20**	**35**	**58**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	7.3	31	2	3	5	9	17	20	20
20-34	186	8.2	33	1	2	7	10	14	20	32
35-49	239	9.7	39	2	3	9	13	17	20	31
50-64	77	11.5	87	1	3	10	16	24	27	43
65+	13	13.2	99	3	6	10	21	42	87	99+
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	24	7.2	39	1	2	5	11	13	21	27
35-49	36	7.9	42	2	2	6	10	15	18	34
50-64	6	9.3	39	1	1	10	14	17	17	17
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.8	14	2	2	6	9	10	10	10
20-34	147	11.7	114	2	3	10	15	21	30	96
35-49	237	12.6	103	3	3	10	16	27	38	99+
50-64	170	13.9	132	4	5	11	18	27	37	99
65+	54	13.9	146	2	4	11	18	30	46	98
B. *Operated*										
0-19 YRS	3	8.3	65	1	1	7	14	17	17	17
20-34	34	12.3	125	2	4	10	14	22	57	99+
35-49	78	17.2	245	2	3	13	24	34	68	99+
50-64	65	18.2	354	3	4	13	22	45	85	99+
65+	15	16.5	185	2	3	13	20	35	50	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5[illegible]5	9.5	47	1	3	9	12	18	21	38
B. *Operated*	69	7.6	39	1	2	6	11	15	18	33
2. MULTIPLE DX										
A. *Not Operated*	613	12.8	117	2	3	10	16	25	37	99+
B. *Operated*	195	16.5	254	2	4	12	21	34	73	99+
1. SINGLE DX	594	9.3	46	1	2	8	12	18	21	37
2. MULTIPLE DX	808	13.7	152	2	3	10	17	28	40	99+
A. NOT OPERATED	1138	11.3	87	2	3	10	14	22	30	60
B. OPERATED	264	14.1	213	2	2	10	18	30	55	99+
TOTAL 0-19 YRS	19	7.2	27	1	2	6	10	16	19	20
20-34	391	9.8	75	2	2	9	12	18	22	61
35-49	590	11.8	98	2	3	10	14	24	32	87
50-64	318	14.1	169	3	4	11	18	28	41	99+
65+	84	14.0	143	2	2	11	18	35	49	99+
GRAND TOTAL	**1402**	**11.8**	**112**	**2**	**3**	**10**	**14**	**23**	**33**	**96**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	628	3.6	12	1	1	3	4	8	12	17
20-34	411	4.2	21	1	1	3	5	9	14	24
35-49	255	4.0	14	1	1	3	5	8	11	17
50-64	140	4.2	16	1	1	3	5	8	11	18
65+	100	5.2	19	1	1	4	6	11	17	20
B. *Operated*										
0-19 YRS	9	6.0	22	2	2	5	8	13	16	16
20-34	23	13.9	180	2	2	9	20	31	47	52
35-49	7	5.1	23	1	1	2	8	13	14	14
50-64	9	7.1	69	2	2	3	8	22	26	26
65+	2	16.5	421	2	2	16	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	840	5.3	34	1	1	3	7	11	16	36
20-34	678	5.6	42	1	1	4	7	12	16	34
35-49	596	6.3	54	1	1	5	8	13	18	28
50-64	622	7.0	50	1	2	5	8	14	19	38
65+	1046	9.2	91	2	2	6	11	19	27	66
B. *Operated*										
0-19 YRS	33	9.8	119	1	1	6	14	32	45	99+
20-34	59	12.9	232	1	2	8	15	28	53	78
35-49	64	12.3	150	2	2	9	16	33	53	99+
50-64	73	16.7	224	2	3	10	26	38	55	99+
65+	103	17.9	257	4	4	13	26	43	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1534	4.0	16	1	1	3	5	8	12	20
B. *Operated*	50	10.1	124	2	2	6	13	26	31	52
2. MULTIPLE DX										
A. *Not Operated*	3782	6.9	59	1	2	5	8	14	20	50
B. *Operated*	332	14.9	217	2	2	10	22	36	61	99+
1. SINGLE DX	1584	4.2	20	1	1	3	5	9	13	23
2. MULTIPLE DX	4114	7.5	77	1	2	5	9	16	23	63
A. NOT OPERATED	5316	6.1	48	1	1	4	7	13	18	40
B. OPERATED	382	14.2	207	2	2	10	21	35	57	99+
TOTAL 0-19 YRS	1510	4.7	28	1	1	3	5	10	15	29
20-34	1171	5.7	51	1	1	4	6	12	18	38
35-49	922	6.1	53	1	1	4	7	13	18	38
50-64	844	7.4	69	1	2	5	8	15	23	51
65+	1251	9.6	106	2	2	6	11	20	30	71
GRAND TOTAL	**5698**	**6.6**	**63**	**1**	**1**	**4**	**8**	**14**	**20**	**52**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	5.5	119	<1	<1	3	6	13	74	99+
20-34	224	5.1	29	1	1	4	6	10	15	39
35-49	147	4.6	21	1	1	3	6	10	15	22
50-64	136	6.6	45	1	2	5	8	13	18	31
65+	176	8.1	72	1	2	6	9	16	26	58
B. *Operated*										
0-19 YRS	148	5.1	29	<1	1	3	6	11	15	32
20-34	125	6.6	29	1	1	5	10	13	15	25
35-49	124	6.6	64	1	1	4	8	15	25	42
50-64	136	6.4	31	1	2	4	10	15	18	26
65+	103	8.1	47	1	2	6	11	20	23	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	599	9.8	331	1	2	4	11	99+	99+	99+
20-34	328	7.8	81	1	2	5	9	18	30	52
35-49	346	7.9	100	1	2	5	9	17	28	99+
50-64	586	12.5	226	2	2	8	14	33	53	99+
65+	2146	15.1	246	2	3	10	19	43	63	99+
B. *Operated*										
0-19 YRS	237	8.4	120	1	1	5	11	28	75	99+
20-34	245	11.1	211	1	2	6	13	29	51	99+
35-49	258	10.6	139	1	2	7	14	24	34	99+
50-64	405	14.4	249	2	2	9	18	38	62	99+
65+	896	19.3	355	2	3	13	27	56	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	5.9	61	1	1	4	7	12	20	99+
B. *Operated*	636	6.4	40	1	1	4	9	15	20	30
2. MULTIPLE DX										
A. *Not Operated*	4005	12.7	237	2	2	8	16	42	76	99+
B. *Operated*	2041	15.0	279	2	2	9	20	43	69	99+
1. SINGLE DX	1526	6.1	52	1	1	4	8	13	20	62
2. MULTIPLE DX	6046	13.5	253	2	2	8	17	42	74	99+
A. NOT OPERATED	4895	11.5	212	1	2	7	14	36	65	99+
B. OPERATED	2677	12.9	235	1	2	8	17	35	61	99+
TOTAL 0-19 YRS	1191	8.2	218	1	1	4	9	71	99+	99+
20-34	922	7.9	100	1	1	5	9	17	29	81
35-49	875	8.0	97	1	2	5	10	18	26	97
50-64	1263	11.8	201	1	2	7	14	29	50	99+
65+	3321	15.6	268	2	3	10	20	44	67	99+
GRAND TOTAL	**7572**	**12.0**	**221**	**1**	**2**	**7**	**15**	**35**	**63**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	186	2.5	5	1	1	2	3	5	7	12
20-34	382	3.5	9	1	1	3	5	7	9	14
35-49	246	2.9	4	1	1	2	4	5	8	11
50-64	87	3.3	4	1	1	3	4	6	7	10
65+	18	3.9	7	1	1	3	5	6	10	12
B. *Operated*										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	29	4.2	9	2	2	3	5	9	9	14
35-49	14	6.2	71	2	2	3	7	16	29	33
50-64	16	4.1	10	1	2	3	6	9	10	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	3.1	7	1	1	3	4	5	6	17
20-34	436	4.3	12	1	1	3	5	8	10	20
35-49	390	4.1	8	1	1	3	5	8	9	16
50-64	197	4.9	14	1	2	4	6	8	11	22
65+	71	5.4	18	1	1	4	7	11	14	23
B. *Operated*										
0-19 YRS	5	7.8	2	7	7	7	8	10	10	10
20-34	24	6.5	26	1	2	5	8	13	19	23
35-49	36	6.1	26	1	1	5	8	14	19	22
50-64	28	6.5	25	2	2	5	8	11	14	27
65+	8	6.9	8	3	3	7	8	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	919	3.1	7	1	1	2	4	6	8	12
B. *Operated*	64	4.4	22	1	2	3	5	9	12	30
2. MULTIPLE DX										
A. *Not Operated*	1237	4.2	11	1	1	3	5	8	10	19
B. *Operated*	101	6.5	23	1	2	5	8	12	17	25
1. SINGLE DX	983	3.2	8	1	1	2	4	6	8	13
2. MULTIPLE DX	1338	4.4	12	1	1	4	5	8	11	20
A. NOT OPERATED	2156	3.8	9	1	1	3	5	7	9	17
B. OPERATED	165	5.7	23	1	2	4	7	10	14	26
TOTAL 0-19 YRS	339	2.8	6	1	1	2	4	5	7	13
20-34	871	4.0	11	1	1	3	5	8	10	19
35-49	686	3.8	10	1	1	3	5	7	9	17
50-64	328	4.6	13	1	1	4	6	8	10	22
65+	97	5.2	15	1	1	4	6	11	12	20
GRAND TOTAL	**2321**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	1.4	1	<1	<1	<1	2	3	3	3
35-49	7	2.3	7	<1	<1	1	2	7	8	8
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	4	2.3		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	23	1.7	2	<1	<1	1	2	3	5	7
20-34	406	1.7	1	<1	<1	2	2	3	3	4
35-49	758	1.9	1	<1	<1	2	2	3	4	5
50-64	825	1.9	1	<1	<1	2	2	3	3	5
65+	487	2.0	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	2.8	7	<1	<1	2	3	7	10	10
35-49	16	2.8	4	<1	<1	2	4	6	7	7
50-64	32	4.3	28	<1	<1	3	5	8	16	27
65+	21	4.0	8	<1	<1	4	5	8	10	11
B. *Operated*										
0-19 YRS	18	2.6	3	1	1	2	3	5	7	8
20-34	163	2.5	3	<1	1	2	3	4	5	11
35-49	400	2.8	18	<1	1	2	3	4	6	18
50-64	661	2.9	8	<1	1	2	3	5	8	17
65+	634	3.0	8	1	1	2	3	5	8	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.9	3	<1	<1	1	2	3	6	8
B. *Operated*	2499	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	81	3.7	15	<1	<1	2	5	7	10	24
B. *Operated*	1876	2.9	10	<1	1	2	3	5	8	16
1. SINGLE DX	2519	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	1957	2.9	10	<1	1	2	3	5	8	16
A. NOT OPERATED	101	3.3	13	<1	<1	2	5	6	9	22
B. OPERATED	4375	2.3	5	<1	<1	2	3	3	5	11
TOTAL 0-19 YRS	42	2.1	2	<1	<1	2	2	4	6	8
20-34	588	1.9	2	<1	<1	2	2	3	4	7
35-49	1181	2.2	7	<1	<1	2	2	3	4	9
50-64	1519	2.4	5	<1	<1	2	3	4	5	12
65+	1146	2.6	6	<1	1	2	3	4	6	13
GRAND TOTAL	**4476**	**2.3**	**8**	**<1**	**<1**	**2**	**3**	**4**	**5**	**12**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	7.3	96	1	1	4	8	15	29	51
20-34	128	6.3	38	1	1	4	8	13	19	33
35-49	145	5.6	54	1	1	4	6	10	15	40
50-64	113	5.3	31	1	1	4	6	9	11	37
65+	103	6.6	38	1	2	5	8	13	16	38
B. *Operated*										
0-19 YRS	90	3.2	13	1	1	3	3	5	7	24
20-34	435	3.3	5	<1	1	3	4	6	8	12
35-49	527	3.8	15	<1	1	3	4	8	10	15
50-64	462	3.8	26	<1	1	3	4	7	10	18
65+	176	4.0	19	1	1	3	4	9	13	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	11.7	225	<1	1	4	16	35	49	97
20-34	150	8.3	135	1	2	4	8	21	33	66
35-49	297	7.4	84	1	2	5	9	14	20	69
50-64	484	7.9	77	1	2	5	9	17	23	59
65+	721	9.9	111	2	2	7	12	21	30	90
B. *Operated*										
0-19 YRS	65	7.9	217	1	2	4	7	15	29	91
20-34	253	6.2	96	1	1	4	6	11	19	53
35-49	358	5.9	60	1	2	4	7	12	18	82
50-64	481	7.2	105	1	2	4	8	16	31	99+
65+	400	12.5	258	2	2	7	15	30	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	544	6.0	47	1	1	4	7	11	16	39
B. *Operated*	1690	3.6	16	<1	1	3	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	1710	8.8	104	1	2	6	10	19	28	77
B. *Operated*	1557	8.1	144	1	2	4	8	18	33	95
1. SINGLE DX	2234	4.2	24	1	1	3	5	8	11	22
2. MULTIPLE DX	3267	8.5	123	1	2	5	10	19	30	86
A. NOT OPERATED	2254	8.1	91	1	2	5	9	17	26	67
B. OPERATED	3247	5.8	82	1	1	3	6	12	19	72
TOTAL 0-19 YRS	268	7.0	134	1	1	3	7	15	33	70
20-34	966	5.2	57	1	1	3	5	10	15	40
35-49	1327	5.4	49	1	1	3	6	11	15	40
50-64	1540	6.2	70	1	2	4	7	13	19	62
65+	1400	9.6	143	2	2	6	11	21	33	86
GRAND TOTAL	**5501**	**6.8**	**87**	**1**	**2**	**4**	**8**	**14**	**22**	**70**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	4.8	1	4	4	5	5	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	43	4.6	8	1	2	4	5	9	11	13
20-34	99	4.6	11	1	2	4	5	7	11	21
35-49	133	4.6	7	2	2	4	5	8	11	14
50-64	410	4.1	5	1	2	4	5	7	8	10
65+	354	4.5	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	4.2	9	2	2	3	6	9	9	9
35-49	6	4.0	16	<1	<1	3	3	11	12	12
50-64	13	3.2	6	<1	<1	3	5	7	8	8
65+	28	4.3	8	<1	1	5	6	9	9	11
B. *Operated*										
0-19 YRS	32	4.8	5	2	2	4	6	7	10	11
20-34	64	5.4	12	2	3	4	6	10	15	18
35-49	72	5.8	18	2	2	4	7	11	14	25
50-64	411	5.0	10	2	2	4	6	8	9	19
65+	512	5.5	11	2	3	5	6	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.1	2	2	2	4	5	6	6	6
B. *Operated*	1039	4.4	6	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	53	3.9	8	<1	<1	3	5	8	9	12
B. *Operated*	1091	5.3	11	2	2	5	6	9	11	18
1. SINGLE DX	1047	4.4	6	1	2	4	5	7	8	13
2. MULTIPLE DX	1144	5.2	11	2	2	5	6	9	11	18
A. NOT OPERATED	61	4.0	7	<1	1	3	5	8	9	12
B. OPERATED	2130	4.8	9	2	2	4	6	8	10	15
TOTAL 0-19 YRS	77	4.6	7	1	2	4	5	8	11	13
20-34	169	4.9	11	2	2	4	5	8	11	18
35-49	212	5.0	11	2	2	4	6	9	12	17
50-64	838	4.5	8	1	2	4	6	7	9	14
65+	895	5.1	9	2	2	4	6	8	10	15
GRAND TOTAL	**2191**	**4.8**	**9**	**2**	**2**	**4**	**6**	**8**	**10**	**15**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	10	1.8	1	1	1	2	2	3	4	4
65+	22	1.8	2	<1	1	1	2	4	5	6
B. *Operated*										
0-19 YRS	5	2.8	2	1	1	3	4	4	4	4
20-34	9	3.2	3	1	1	3	4	6	7	7
35-49	32	3.1	13	1	1	2	3	5	8	21
50-64	96	2.3	1	<1	1	2	3	4	5	6
65+	210	2.5	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	3	4.0	12	2	2	2	7	8	8	8
50-64	15	3.0	4	1	1	2	5	6	6	6
65+	46	4.8	31	1	1	3	5	11	15	31
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	8	6.8	85	1	1	4	6	22	29	29
35-49	14	3.0	2	2	2	3	4	6	76	99+
50-64	83	4.1	31	1	2	3	5	7	8	39
65+	302	3.7	9	1	1	3	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.8	1	1	1	1	2	4	4	6
B. *Operated*	352	2.5	4	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	69	4.3	22	1	1	2	5	10	12	28
B. *Operated*	408	3.8	15	1	2	3	4	7	10	23
1. SINGLE DX	390	2.5	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	477	3.9	16	1	1	3	4	8	10	25
A. NOT OPERATED	107	3.4	16	1	1	2	4	8	11	23
B. OPERATED	760	3.2	10	1	1	2	4	5	8	19
TOTAL 0-19 YRS	9	3.1	5	<1	<1	3	4	7	8	8
20-34	20	4.8	36	1	1	3	5	7	18	29
35-49	54	3.0	9	1	1	2	3	6	8	96
50-64	204	3.0	14	1	1	2	3	5	6	18
65+	580	3.3	9	1	1	2	4	6	9	18
GRAND TOTAL	**867**	**3.2**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**19**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	1.0		<1	<1	1	1	1	1	1
65+	6	2.7	5	1	1	2	3	7	7	7
B. *Operated*										
0-19 YRS										
20-34	10	3.3	11	1	1	2	4	8	12	12
35-49	19	3.2	4	1	1	3	4	5	8	10
50-64	45	2.8	3	1	1	2	3	4	6	11
65+	113	2.9	3	<1	1	3	3	5	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0		2	2	2	2	2	2	2
35-49	5	6.8	13	4	4	6	8	13	13	13
50-64	11	3.0	5	1	1	2	5	6	8	8
65+	37	6.7	126	1	1	4	7	9	18	69
B. *Operated*										
0-19 YRS	8	3.8	12	1	1	3	4	10	12	12
20-34	11	2.3	2	1	1	2	3	4	5	5
35-49	22	4.6	22	1	2	3	5	8	16	23
50-64	66	3.2	8	1	1	2	4	5	7	18
65+	175	4.1	39	1	2	3	4	7	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.8	3	<1	<1	1	2	4	7	7
B. *Operated*	187	2.9	4	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	56	5.7	87	1	1	4	6	9	13	66
B. *Operated*	282	3.9	29	1	1	3	4	7	11	21
1. SINGLE DX	199	2.9	4	<1	1	2	3	5	6	12
2. MULTIPLE DX	338	4.2	39	1	1	3	4	7	11	22
A. NOT OPERATED	68	5.0	74	1	1	3	6	8	12	60
B. OPERATED	469	3.5	19	1	1	2	4	6	9	19
TOTAL 0-19 YRS	10	3.2	11	1	1	2	3	8	12	12
20-34	23	2.7	5	1	1	2	3	5	8	12
35-49	47	4.2	14	1	1	3	5	7	11	23
50-64	126	3.0	6	1	1	2	3	5	7	15
65+	331	4.0	37	1	1	3	4	7	10	22
GRAND TOTAL	**537**	**3.7**	**26**	**1**	**1**	**3**	**4**	**7**	**9**	**20**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	5	2.4	7	1	1	1	3	7	7	7
65+	7	1.4		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	374	2.0	1	<1	1	2	2	3	3	5
50-64	2812	2.0	1	1	1	2	2	3	3	4
65+	12162	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	20	1.8	3	<1	<1	1	2	4	6	7
50-64	113	2.7	33	<1	<1	1	2	4	10	31
65+	553	2.5	10	<1	<1	1	2	5	9	17
B. *Operated*										
0-19 YRS										
20-34										
35-49	257	2.7	10	1	1	2	3	4	5	20
50-64	2882	2.5	5	1	2	2	3	3	4	11
65+	16881	2.6	6	1	2	2	3	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.1	4	<1	1	1	2	6	7	7
B. *Operated*	15348	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	686	2.5	14	<1	<1	1	2	5	9	17
B. *Operated*	20020	2.6	6	1	2	2	3	4	5	12
1. SINGLE DX	15362	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX	20706	2.6	6	1	1	2	3	4	5	12
A. NOT OPERATED	700	2.5	14	<1	<1	1	2	5	9	17
B. OPERATED	35368	2.4	4	1	1	2	2	3	4	9
TOTAL 0-19 YRS										
20-34										
35-49	653	2.3	5	<1	1	2	2	3	4	9
50-64	5812	2.3	4	1	1	2	2	3	4	8
65+	29603	2.4	4	1	1	2	2	3	4	10
GRAND TOTAL	**36068**	**2.4**	**4**	**1**	**1**	**2**	**2**	**3**	**4**	**10**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	39	3.1	25	<1	1	2	3	4	6	33
20-34	34	2.1		<1	<1	2	2	3	3	4
35-49	56	2.1	1	1	1	2	2	3	3	5
50-64	105	2.0		<1	1	2	2	3	3	4
65+	271	2.5	2	1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	8	<1	<1	2	7	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	8.3	183	<1	<1	2	10	32	35	35
65+	13	3.3	16	1	1	1	4	10	12	12
B. *Operated*										
0-19 YRS	22	2.8	2	1	1	3	4	5	5	6
20-34	26	4.0	40	2	2	2	3	4	14	34
35-49	50	2.3	2	1	1	2	2	4	4	9
50-64	141	2.6	4	<1	1	2	3	4	6	11
65+	303	2.8	9	1	2	2	3	4	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	505	2.3	3	1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	27	4.3	49	<1	1	1	6	10	15	35
B. *Operated*	542	2.8	8	1	2	2	3	4	6	11
1. SINGLE DX	506	2.3	3	1	1	2	3	3	4	7
2. MULTIPLE DX	569	2.8	10	1	1	2	3	4	7	14
A. NOT OPERATED	28	4.1	48	<1	<1	1	5	10	14	35
B. OPERATED	1047	2.6	6	1	1	2	3	4	5	10
TOTAL 0-19 YRS	67	3.0	16	1	1	2	3	5	6	29
20-34	61	2.9	18	<1	1	2	3	3	4	31
35-49	107	2.2	1	1	1	2	2	3	4	7
50-64	252	2.5	7	<1	1	2	2	3	5	10
65+	588	2.6	6	1	1	2	3	4	6	11
GRAND TOTAL	**1075**	**2.6**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.7	3	<1	<1	1	2	4	6	7
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	5	2.2	2	<1	<1	2	3	4	4	4
50-64	7	4.6	8	2	2	4	6	9	10	10
65+	10	3.3	8	<1	<1	2	4	8	10	10
B. *Operated*										
0-19 YRS	1237	1.4		<1	<1	1	2	2	2	3
20-34	199	1.8	1	<1	<1	2	2	2	3	4
35-49	96	1.9	1	<1	1	2	2	2	3	8
50-64	40	1.9	2	<1	<1	2	2	3	3	9
65+	30	2.5	2	1	1	2	3	4	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	1.6	4	<1	<1	1	1	2	5	13
20-34	9	3.4	6	<1	<1	3	5	7	7	7
35-49	10	6.6	6	4	4	6	7	11	11	11
50-64	22	4.5	8	<1	1	4	5	9	11	11
65+	52	5.5	15	1	2	4	7	12	15	16
B. *Operated*										
0-19 YRS	332	1.4		<1	<1	1	2	2	2	3
20-34	78	2.0	1	<1	1	2	2	3	4	8
35-49	47	2.1	1	<1	1	2	2	3	4	4
50-64	36	3.9	20	1	1	2	3	10	16	20
65+	38	4.9	116	1	1	2	3	11	12	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.5	5	<1	<1	2	3	6	7	10
B. *Operated*	1602	1.5	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	157	3.7	12	<1	<1	3	5	8	11	16
B. *Operated*	531	2.0	11	<1	<1	2	2	3	3	11
1. SINGLE DX	1654	1.6	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX	688	2.4	12	<1	<1	2	2	4	7	14
A. NOT OPERATED	209	3.4	10	<1	<1	2	5	8	11	15
B. OPERATED	2133	1.6	3	<1	<1	1	2	2	2	6
TOTAL 0-19 YRS	1659	1.4	1	<1	<1	1	2	2	2	3
20-34	290	1.9	1	<1	<1	2	2	3	3	8
35-49	158	2.3	3	<1	1	2	2	4	6	11
50-64	105	3.3	11	<1	1	2	3	8	10	19
65+	130	4.4	42	1	1	3	5	9	13	26
GRAND TOTAL	**2342**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**2**	**3**	**10**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	2.5	5	<1	<1	1	4	6	7	11
20-34	23	3.5	5	<1	1	4	5	6	8	9
35-49	14	2.9	3	<1	1	2	4	5	6	6
50-64	15	3.7	7	<1	<1	3	6	7	7	7
65+	26	7.6	185	1	2	4	7	11	28	72
B. *Operated*										
0-19 YRS	171	1.5	1	<1	<1	1	2	2	3	6
20-34	149	2.1	2	<1	<1	2	2	3	5	7
35-49	285	1.8	1	<1	<1	2	2	3	3	6
50-64	362	1.9	1	<1	<1	2	2	3	4	7
65+	561	2.2	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	3.9	12	<1	<1	3	5	8	11	18
20-34	22	5.0	26	<1	<1	5	6	16	49	99+
35-49	28	3.3	9	<1	<1	2	5	7	8	13
50-64	39	4.0	20	<1	<1	2	5	10	16	19
65+	134	7.0	79	<1	1	5	9	14	21	61
B. *Operated*										
0-19 YRS	63	2.7	10	<1	<1	2	2	5	7	22
20-34	83	3.4	37	<1	1	2	2	4	12	38
35-49	283	2.3	7	<1	<1	2	3	4	5	9
50-64	542	2.6	4	<1	1	2	3	4	6	10
65+	927	3.4	20	1	1	2	3	6	9	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	3.3	28	<1	<1	2	4	7	8	13
B. *Operated*	1528	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	374	5.0	39	<1	<1	3	6	11	14	30
B. *Operated*	1898	3.0	14	<1	1	2	3	5	7	17
1. SINGLE DX	1752	2.1	5	<1	<1	2	2	4	5	8
2. MULTIPLE DX	2272	3.3	19	<1	1	2	3	6	9	22
A. NOT OPERATED	598	4.4	36	<1	<1	3	5	9	13	25
B. OPERATED	3426	2.5	9	<1	<1	2	3	4	6	13
TOTAL 0-19 YRS	531	2.6	7	<1	<1	2	3	5	7	13
20-34	277	2.8	15	<1	<1	2	3	5	7	26
35-49	610	2.1	4	<1	<1	2	2	4	5	8
50-64	958	2.4	4	<1	1	2	3	4	6	10
65+	1648	3.3	23	<1	1	2	3	6	9	22
GRAND TOTAL	**4024**	**2.8**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	311	3.8	5	1	1	4	5	7	8	11
20-34	65	3.9	7	1	1	3	5	7	10	12
35-49	29	5.3	18	1	1	5	6	10	12	22
50-64	30	3.8	8	1	1	3	5	8	10	11
65+	34	4.3	10	<1	1	4	5	8	13	14
B. *Operated*										
0-19 YRS	39	3.6	12	1	1	2	4	9	13	16
20-34	49	2.9	5	<1	1	2	4	5	6	15
35-49	70	3.2	14	<1	1	2	3	6	9	23
50-64	242	2.6	4	1	1	2	3	4	7	11
65+	773	2.4	4	1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	314	5.2	16	1	2	4	7	10	12	19
20-34	71	4.6	8	1	2	4	5	9	11	14
35-49	71	5.5	18	1	1	5	7	11	14	21
50-64	111	6.1	63	1	2	5	7	11	15	86
65+	202	6.1	23	1	1	5	8	11	16	24
B. *Operated*										
0-19 YRS	51	5.6	45	1	1	4	6	11	13	43
20-34	74	4.6	38	1	2	3	5	8	10	42
35-49	96	5.1	29	1	1	3	6	12	17	27
50-64	360	4.0	16	1	2	3	4	8	12	23
65+	1218	3.7	25	1	1	2	3	7	11	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	4.0	7	1	1	4	5	7	8	12
B. *Operated*	1173	2.5	5	1	1	2	2	4	6	14
2. MULTIPLE DX										
A. *Not Operated*	769	5.5	24	1	2	4	7	11	13	23
B. *Operated*	1799	3.9	25	1	1	2	4	8	12	27
1. SINGLE DX	1642	2.9	6	1	1	2	3	5	7	13
2. MULTIPLE DX	2568	4.4	25	1	1	3	5	9	12	24
A. NOT OPERATED	1238	4.9	18	1	1	4	6	9	12	21
B. OPERATED	2972	3.4	17	1	1	2	3	6	10	21
TOTAL 0-19 YRS	715	4.5	13	1	1	4	5	8	11	16
20-34	259	4.1	16	1	1	3	5	7	10	18
35-49	266	4.7	21	1	1	3	6	11	14	24
50-64	743	3.9	20	1	1	2	4	8	11	21
65+	2227	3.5	18	1	1	2	3	7	10	22
GRAND TOTAL	**4210**	**3.8**	**18**	**1**	**1**	**2**	**4**	**8**	**11**	**21**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.9	2	<1	<1	1	3	4	5	5
20-34	7	1.7	1	1	1	2	2	3	3	3
35-49	8	4.1	6	1	1	4	6	7	8	8
50-64	3	6.7	14	4	4	5	9	11	11	11
65+	7	15.9	1076	1	1	4	8	74	90	90
B. *Operated*										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	5	7.0	152	<1	<1	2	9	29	29	29
35-49	7	2.9	8	1	1	2	4	8	9	9
50-64	6	3.7	6	2	2	3	5	8	8	8
65+	8	2.1	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.1	3	<1	<1	2	3	4	6	9
20-34	13	3.3	4	1	1	3	4	6	8	8
35-49	19	4.5	14	1	1	3	7	10	13	14
50-64	33	4.9	12	1	1	4	7	11	13	13
65+	61	8.8	160	1	2	6	9	13	34	76
B. *Operated*										
0-19 YRS	6	3.2	5	<1	<1	3	4	7	7	7
20-34	10	2.7	2	1	1	2	3	5	6	6
35-49	13	3.1	6	1	1	2	4	6	9	10
50-64	25	4.2	9	1	2	3	7	9	10	11
65+	36	6.5	122	1	2	3	6	10	22	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	5.3	205	<1	1	2	4	7	10	90
B. *Operated*	31	3.3	26	<1	<1	2	3	6	9	29
2. MULTIPLE DX										
A. *Not Operated*	150	5.9	76	1	1	3	7	11	13	55
B. *Operated*	90	4.7	54	1	1	3	5	9	10	49
1. SINGLE DX	69	4.4	124	<1	1	2	4	7	9	78
2. MULTIPLE DX	240	5.4	68	1	1	3	7	10	13	56
A. NOT OPERATED	188	5.8	102	1	1	3	7	10	13	70
B. OPERATED	121	4.3	47	<1	1	3	4	8	10	39
TOTAL 0-19 YRS	48	2.1	3	<1	<1	1	3	4	5	9
20-34	35	3.3	22	1	1	2	3	5	7	29
35-49	47	3.8	10	1	1	3	5	8	10	14
50-64	67	4.6	10	1	2	4	7	9	11	13
65+	112	8.0	191	1	2	4	8	12	29	83
GRAND TOTAL	**309**	**5.2**	**80**	**1**	**1**	**3**	**6**	**9**	**12**	**59**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	790	3.1	3	1	1	3	4	5	6	9
20-34	12	4.6	9	2	2	3	7	9	10	10
35-49	4	2.0		2	2	2	2	2	2	2
50-64	6	2.8	4	2	2	2	2	7	7	7
65+	3	3.7	8	2	2	2	6	7	7	7
B. *Operated*										
0-19 YRS	2900	1.1		<1	<1	<1	<1	1	2	3
20-34	159	1.9	1	<1	<1	2	2	3	4	6
35-49	116	2.3	5	<1	<1	2	3	3	4	15
50-64	164	2.1	1	<1	1	2	3	3	3	8
65+	73	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2187	3.6	7	1	1	3	5	6	7	12
20-34	35	3.8	12	<1	1	3	5	7	11	18
35-49	28	5.4	19	1	1	4	7	10	17	19
50-64	35	5.8	24	<1	1	5	7	14	17	21
65+	34	7.4	38	1	2	6	10	14	18	32
B. *Operated*										
0-19 YRS	2118	1.4	2	<1	<1	1	1	2	3	7
20-34	204	2.6	6	<1	1	2	3	4	6	15
35-49	194	2.7	8	1	1	2	3	4	6	14
50-64	205	2.9	7	1	1	3	3	4	5	12
65+	119	3.5	13	1	1	3	3	6	9	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	815	3.1	3	1	1	3	4	5	7	9
B. *Operated*	3412	1.2	1	<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	2319	3.7	8	1	1	3	5	6	8	14
B. *Operated*	2840	1.8	4	<1	<1	1	2	3	4	9
1. SINGLE DX	4227	1.6	2	<1	<1	<1	2	3	4	7
2. MULTIPLE DX	5159	2.6	7	<1	<1	2	3	5	7	12
A. NOT OPERATED	3134	3.5	7	1	1	3	4	6	8	13
B. OPERATED	6252	1.5	2	<1	<1	<1	1	3	3	7
TOTAL 0-19 YRS	7995	2.1	4	<1	<1	1	3	4	6	9
20-34	410	2.5	5	<1	<1	2	3	4	6	11
35-49	342	2.8	8	<1	1	2	3	4	7	16
50-64	410	2.8	7	<1	1	2	3	4	7	15
65+	229	3.5	16	<1	1	2	3	7	11	23
GRAND TOTAL	**9386**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**4**	**6**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	3.6	6	1	1	3	4	7	9	12
20-34	42	4.1	4	1	2	4	5	6	7	11
35-49	27	4.1	5	2	2	4	5	8	9	10
50-64	18	5.4	7	1	2	5	7	9	11	12
65+	13	5.9	19	2	2	5	6	14	16	16
B. *Operated*										
0-19 YRS	390	1.3	1	<1	<1	<1	1	2	3	6
20-34	55	2.3	1	<1	<1	2	3	4	4	6
35-49	36	2.8	5	<1	1	2	3	4	6	13
50-64	36	2.7	11	<1	<1	2	3	4	8	20
65+	20	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	313	3.7	7	1	1	3	5	6	8	14
20-34	65	5.3	16	1	2	4	7	10	13	23
35-49	62	6.3	21	2	2	5	8	12	17	21
50-64	54	6.8	26	2	2	5	9	11	17	27
65+	51	8.6	72	2	3	6	10	15	22	58
B. *Operated*										
0-19 YRS	422	2.4	12	<1	<1	1	2	5	9	18
20-34	94	4.5	45	1	1	3	4	8	16	41
35-49	74	4.2	25	1	2	3	4	11	11	30
50-64	100	6.5	94	1	2	3	5	16	27	53
65+	84	8.7	103	1	2	4	12	23	34	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	4.0	6	1	2	3	5	7	9	13
B. *Operated*	537	1.6	2	<1	<1	<1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	545	5.0	20	1	2	4	6	9	12	23
B. *Operated*	774	4.0	42	<1	<1	2	3	10	15	38
1. SINGLE DX	776	2.4	5	<1	<1	1	3	5	7	11
2. MULTIPLE DX	1319	4.4	33	<1	<1	3	5	10	14	30
A. NOT OPERATED	784	4.7	16	1	2	4	6	9	11	21
B. OPERATED	1311	3.0	27	<1	<1	1	3	5	11	29
TOTAL 0-19 YRS	1264	2.5	8	<1	<1	1	3	5	7	12
20-34	256	4.2	22	1	1	3	5	7	11	26
35-49	199	4.6	19	1	1	3	5	10	12	25
50-64	208	5.8	56	1	1	3	6	12	19	43
65+	168	7.6	80	1	2	5	9	17	25	59
GRAND TOTAL	**2095**	**3.7**	**24**	**<1**	**<1**	**2**	**4**	**7**	**11**	**25**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.8	3	<1	<1	3	3	5	6	6
20-34	78	3.5	6	1	1	3	4	6	7	13
35-49	141	3.5	5	1	1	3	4	6	7	11
50-64	246	3.4	6	1	1	3	4	6	8	16
65+	218	3.4	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	7	2.9	2	<1	<1	3	4	5	5	5
20-34	25	3.5	3	1	2	3	4	6	7	8
35-49	35	4.5	13	1	2	3	5	11	13	16
50-64	37	3.7	5	1	2	3	4	5	8	13
65+	16	4.1	7	2	2	3	4	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.2	3	1	1	3	5	5	6	6
20-34	111	3.8	11	1	2	3	4	6	8	23
35-49	222	4.3	6	1	2	4	6	8	9	12
50-64	746	4.8	11	1	2	4	6	9	11	16
65+	1368	5.4	17	1	2	4	7	10	13	20
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	4.8	9	3	3	4	5	8	12	14
35-49	15	5.1	13	1	2	4	8	10	13	14
50-64	51	6.7	48	2	2	4	7	12	26	35
65+	68	9.7	66	2	2	8	11	21	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	701	3.4	5	1	1	3	4	6	8	12
B. *Operated*	120	3.9	7	1	2	3	4	6	10	15
2. MULTIPLE DX										
A. *Not Operated*	2475	5.0	14	1	2	4	6	9	12	18
B. *Operated*	151	7.7	52	2	2	5	10	14	24	37
1. SINGLE DX	821	3.5	6	1	1	3	4	6	8	13
2. MULTIPLE DX	2626	5.2	16	1	2	4	6	10	12	20
A. NOT OPERATED	3176	4.6	12	1	2	4	6	9	11	18
B. OPERATED	271	6.0	35	2	2	4	7	12	17	35
TOTAL 0-19 YRS	54	3.0	2	<1	1	3	4	5	6	6
20-34	230	3.7	8	1	1	3	4	6	8	15
35-49	413	4.1	7	1	2	3	5	8	9	14
50-64	1080	4.5	12	1	2	4	6	8	11	17
65+	1670	5.3	18	1	2	4	6	10	13	21
GRAND TOTAL	**3447**	**4.8**	**14**	**1**	**2**	**4**	**6**	**9**	**12**	**19**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	11	2.0		<1	1	2	2	3	3	3
35-49	10	2.0		1	1	2	2	3	3	3
50-64	25	2.2	2	1	2	2	2	2	4	8
65+	15	1.9		<1	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	8	2.3	1	1	1	2	3	3	3	3
20-34	138	2.7	1	1	2	3	3	4	4	6
35-49	215	2.5	1	1	2	2	3	3	4	6
50-64	204	2.6	1	1	2	2	3	4	4	6
65+	72	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.7	176	1	1	1	18	24	24	24
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	2.5	3	<1	<1	2	4	4	4	4
50-64	13	2.2	3	1	1	2	2	4	7	8
65+	12	3.0	14	1	1	2	2	6	14	15
B. *Operated*										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	31	2.6	1	1	1	2	3	4	4	5
35-49	48	2.7	1	1	2	3	3	4	5	7
50-64	64	2.6	1	1	2	2	3	4	5	7
65+	40	3.2	1	2	2	3	4	5	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	2.1	1	1	2	2	2	2	3	7
B. *Operated*	637	2.5	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	35	3.1	20	<1	1	2	2	4	13	24
B. *Operated*	187	2.7	1	1	2	3	3	4	5	7
1. SINGLE DX	700	2.5	1	1	2	2	3	3	4	6
2. MULTIPLE DX	222	2.8	4	1	2	2	3	4	5	10
A. NOT OPERATED	98	2.4	8	1	1	2	2	3	4	20
B. OPERATED	824	2.6	1	1	2	2	3	4	4	6
TOTAL 0-19 YRS	17	3.5	29	1	1	2	3	4	17	24
20-34	181	2.6	1	1	2	2	3	4	4	5
35-49	279	2.5	1	1	2	2	3	3	4	7
50-64	306	2.5	1	1	2	2	3	4	4	7
65+	139	2.6	2	1	2	2	3	4	5	7
GRAND TOTAL	**922**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	**7**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.3	1	<1	1	2	3	4	5	5
20-34	10	3.0	5	<1	<1	2	4	6	8	8
35-49	10	3.9	7	1	1	3	6	8	8	8
50-64	24	5.8	7	1	2	7	8	9	9	10
65+	16	5.2	8	<1	1	5	8	9	9	9
B. *Operated*										
0-19 YRS	441	1.8	1	<1	<1	2	2	3	3	5
20-34	261	2.2	2	1	1	2	3	4	5	9
35-49	222	2.3	2	1	1	2	3	3	5	8
50-64	201	2.3	1	1	1	2	3	3	4	8
65+	92	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	1.8	2	<1	<1	1	2	4	5	8
20-34	20	2.9	21	<1	<1	2	3	4	13	22
35-49	19	5.0	26	<1	1	3	6	10	18	23
50-64	31	4.5	11	<1	<1	4	7	8	12	14
65+	44	5.2	20	<1	1	4	7	11	14	23
B. *Operated*										
0-19 YRS	365	2.0	2	<1	1	2	2	3	4	8
20-34	205	2.5	3	1	1	2	3	4	6	11
35-49	188	2.5	3	1	1	2	3	4	5	11
50-64	239	2.6	3	1	1	2	3	4	5	11
65+	129	3.6	19	1	1	3	4	6	9	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	4.4	8	<1	1	4	7	8	9	10
B. *Operated*	1217	2.1	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	142	4.0	17	<1	<1	3	5	8	12	23
B. *Operated*	1126	2.5	5	1	1	2	3	4	5	11
1. SINGLE DX	1290	2.2	2	<1	1	2	3	3	5	9
2. MULTIPLE DX	1268	2.7	6	<1	1	2	3	4	7	13
A. NOT OPERATED	215	4.1	14	<1	<1	3	6	8	10	22
B. OPERATED	2343	2.3	3	<1	1	2	3	3	5	10
TOTAL 0-19 YRS	847	1.9	2	<1	<1	2	2	3	3	7
20-34	496	2.4	3	1	1	2	3	4	5	10
35-49	439	2.5	4	1	1	2	3	4	6	11
50-64	495	2.8	4	1	1	2	3	5	7	10
65+	281	3.6	14	1	1	3	4	7	9	19
GRAND TOTAL	**2558**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	9.3	39	2	3	7	14	16	21	30
20-34	11	7.8	9	2	4	8	10	12	13	13
35-49	6	4.7	9	2	2	4	6	10	10	10
50-64	2	14.0	50	9	9	14	19	19	19	19
65+	3	8.7	10	5	5	10	11	11	11	11
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	9.4	58	2	4	7	11	17	20	40
20-34	12	5.4	6	2	3	5	7	9	10	10
35-49	13	10.6	178	2	3	5	13	23	47	52
50-64	31	12.8	231	2	3	8	13	28	45	76
65+	41	11.7	98	2	3	9	17	21	34	49
B. *Operated*										
0-19 YRS	3	39.7	1	39	39	39	41	41	41	41
20-34	3	9.0	7	7	7	8	11	12	12	12
35-49	7	6.1	43	2	2	3	7	18	20	20
50-64	9	12.9	27	6	7	12	16	21	23	23
65+	9	12.0	91	2	2	12	17	66	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	8.7	31	2	3	7	11	16	20	29
B. *Operated*	3	3.0	7	<1	<1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	125	10.8	122	2	3	8	13	20	34	58
B. *Operated*	31	13.3	124	2	2	12	17	39	41	99+
1. SINGLE DX	62	8.4	31	2	2	7	11	15	19	29
2. MULTIPLE DX	156	11.3	123	2	3	8	14	22	39	74
A. NOT OPERATED	184	10.1	94	2	3	7	12	18	25	51
B. OPERATED	34	12.4	122	2	2	10	16	39	41	99+
TOTAL 0-19 YRS	69	10.6	84	2	3	7	14	19	39	41
20-34	28	6.6	9	2	3	6	8	11	12	13
35-49	26	8.0	105	2	2	4	10	16	26	52
50-64	42	12.9	176	2	3	9	15	23	39	76
65+	53	11.6	90	2	3	10	17	24	34	98
GRAND TOTAL	**218**	**10.5**	**98**	**2**	**3**	**8**	**13**	**20**	**34**	**59**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	16.0	217	3	3	13	27	32	32	32
20-34	11	7.2	78	1	2	6	7	18	32	33
35-49	21	7.0	53	1	1	3	8	19	25	26
50-64	17	7.0	56	<1	1	5	7	18	26	30
65+	16	4.0	7	1	2	3	5	9	9	9
B. *Operated*										
0-19 YRS										
20-34	21	6.0	22	1	1	3	10	13	14	14
35-49	58	6.1	42	2	2	2	11	15	19	29
50-64	115	7.1	48	2	2	2	13	16	18	29
65+	39	7.1	44	2	2	3	13	16	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.4	10	2	2	5	8	10	10	10
20-34	60	5.8	54	1	1	4	6	10	20	43
35-49	145	6.2	28	1	2	5	7	11	15	32
50-64	301	7.6	33	2	2	6	10	15	19	31
65+	469	10.9	78	3	3	8	14	22	30	51
B. *Operated*										
0-19 YRS	12	12.7	632	1	1	3	11	38	83	91
20-34	46	11.6	70	1	2	11	15	24	26	42
35-49	184	10.5	98	2	2	9	15	24	27	48
50-64	461	12.2	128	2	2	11	18	26	33	54
65+	382	15.3	193	2	2	13	22	33	43	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	6.7	54	1	2	4	8	15	26	33
B. *Operated*	233	6.7	43	2	2	2	12	16	18	27
2. MULTIPLE DX										
A. *Not Operated*	982	8.9	59	2	2	7	11	18	24	45
B. *Operated*	1085	13.0	152	2	2	11	18	28	37	62
1. SINGLE DX	301	6.7	46	1	2	3	11	16	19	31
2. MULTIPLE DX	2067	11.0	112	2	2	8	15	24	32	53
A. NOT OPERATED	1050	8.7	59	2	2	7	11	18	24	44
B. OPERATED	1318	11.9	138	2	2	10	17	26	34	57
TOTAL 0-19 YRS	22	10.8	370	1	2	4	10	20	56	91
20-34	138	7.9	63	1	1	5	11	15	26	42
35-49	408	8.2	67	2	2	6	11	17	25	38
50-64	894	9.9	90	2	2	7	15	22	27	47
65+	906	12.5	131	2	2	9	17	27	35	61
GRAND TOTAL	**2368**	**10.5**	**106**	**2**	**2**	**7**	**15**	**23**	**31**	**52**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	5	<1	1	3	4	8	8	8
20-34	68	4.1	8	1	2	3	5	8	8	16
35-49	228	4.4	8	1	2	4	6	8	10	14
50-64	297	4.4	8	1	2	4	6	8	10	15
65+	229	4.9	12	1	2	4	6	8	12	17
B. *Operated*										
0-19 YRS	8	1.8	1	1	1	2	2	3	3	3
20-34	16	2.4	7	1	1	2	2	4	10	12
35-49	31	4.3	7	1	2	3	6	9	9	10
50-64	29	5.1	34	<1	2	2	8	10	13	30
65+	13	4.4	10	2	2	3	5	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	5.8	21	1	2	4	8	14	15	17
20-34	247	5.2	21	1	2	4	6	9	12	36
35-49	1046	5.9	21	2	2	5	7	11	14	23
50-64	1723	6.2	25	2	2	5	8	11	15	27
65+	2550	8.0	64	2	2	6	10	15	21	52
B. *Operated*										
0-19 YRS	10	5.2	16	1	1	4	7	12	12	12
20-34	34	6.0	22	1	2	5	9	13	16	19
35-49	117	10.1	112	2	2	7	12	20	28	62
50-64	239	9.4	58	2	2	7	12	20	27	34
65+	317	13.4	162	2	3	10	17	25	39	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	845	4.5	9	1	2	4	6	8	11	15
B. *Operated*	97	4.0	16	1	1	2	5	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	5610	6.9	43	2	2	5	8	13	17	36
B. *Operated*	717	11.1	115	2	2	8	14	22	31	64
1. SINGLE DX	942	4.4	10	1	2	4	6	8	11	15
2. MULTIPLE DX	6327	7.4	53	2	2	5	9	14	19	42
A. NOT OPERATED	6455	6.6	39	2	2	5	8	12	16	34
B. OPERATED	814	10.2	108	2	2	7	13	21	30	58
TOTAL 0-19 YRS	85	4.7	16	1	1	3	6	12	14	16
20-34	365	4.9	18	1	2	4	6	9	12	20
35-49	1422	6.0	28	2	2	5	7	11	14	26
50-64	2288	6.3	28	2	2	5	8	12	16	29
65+	3109	8.3	74	2	2	6	10	16	23	55
GRAND TOTAL	**7269**	**7.0**	**48**	**2**	**2**	**5**	**8**	**13**	**18**	**38**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	6.5	42	2	2	4	8	18	19	19
35-49	46	5.1	7	2	2	5	7	9	9	12
50-64	62	6.4	27	1	2	5	8	11	15	29
65+	166	7.5	34	2	3	6	9	13	17	37
B. *Operated*										
0-19 YRS										
20-34	2	22.5	1	22	22	22	23	23	23	23
35-49	8	2.8	5	2	2	2	2	6	8	8
50-64	18	4.3	24	1	1	2	5	14	17	17
65+	12	3.8	10	1	1	2	6	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	20	7.5	83	<1	1	5	9	12	28	43
35-49	234	7.8	33	2	3	6	10	14	18	24
50-64	971	9.2	63	3	3	7	11	17	23	40
65+	3505	10.7	87	3	4	8	13	20	27	60
B. *Operated*										
0-19 YRS	2	12.0	2	11	11	12	13	13	13	13
20-34	6	5.0	14	1	1	5	8	10	10	10
35-49	43	10.7	133	2	2	9	12	19	32	63
50-64	135	10.6	99	2	2	8	16	24	36	99+
65+	362	17.3	166	3	5	14	24	36	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	6.8	29	2	2	6	8	12	16	31
B. *Operated*	40	4.8	32	1	1	2	5	13	19	23
2. MULTIPLE DX										
A. *Not Operated*	4731	10.2	80	3	3	8	12	19	25	56
B. *Operated*	548	15.0	155	2	2	12	21	33	46	99+
1. SINGLE DX	320	6.6	30	2	2	5	8	12	17	30
2. MULTIPLE DX	5279	10.7	90	3	3	8	13	21	28	61
A. NOT OPERATED	5011	10.1	78	3	3	8	12	19	25	55
B. OPERATED	588	14.3	153	2	2	11	21	31	44	99+
TOTAL 0-19 YRS	3	9.7	17	5	5	11	12	13	13	13
20-34	34	7.8	71	1	1	5	10	19	23	43
35-49	331	7.7	44	2	2	6	10	14	18	31
50-64	1186	9.1	65	2	3	7	11	18	23	42
65+	4045	11.2	96	3	4	8	13	21	30	64
GRAND TOTAL	**5599**	**10.5**	**87**	**2**	**3**	**8**	**13**	**20**	**28**	**58**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	4	1	1	2	5	5	5	5
20-34	7	4.0	11	1	1	3	5	10	11	11
35-49	24	6.6	19	2	2	6	8	11	15	21
50-64	24	6.9	18	2	2	6	9	12	15	20
65+	34	7.8	44	1	1	6	10	18	24	26
B. *Operated*										
0-19 YRS	4	6.3	38	2	2	4	10	15	15	15
20-34	30	9.3	84	1	2	6	13	20	29	41
35-49	45	7.3	61	1	2	4	9	16	26	36
50-64	45	6.6	40	2	2	4	9	18	21	26
65+	28	8.9	105	2	3	6	9	17	28	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.1	7	1	1	4	5	7	9	11
20-34	40	7.5	54	1	2	5	8	18	25	34
35-49	92	9.1	53	2	3	7	11	20	23	35
50-64	241	10.7	81	2	3	8	14	22	26	41
65+	523	12.6	124	3	4	9	16	25	33	64
B. *Operated*										
0-19 YRS	12	6.8	38	1	1	6	8	14	23	24
20-34	69	8.7	47	2	2	6	13	20	24	28
35-49	150	11.3	102	2	2	8	16	25	30	51
50-64	286	14.1	189	2	2	11	18	30	43	78
65+	357	17.6	241	3	3	14	25	40	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	6.7	27	1	2	5	9	13	19	26
B. *Operated*	152	7.8	66	2	2	5	10	18	25	41
2. MULTIPLE DX										
A. *Not Operated*	914	11.3	103	2	3	8	15	23	30	55
B. *Operated*	874	14.5	191	2	3	11	19	33	43	82
1. SINGLE DX	246	7.4	51	1	2	5	10	16	21	36
2. MULTIPLE DX	1788	12.9	148	2	3	9	17	27	37	75
A. NOT OPERATED	1008	10.9	98	2	3	8	14	22	29	53
B. OPERATED	1026	13.5	178	2	2	9	18	30	41	79
TOTAL 0-19 YRS	39	5.0	19	1	1	4	7	9	13	24
20-34	146	8.3	55	2	2	5	11	19	24	34
35-49	311	9.7	78	2	2	7	13	22	27	40
50-64	596	11.9	133	2	2	9	15	24	34	70
65+	942	14.2	173	2	3	10	18	30	42	82
GRAND TOTAL	**2034**	**12.2**	**140**	**2**	**2**	**9**	**16**	**26**	**35**	**73**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	49	1	1	7	13	15	15	15
20-34	49	10.1	14	3	6	10	12	15	16	23
35-49	727	10.3	12	4	6	10	12	14	16	19
50-64	1556	11.0	17	5	6	11	13	16	17	24
65+	1221	11.6	17	5	7	11	14	16	19	25
B. *Operated*										
0-19 YRS	4	5.8	24	1	1	6	10	10	10	10
20-34	12	8.3	24	2	2	9	11	15	17	17
35-49	96	10.9	24	2	5	11	13	17	20	26
50-64	153	12.5	22	5	8	12	15	18	21	26
65+	66	15.6	142	4	7	14	18	25	29	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	9.4	29	2	3	11	14	42	92	99+
20-34	144	10.2	21	3	4	10	12	16	19	24
35-49	2010	11.2	19	5	6	11	13	16	19	24
50-64	7726	12.0	26	5	7	11	14	18	21	30
65+	14782	13.8	57	6	7	12	16	21	27	46
B. *Operated*										
0-19 YRS	2	14.5	13	12	12	14	17	17	17	17
20-34	45	11.3	39	2	2	12	14	18	23	27
35-49	541	13.6	72	2	5	13	16	22	26	56
50-64	1616	16.6	113	5	8	14	20	28	38	72
65+	2067	20.5	148	8	10	17	25	36	47	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3556	11.0	16	5	7	11	13	15	18	24
B. *Operated*	331	12.4	50	2	6	11	15	19	21	31
2. MULTIPLE DX										
A. *Not Operated*	24673	13.0	45	6	7	12	15	20	24	40
B. *Operated*	4271	18.0	130	6	8	15	21	31	42	81
1. SINGLE DX	3887	11.2	19	5	7	11	13	16	18	25
2. MULTIPLE DX	28944	13.8	61	6	7	12	16	22	27	48
A. NOT OPERATED	28229	12.8	42	5	7	12	15	19	23	38
B. OPERATED	4602	17.6	127	6	8	15	21	31	41	80
TOTAL 0-19 YRS	20	8.9	31	1	2	10	14	17	54	99+
20-34	250	10.3	23	2	4	10	13	16	19	26
35-49	3374	11.4	27	4	6	11	14	17	20	29
50-64	11051	12.6	40	5	7	12	15	19	23	38
65+	18136	14.4	70	6	7	13	17	23	29	52
GRAND TOTAL	**32831**	**13.5**	**56**	**5**	**7**	**12**	**15**	**21**	**26**	**46**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	44	3.1	2	1	1	3	4	5	6	7
35-49	409	3.5	4	1	1	3	4	6	7	11
50-64	689	4.0	6	1	2	3	5	7	8	13
65+	563	4.3	7	1	2	4	5	8	9	14
B. *Operated*										
0-19 YRS										
20-34	10	3.2	7	2	2	2	2	8	9	9
35-49	88	3.2	7	1	2	2	3	6	9	14
50-64	153	2.9	5	1	2	2	2	6	9	12
65+	55	2.6	3	1	2	2	2	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.2	13	3	3	5	9	12	12	12
20-34	135	4.3	9	1	2	4	5	7	10	19
35-49	1779	4.7	11	1	2	4	6	9	11	18
50-64	5165	5.2	15	2	2	4	6	9	12	19
65+	7964	6.2	26	2	2	5	7	11	14	25
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	30	4.8	30	2	2	2	7	10	12	29
35-49	601	5.1	23	2	2	2	8	10	13	25
50-64	1893	6.3	52	2	2	3	9	13	18	35
65+	1277	9.0	86	2	2	7	12	19	26	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1705	4.0	6	1	2	3	5	7	8	13
B. *Operated*	306	2.9	5	1	2	2	3	6	9	12
2. MULTIPLE DX										
A. *Not Operated*	15049	5.7	21	2	2	5	7	10	13	22
B. *Operated*	3803	7.0	61	2	2	3	10	15	20	39
1. SINGLE DX	2011	3.8	6	1	2	3	5	7	8	13
2. MULTIPLE DX	18852	5.9	29	2	2	5	7	11	15	26
A. NOT OPERATED	16754	5.5	20	2	2	4	7	10	13	21
B. OPERATED	4109	6.7	58	2	2	3	9	15	19	37
TOTAL 0-19 YRS	8	5.6	12	2	2	5	8	11	12	12
20-34	219	4.1	10	1	2	3	5	7	9	19
35-49	2877	4.6	13	1	2	3	6	9	11	19
50-64	7900	5.3	23	2	2	4	7	10	13	23
65+	9859	6.4	34	2	2	5	8	12	16	29
GRAND TOTAL	**20863**	**5.7**	**27**	**2**	**2**	**4**	**7**	**11**	**14**	**26**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	33	4.0	10	1	1	4	5	9	10	15
35-49	445	4.6	9	1	2	4	6	8	10	15
50-64	1001	5.2	10	2	2	4	7	9	11	17
65+	1025	5.4	11	2	2	5	7	9	11	16
B. *Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	29	5.4	11	2	2	5	7	10	12	13
50-64	97	6.3	17	2	2	6	9	12	13	17
65+	51	8.6	45	2	2	8	11	17	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.3	16	2	2	7	11	12	13	13
20-34	111	5.3	9	2	3	5	6	9	12	17
35-49	1964	5.6	12	2	2	5	7	10	12	18
50-64	7569	6.2	18	2	3	5	8	11	13	20
65+	14592	7.5	28	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	20	9.0	28	2	2	9	11	17	20	22
35-49	560	8.7	54	2	2	8	12	16	19	36
50-64	1831	10.2	65	2	2	9	13	19	24	39
65+	1823	14.2	120	2	3	12	18	27	35	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2505	5.2	10	2	2	4	6	9	11	17
B. *Operated*	179	6.8	25	2	2	6	10	13	15	26
2. MULTIPLE DX										
A. *Not Operated*	24248	6.9	24	2	3	6	8	12	15	25
B. *Operated*	4236	11.7	92	2	2	10	15	22	29	51
1. SINGLE DX	2684	5.3	11	2	2	5	7	9	11	18
2. MULTIPLE DX	28484	7.6	37	2	3	6	9	14	18	31
A. NOT OPERATED	26753	6.7	23	2	3	6	8	12	15	24
B. OPERATED	4415	11.5	90	2	2	10	15	22	29	50
TOTAL 0-19 YRS	15	6.8	15	2	2	7	10	12	13	13
20-34	166	5.5	13	1	2	5	7	10	12	19
35-49	2998	6.0	21	2	2	5	8	11	14	21
50-64	10498	6.8	28	2	2	5	8	12	16	26
65+	17491	8.0	42	2	3	6	10	15	19	34
GRAND TOTAL	**31168**	**7.4**	**35**	**2**	**3**	**6**	**9**	**13**	**17**	**30**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	7.3	12	3	4	7	9	12	15	15
35-49	67	4.5	6	2	2	4	6	8	10	12
50-64	153	4.2	9	1	1	4	5	8	10	15
65+	147	5.3	26	1	2	4	7	9	13	23
B. *Operated*										
0-19 YRS	5	4.4	14	1	1	2	8	9	9	9
20-34	24	4.7	17	1	2	2	7	11	14	16
35-49	581	4.4	20	1	2	2	5	11	13	20
50-64	1558	4.8	25	1	2	2	7	12	15	22
65+	616	5.6	35	1	2	2	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	17.3	14	13	13	19	20	20	20	20
20-34	25	4.8	7	2	2	4	7	10	10	10
35-49	436	5.3	28	1	1	4	6	10	12	32
50-64	1556	5.8	16	1	2	5	7	11	13	19
65+	2812	8.4	62	2	3	7	10	15	21	56
B. *Operated*										
0-19 YRS	6	6.5	51	2	2	2	13	17	18	18
20-34	81	5.8	56	1	2	2	6	13	26	37
35-49	1619	5.6	34	1	2	3	9	13	16	27
50-64	5059	7.3	59	1	2	3	11	16	21	36
65+	2814	10.8	128	1	2	8	15	24	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	4.8	16	1	2	4	6	9	11	17
B. *Operated*	2784	4.9	26	1	2	2	7	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	4832	7.3	46	2	2	6	9	13	18	40
B. *Operated*	9579	8.0	79	1	2	4	12	18	24	44
1. SINGLE DX	3161	4.9	25	1	2	2	7	12	15	23
2. MULTIPLE DX	14411	7.8	68	1	2	5	11	17	22	43
A. NOT OPERATED	5209	7.1	44	2	2	6	9	13	17	39
B. OPERATED	12363	7.3	69	1	2	3	11	17	22	40
TOTAL 0-19 YRS	14	8.1	52	1	2	5	13	19	20	20
20-34	140	5.5	37	2	2	3	7	11	15	33
35-49	2703	5.3	30	1	2	3	8	12	15	25
50-64	8326	6.5	45	1	2	3	10	15	18	32
65+	6389	9.1	91	2	2	6	12	19	26	56
GRAND TOTAL	**17572**	**7.3**	**61**	**1**	**2**	**4**	**10**	**16**	**21**	**40**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	11.0	15	5	6	10	13	17	18	18
20-34	71	10.0	15	5	6	10	12	16	19	19
35-49	94	9.8	19	3	4	9	12	16	18	23
50-64	98	10.0	15	4	5	10	12	14	17	22
65+	76	11.3	32	3	4	11	14	18	21	33
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	12.1	26	8	8	10	15	21	21	21
35-49	22	11.5	34	4	6	10	12	20	24	28
50-64	18	12.6	18	7	8	12	16	18	20	21
65+	16	11.3	31	2	2	12	15	18	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	8.3	51	1	2	7	9	18	27	27
20-34	121	10.7	35	1	4	10	13	17	20	32
35-49	230	11.3	35	4	5	10	14	18	22	37
50-64	572	12.5	34	5	6	11	15	20	24	34
65+	1211	15.2	85	6	7	13	18	25	32	60
B. *Operated*										
0-19 YRS	6	9.5	31	2	2	10	14	15	15	15
20-34	50	13.7	94	4	6	11	16	26	34	57
35-49	76	17.5	195	7	8	13	18	32	47	84
50-64	203	17.5	126	6	8	14	21	33	41	56
65+	308	18.3	91	8	9	16	23	31	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	10.2	20	3	5	10	12	15	18	23
B. *Operated*	66	11.8	26	4	7	11	15	19	21	27
2. MULTIPLE DX										
A. *Not Operated*	2144	13.8	66	5	7	12	16	22	28	49
B. *Operated*	643	17.5	115	7	8	15	21	32	41	88
1. SINGLE DX	413	10.5	21	3	5	10	13	17	19	24
2. MULTIPLE DX	2787	14.6	80	5	7	13	17	24	32	54
A. NOT OPERATED	2491	13.3	61	5	6	12	16	21	27	45
B. OPERATED	709	17.0	110	6	8	15	20	31	40	78
TOTAL 0-19 YRS	25	9.6	31	2	3	9	12	15	20	27
20-34	251	11.1	42	3	5	10	14	18	21	35
35-49	422	12.1	67	4	6	10	14	19	23	46
50-64	891	13.3	58	5	7	12	16	22	27	42
65+	1611	15.6	85	6	8	13	18	26	33	66
GRAND TOTAL	**3200**	**14.1**	**74**	**5**	**7**	**12**	**17**	**23**	**31**	**51**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	21	22.7	246	1	3	20	36	46	47	48
35-49	10	25.7	86	9	11	28	34	35	35	35
50-64	6	31.5	202	15	16	29	31	55	58	58
65+	4	16.3	130	5	5	14	25	31	31	31
B. *Operated*										
0-19 YRS										
20-34	4	30.3	259	14	14	27	41	52	52	52
35-49	2	9.5	113	2	2	9	17	17	17	17
50-64	3	13.7	254	3	3	6	25	32	32	32
65+	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	28.8	182	3	6	30	37	46	48	49
20-34	112	26.3	167	4	6	28	32	42	48	58
35-49	75	25.3	241	3	6	28	34	42	50	71
50-64	84	27.4	186	2	9	28	39	45	50	51
65+	147	30.1	203	7	12	29	37	47	57	70
B. *Operated*										
0-19 YRS	3	49.0	31	44	44	48	53	55	55	55
20-34	51	34.2	295	8	14	31	45	50	71	89
35-49	32	34.1	243	14	15	33	43	48	62	89
50-64	54	37.4	199	13	18	40	46	55	67	98
65+	80	40.5	172	24	27	41	46	60	72	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	24.3	190	3	5	26	32	45	47	58
B. *Operated*	10	21.0	248	2	2	20	31	42	52	52
2. MULTIPLE DX										
A. *Not Operated*	434	27.7	198	5	7	29	36	45	50	62
B. *Operated*	220	37.5	222	14	18	37	45	55	68	92
1. SINGLE DX	52	23.6	198	2	4	25	32	45	48	58
2. MULTIPLE DX	654	31.0	227	6	10	30	41	49	56	79
A. NOT OPERATED	476	27.4	198	4	7	29	35	45	50	62
B. OPERATED	230	36.8	233	13	17	36	45	55	67	91
TOTAL 0-19 YRS	20	32.0	201	3	8	31	43	48	52	55
20-34	188	28.1	224	4	7	29	37	46	49	77
35-49	119	27.4	244	4	7	29	35	44	52	79
50-64	147	31.0	217	6	11	31	42	50	55	70
65+	232	33.4	219	9	15	31	43	53	61	80
GRAND TOTAL	**706**	**30.4**	**228**	**5**	**9**	**30**	**41**	**48**	**55**	**77**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.8	6	<1	1	2	3	7	8	9
20-34	34	1.9	1	<1	<1	2	3	3	4	5
35-49	71	2.7	3	1	1	2	3	5	6	9
50-64	92	2.7	3	1	1	2	3	5	5	9
65+	68	3.8	12	1	1	3	5	8	10	20
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.4	5	<1	1	3	6	6	7	9
20-34	56	3.3	5	1	1	3	5	6	7	13
35-49	151	3.9	8	1	1	3	5	7	9	16
50-64	389	4.8	10	1	2	4	6	9	11	15
65+	775	7.0	39	2	2	5	9	13	18	31
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	6.0		6	6	6	6	6	6	6
35-49	5	10.2	77	3	3	8	16	24	24	24
50-64	20	9.3	31	2	4	7	14	17	20	23
65+	57	18.4	383	4	6	11	21	31	66	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	2.9	5	1	1	2	3	5	7	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1396	5.9	27	1	2	5	7	11	15	26
B. *Operated*	84	15.4	288	3	4	11	17	26	42	98
1. SINGLE DX	284	2.9	5	1	1	2	3	5	7	11
2. MULTIPLE DX	1480	6.4	47	1	2	5	8	12	16	31
A. NOT OPERATED	1680	5.4	25	1	1	4	7	10	14	25
B. OPERATED	84	15.4	288	3	4	11	17	26	42	98
TOTAL 0-19 YRS	45	3.2	5	<1	1	3	5	6	8	9
20-34	91	2.8	4	<1	1	2	4	6	6	11
35-49	227	3.7	9	1	1	3	5	7	9	16
50-64	501	4.6	11	1	2	4	6	9	11	16
65+	900	7.5	67	2	2	5	9	14	21	41
GRAND TOTAL	**1764**	**5.8**	**42**	**1**	**2**	**4**	**7**	**11**	**16**	**30**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	90	2.0	2	<1	1	2	3	4	4	6
35-49	206	2.6	5	<1	1	2	3	5	7	10
50-64	327	3.1	5	1	1	2	4	6	8	12
65+	418	3.8	10	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	4.0	16	1	1	2	7	10	10	10
50-64	11	5.6	11	1	1	6	8	10	10	10
65+	12	8.3	39	2	2	6	12	17	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.2	9	1	1	3	5	9	10	12
20-34	161	3.3	6	1	1	2	4	7	8	12
35-49	415	4.2	13	1	1	3	6	9	11	18
50-64	1991	5.6	22	1	2	4	7	11	14	23
65+	5930	8.0	58	2	2	6	10	15	21	43
B. *Operated*										
0-19 YRS										
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	21	13.4	100	2	3	11	18	31	35	37
50-64	164	11.0	87	2	2	9	14	21	27	52
65+	626	16.2	188	4	5	13	19	36	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1046	3.2	7	<1	1	2	4	6	8	13
B. *Operated*	30	6.1	25	1	1	6	10	12	14	23
2. MULTIPLE DX										
A. *Not Operated*	8523	7.1	48	1	2	5	9	14	19	36
B. *Operated*	815	15.0	170	3	4	12	18	32	48	99+
1. SINGLE DX	1076	3.3	8	<1	1	2	4	6	9	13
2. MULTIPLE DX	9338	7.8	64	1	2	6	10	15	21	47
A. NOT OPERATED	9569	6.7	45	1	2	5	8	13	18	34
B. OPERATED	845	14.7	167	2	4	12	18	30	47	99+
TOTAL 0-19 YRS	32	3.7	9	<1	1	3	5	9	10	12
20-34	256	2.8	4	1	1	2	4	5	7	10
35-49	647	4.0	16	1	1	3	5	8	11	19
50-64	2493	5.6	26	1	1	4	7	11	15	24
65+	6986	8.5	74	2	2	6	10	17	23	56
GRAND TOTAL	**10414**	**7.3**	**60**	**1**	**2**	**5**	**9**	**15**	**20**	**46**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.4	14	<1	1	2	4	7	11	21
20-34	136	3.1	4	1	1	3	4	6	7	11
35-49	214	3.6	8	<1	1	3	5	7	9	16
50-64	395	4.0	9	1	1	3	5	8	10	14
65+	368	5.1	16	1	2	4	6	10	13	20
B. *Operated*										
0-19 YRS	7	4.3	18	1	1	3	5	12	13	13
20-34	9	3.3	2	2	2	3	4	5	6	6
35-49	30	4.4	6	1	1	4	6	8	10	10
50-64	100	6.1	13	2	2	5	8	10	12	20
65+	374	6.9	24	2	3	6	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	4.5	19	1	1	3	6	9	13	23
20-34	386	4.1	13	1	1	3	5	7	11	20
35-49	960	5.0	16	1	1	4	6	9	12	21
50-64	2754	6.2	25	1	2	5	8	11	15	25
65+	7179	8.0	45	2	3	6	10	15	20	36
B. *Operated*										
0-19 YRS	27	6.3	34	1	2	5	7	15	22	23
20-34	41	10.1	255	1	2	5	11	26	30	96
35-49	126	9.2	78	2	2	7	13	18	43	99+
50-64	670	10.7	98	2	3	8	13	21	27	59
65+	3966	12.2	96	3	4	9	15	22	30	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1176	4.1	11	1	1	3	5	8	10	17
B. *Operated*	520	6.5	21	2	3	5	8	12	14	25
2. MULTIPLE DX										
A. *Not Operated*	11395	7.1	38	2	2	6	9	13	18	32
B. *Operated*	4830	11.8	98	3	4	9	14	22	30	70
1. SINGLE DX	1696	4.9	15	1	1	4	6	10	12	21
2. MULTIPLE DX	16225	8.5	60	2	2	7	10	17	22	44
A. NOT OPERATED	12571	6.8	36	1	2	5	8	13	17	31
B. OPERATED	5350	11.3	93	3	4	9	14	22	29	67
TOTAL 0-19 YRS	213	4.4	20	1	1	3	5	9	14	23
20-34	572	4.3	31	1	1	3	5	7	11	25
35-49	1330	5.2	22	1	1	4	7	10	14	27
50-64	3919	6.7	39	1	2	5	8	13	17	30
65+	11887	9.2	65	2	3	7	11	18	23	49
GRAND TOTAL	**17921**	**8.2**	**57**	**2**	**2**	**6**	**10**	**16**	**21**	**43**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	6.8	26	3	3	5	8	16	18	18
20-34	4	3.5	6	2	2	3	5	7	7	7
35-49	24	7.3	30	2	2	6	9	14	21	25
50-64	176	6.7	49	1	2	5	8	13	15	22
65+	920	7.2	31	2	2	6	9	13	17	28
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	5	4.8	14	2	2	4	6	11	11	11
50-64	4	6.0	54	2	2	3	10	17	17	17
65+	12	15.1	158	1	3	11	30	51	91	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	7.8	34	1	2	6	12	17	19	26
20-34	100	9.3	46	2	3	7	12	18	22	35
35-49	725	8.3	36	2	3	7	10	15	19	30
50-64	5647	9.2	51	3	3	7	11	17	22	37
65+	30605	10.8	88	3	4	8	13	20	27	62
B. *Operated*										
0-19 YRS	14	18.3	619	1	2	8	25	41	84	96
20-34	27	9.2	57	2	2	7	13	23	26	28
35-49	125	14.7	147	2	3	11	19	28	42	58
50-64	721	17.2	217	2	4	13	22	36	50	88
65+	3297	19.8	235	5	6	16	25	42	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1132	7.1	34	2	2	6	9	13	17	28
B. *Operated*	22	10.5	120	1	2	8	16	36	60	99+
2. MULTIPLE DX										
A. *Not Operated*	37152	10.5	82	3	4	8	13	20	26	54
B. *Operated*	4184	19.2	231	4	6	15	24	40	58	99+
1. SINGLE DX	1154	7.2	36	2	2	6	9	13	17	29
2. MULTIPLE DX	41336	11.4	104	3	4	9	14	22	30	67
A. NOT OPERATED	38284	10.4	81	3	4	8	12	19	26	54
B. OPERATED	4206	19.1	231	4	6	15	24	40	58	99+
TOTAL 0-19 YRS	98	9.2	126	1	2	6	12	17	24	67
20-34	131	9.1	47	2	3	7	12	18	23	33
35-49	879	9.2	57	2	3	7	11	18	24	43
50-64	6548	10.0	76	3	3	8	12	19	26	47
65+	34834	11.6	108	3	4	9	14	22	31	70
GRAND TOTAL	**42490**	**11.3**	**102**	**3**	**4**	**8**	**14**	**22**	**30**	**66**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	4.3	12	1	1	4	6	8	11	18
20-34	234	4.4	13	1	2	4	6	8	10	24
35-49	282	4.8	16	1	2	4	6	9	13	23
50-64	201	5.1	14	1	2	4	6	10	11	18
65+	136	6.6	22	2	2	5	8	14	16	22
B. *Operated*										
0-19 YRS	27	3.0	9	<1	1	2	4	6	11	14
20-34	58	4.2	20	1	1	2	5	10	12	24
35-49	129	4.2	27	1	1	2	4	10	13	27
50-64	270	5.1	36	1	1	2	8	14	18	29
65+	149	6.5	56	2	2	2	11	17	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	4.8	17	1	2	4	5	9	11	24
20-34	423	5.9	31	1	2	4	7	11	16	34
35-49	865	6.9	41	2	2	5	8	12	18	32
50-64	1582	8.2	56	2	3	6	10	15	22	41
65+	2494	9.9	78	2	3	8	12	18	25	46
B. *Operated*										
0-19 YRS	50	9.0	130	1	1	4	14	21	40	52
20-34	114	9.2	59	2	2	8	14	18	23	38
35-49	322	9.7	102	2	2	6	14	22	28	46
50-64	891	11.2	145	2	2	8	15	26	34	90
65+	1115	13.7	176	2	2	11	20	30	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	913	5.0	16	1	2	4	6	10	12	21
B. *Operated*	633	5.1	37	1	1	2	6	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	5456	8.5	63	2	3	6	10	16	23	42
B. *Operated*	2492	12.0	152	2	2	9	17	27	36	69
1. SINGLE DX	1546	5.0	25	1	2	3	6	11	15	24
2. MULTIPLE DX	7948	9.6	93	2	2	7	12	20	28	53
A. NOT OPERATED	6369	8.0	58	2	2	6	10	16	21	39
B. OPERATED	3125	10.6	136	2	2	7	15	25	33	62
TOTAL 0-19 YRS	229	5.4	43	1	1	3	6	11	18	41
20-34	829	5.8	32	1	2	4	7	13	16	30
35-49	1598	6.9	51	1	2	5	8	14	21	37
50-64	2944	8.6	82	2	2	6	11	18	26	50
65+	3894	10.7	107	2	2	8	14	22	30	59
GRAND TOTAL	**9494**	**8.9**	**85**	**2**	**2**	**6**	**11**	**19**	**26**	**48**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	6.3	10	4	4	5	9	10	10	10
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	9	4.1	3	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	5	3.2	7	2	2	2	4	8	8	8
65+	3	6.0	48	2	2	2	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	20	4.1	6	1	1	4	6	8	8	9
50-64	105	6.1	18	1	2	5	7	13	14	20
65+	442	10.0	119	2	3	7	12	20	32	99+
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	16	7.6	66	2	2	3	13	20	26	28
50-64	39	6.2	30	1	2	3	10	14	16	22
65+	77	16.7	319	2	2	12	23	45	60	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.5	5	2	2	4	6	7	9	10
B. *Operated*	10	4.0	16	2	2	2	4	11	14	14
2. MULTIPLE DX										
A. *Not Operated*	567	9.1	100	2	3	6	11	18	27	93
B. *Operated*	133	12.5	225	2	2	7	16	31	46	92
1. SINGLE DX	24	4.3	9	2	2	4	5	8	11	14
2. MULTIPLE DX	700	9.7	125	2	2	6	12	20	32	94
A. NOT OPERATED	581	9.0	98	2	2	6	11	18	27	89
B. OPERATED	143	11.9	215	2	2	6	15	30	46	91
TOTAL 0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	41	5.6	32	1	1	4	7	13	18	28
50-64	151	6.0	21	1	2	5	8	13	14	22
65+	531	10.9	151	2	3	7	13	23	43	99+
GRAND TOTAL	**724**	**9.6**	**122**	**2**	**2**	**6**	**12**	**19**	**31**	**92**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	10.0	284	1	1	3	14	40	40	40
35-49	15	4.8	22	<1	1	3	8	11	14	15
50-64	11	4.8	21	<1	<1	4	8	12	15	15
65+	8	10.5	229	1	1	3	19	35	35	35
B. *Operated*										
0-19 YRS	4	12.3	37	5	5	12	17	19	19	19
20-34	22	18.5	173	5	6	17	24	29	46	66
35-49	34	19.3	189	5	8	16	23	34	36	81
50-64	35	19.8	130	2	5	19	24	36	38	55
65+	7	28.7	983	2	2	19	43	82	90	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	9	4.1	7	1	1	4	5	8	9	9
35-49	14	5.2	49	<1	1	3	4	13	24	27
50-64	22	13.5	149	1	2	15	19	36	70	99+
65+	57	20.4	218	4	5	18	27	48	85	99+
B. *Operated*										
0-19 YRS	4	31.5	190	23	23	25	39	52	52	52
20-34	20	28.2	678	4	7	16	45	86	98	99+
35-49	41	24.3	193	9	11	22	31	48	61	99+
50-64	78	28.5	383	7	9	26	42	71	99+	99+
65+	32	32.2	311	10	12	32	48	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	6.5	91	<1	1	3	8	15	35	40
B. *Operated*	102	19.7	209	3	6	17	24	34	43	85
2. MULTIPLE DX										
A. *Not Operated*	104	15.2	197	1	2	13	23	43	69	99+
B. *Operated*	175	28.2	353	7	10	25	42	69	99+	99+
1. SINGLE DX	142	16.0	210	1	2	14	21	34	37	82
2. MULTIPLE DX	279	23.4	334	2	4	20	33	60	99	99+
A. NOT OPERATED	144	12.8	182	1	1	9	20	34	49	99+
B. OPERATED	277	25.1	316	5	8	21	33	58	85	99+
TOTAL 0-19 YRS	11	16.9	216	1	2	15	24	37	51	52
20-34	56	18.9	397	1	3	14	24	51	75	99+
35-49	104	17.3	208	1	2	14	25	34	48	90
50-64	146	22.3	313	2	4	19	31	56	85	99+
65+	104	23.8	328	2	4	21	35	69	99+	99+
GRAND TOTAL	**421**	**20.9**	**304**	**1**	**3**	**18**	**30**	**51**	**79**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	52	99+	99+	99+	99+
20-34										
35-49	1	46.0		46	46	46	46	46	46	46
50-64	1	9.0		9	9	9	9	9	9	9
65+	7	29.1	426	3	6	38	74	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	4	43.5	230	27	27	42	54	63	63	63
35-49	3	47.3	856	28	28	57	90	99+	99+	99+
50-64	12	32.5	277	8	13	32	46	74	95	99+
65+	9	40.6	780	7	11	35	57	84	87	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	26.3	422	3	4	38	74	99+	99+	99+
B. *Operated*	28	38.3	463	7	15	35	54	84	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	38	35.1	469	6	9	35	61	99+	99+	99+
A. NOT OPERATED	10	26.3	422	3	4	38	74	99+	99+	99+
B. OPERATED	28	38.3	463	7	15	35	54	84	99+	99+
TOTAL 0-19 YRS	1	4.0		4	4	52	99+	99+	99+	99+
20-34	4	43.5	230	27	27	42	54	63	63	63
35-49	4	47.0	571	28	28	46	86	99+	99+	99+
50-64	13	30.7	296	7	9	30	43	70	93	99+
65+	16	35.6	621	5	8	36	65	96	99+	99+
GRAND TOTAL	**38**	**35.1**	**469**	**6**	**9**	**35**	**61**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.0	108	<1	<1	1	14	19	19	19
20-34	7	7.4	42	1	1	5	13	17	17	17
35-49	3	22.0	217	9	9	19	33	38	38	38
50-64	25	12.6	278	<1	1	8	19	30	84	99+
65+	36	14.4	90	2	3	14	20	27	38	99+
B. *Operated*										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	11	15.0	244	4	5	8	16	41	55	56
35-49	14	10.8	43	5	5	9	12	24	26	26
50-64	35	15.9	106	4	4	14	21	27	38	46
65+	45	16.2	151	4	5	12	19	32	36	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.8	63	<1	<1	2	8	13	27	30
20-34	9	12.8	194	<1	2	8	31	71	99+	99+
35-49	28	17.4	241	4	5	13	22	36	54	68
50-64	124	16.7	213	2	3	14	21	30	53	99+
65+	426	20.4	312	3	5	14	28	47	70	99+
B. *Operated*										
0-19 YRS	10	21.6	258	1	3	23	24	47	54	54
20-34	12	27.6	209	10	13	22	33	51	60	61
35-49	41	34.2	827	7	8	24	51	90	94	99+
50-64	102	21.9	295	5	7	16	31	58	72	99+
65+	239	27.2	417	5	8	22	41	72	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	13.1	156	1	1	10	19	29	38	99+
B. *Operated*	107	15.1	129	4	5	12	19	31	36	61
2. MULTIPLE DX										
A. *Not Operated*	600	19.0	287	3	4	14	26	43	61	99+
B. *Operated*	404	26.4	426	6	8	21	39	71	98	99+
1. SINGLE DX	181	14.3	140	1	4	11	19	30	38	93
2. MULTIPLE DX	1004	22.0	355	3	5	16	30	54	80	99+
A. NOT OPERATED	674	18.4	275	2	4	13	25	42	61	99+
B. OPERATED	511	24.1	385	5	7	18	32	61	90	99+
TOTAL 0-19 YRS	28	11.8	178	<1	<1	7	21	28	41	54
20-34	39	17.0	230	1	4	12	26	44	58	99+
35-49	86	24.5	571	5	6	15	31	70	90	99
50-64	286	18.1	242	2	4	14	24	42	65	99+
65+	746	22.0	339	4	6	17	30	53	79	99+
GRAND TOTAL	**1185**	**20.8**	**330**	**3**	**5**	**15**	**28**	**51**	**75**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	17.0	98	10	10	17	24	24	24	24
20-34	1	19.0		19	19	19	19	19	19	19
35-49	2	7.0		7	7	7	7	7	7	7
50-64	36	26.0	442	6	8	22	40	76	94	99+
65+	155	29.1	433	7	9	24	38	66	82	99+
B. *Operated*										
0-19 YRS	2	20.5	685	2	2	20	39	39	39	39
20-34	5	29.8	694	10	10	25	74	97	99+	99+
35-49	8	24.0	269	11	12	18	28	51	61	61
50-64	14	35.6	628	9	10	35	54	88	97	99+
65+	65	37.5	462	9	12	41	64	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	196	28.2	430	7	8	22	38	68	83	99+
B. *Operated*	94	35.3	484	9	11	34	61	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	290	30.5	457	7	9	26	48	77	99+	99+
A. NOT OPERATED	196	28.2	430	7	8	22	38	68	83	99+
B. OPERATED	94	35.3	484	9	11	34	61	99+	99+	99+
TOTAL 0-19 YRS	4	18.8	265	2	2	17	31	39	39	39
20-34	6	28.0	575	10	11	19	64	95	99+	99+
35-49	10	20.6	260	7	7	15	28	45	61	61
50-64	50	28.7	502	8	9	23	40	80	98	99+
65+	220	31.6	454	7	10	28	49	76	99+	99+
GRAND TOTAL	**290**	**30.5**	**457**	**7**	**9**	**26**	**48**	**77**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	19.3	549	2	2	10	37	46	46	46
50-64	24	3.7	11	<1	1	3	4	11	11	12
65+	46	5.2	25	1	1	4	7	12	15	24
B. *Operated*										
0-19 YRS	3	6.3	20	2	2	6	10	11	11	11
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	53	6.6	38	1	2	5	8	11	20	35
50-64	419	6.2	20	2	2	5	8	11	15	22
65+	500	6.6	21	2	2	6	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34										
35-49	31	8.1	39	1	1	7	11	19	22	22
50-64	214	6.5	38	1	2	5	8	14	18	36
65+	642	8.6	90	1	2	6	11	15	22	63
B. *Operated*										
0-19 YRS	2	10.5	61	5	5	10	16	16	16	16
20-34	4	15.8	159	6	6	11	24	34	34	34
35-49	131	9.2	151	2	2	7	10	16	18	91
50-64	1455	8.6	45	2	2	7	11	17	21	35
65+	2655	10.2	91	2	3	8	12	20	27	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	5.2	43	1	1	3	6	11	13	40
B. *Operated*	978	6.4	22	2	2	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	888	8.1	76	1	2	6	10	15	22	55
B. *Operated*	4247	9.7	77	2	3	7	12	18	25	50
1. SINGLE DX	1053	6.3	23	1	2	5	8	12	15	25
2. MULTIPLE DX	5135	9.4	77	2	2	7	11	18	25	50
A. NOT OPERATED	963	7.9	74	1	2	6	10	15	21	49
B. OPERATED	5225	9.1	68	2	2	7	11	17	24	45
TOTAL 0-19 YRS	7	8.6	48	1	1	6	15	18	19	19
20-34	8	9.3	120	1	1	7	19	74	99+	99+
35-49	218	8.5	113	2	2	6	10	16	21	71
50-64	2112	7.9	40	2	2	6	10	15	20	34
65+	3843	9.4	82	2	2	7	11	18	25	54
GRAND TOTAL	**6188**	**8.9**	**69**	**2**	**2**	**7**	**11**	**17**	**23**	**45**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	15	9.5	15	3	5	10	13	14	15	15
65+	61	17.7	248	3	5	13	23	41	65	96
B. *Operated*										
0-19 YRS	2	21.0	242	10	10	21	32	32	32	32
20-34										
35-49	8	8.6	40	1	2	6	12	19	20	20
50-64	77	15.6	288	2	3	12	18	28	69	98
65+	151	17.5	257	3	4	13	24	45	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	80	15.4	209	2	4	11	19	35	54	91
B. *Operated*	238	16.6	261	2	4	12	21	39	83	99+
1. SINGLE DX										
2. MULTIPLE DX	318	16.3	247	2	4	12	20	39	65	99+
A. NOT OPERATED	80	15.4	209	2	4	11	19	35	54	91
B. OPERATED	238	16.6	261	2	4	12	21	39	83	99+
TOTAL 0-19 YRS	2	21.0	242	10	10	21	32	32	32	32
20-34	1	5.0		5	5	52	99+	99+	99+	99+
35-49	11	7.1	36	1	1	6	8	18	20	20
50-64	92	14.7	248	2	3	11	16	26	47	97
65+	212	17.5	254	3	4	13	24	44	66	99+
GRAND TOTAL	**318**	**16.3**	**247**	**2**	**4**	**12**	**20**	**39**	**65**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	14.7	446	<1	<1	4	30	39	39	39
20-34	4	7.8	48	3	3	5	12	18	18	18
35-49	26	8.3	130	1	2	6	10	12	25	61
50-64	100	9.7	77	2	3	7	11	17	25	55
65+	251	11.9	155	2	3	8	14	25	32	84
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	5	5.4	9	2	2	5	8	9	9	9
35-49	14	6.6	19	2	3	5	8	13	16	17
50-64	24	9.5	283	1	2	4	8	19	45	83
65+	15	12.7	193	2	2	7	11	39	41	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.7	30	2	2	9	14	75	99+	99+
20-34	24	11.0	114	3	3	9	13	21	38	49
35-49	129	10.2	76	3	3	8	12	18	24	51
50-64	949	12.6	138	3	4	9	15	25	34	95
65+	4288	15.9	201	4	5	12	20	35	54	99+
B. *Operated*										
0-19 YRS	8	12.9	78	6	6	9	18	27	27	27
20-34	19	9.8	34	2	3	9	14	19	21	21
35-49	57	18.1	301	4	5	12	20	61	75	99+
50-64	254	16.2	255	3	4	11	21	43	72	99+
65+	633	24.6	411	4	7	19	37	77	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	11.1	134	2	3	8	13	24	31	83
B. *Operated*	59	9.5	172	2	2	6	9	20	38	79
2. MULTIPLE DX										
A. *Not Operated*	5397	15.1	189	3	4	11	19	33	49	99+
B. *Operated*	971	21.6	370	4	6	15	31	67	99+	99+
1. SINGLE DX	443	10.9	139	2	3	7	12	24	32	83
2. MULTIPLE DX	6368	16.1	222	3	5	11	20	37	59	99+
A. NOT OPERATED	5781	14.9	186	3	4	11	18	32	48	99+
B. OPERATED	1030	20.9	367	3	5	15	30	65	93	99+
TOTAL 0-19 YRS	19	11.7	103	1	2	9	19	33	69	99+
20-34	52	9.8	70	2	3	8	13	19	21	49
35-49	226	11.8	148	3	3	9	13	22	36	81
50-64	1327	13.0	161	3	4	9	16	27	42	99+
65+	5187	16.7	234	4	5	12	21	40	63	99+
GRAND TOTAL	**6811**	**15.8**	**218**	**3**	**4**	**11**	**20**	**37**	**58**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	15.5	181	6	6	15	25	25	25	25
20-34	10	14.1	139	2	3	10	23	32	41	41
35-49	29	13.0	108	4	5	10	16	22	34	55
50-64	365	17.2	204	4	5	13	22	38	60	99+
65+	1701	21.2	292	5	6	16	28	48	70	99+
B. *Operated*										
0-19 YRS	3	10.0	9	7	7	10	12	13	13	13
20-34	2	12.5	25	9	9	12	16	16	16	16
35-49	23	27.2	440	6	8	23	36	74	83	99+
50-64	73	23.3	266	6	8	19	38	60	99+	99+
65+	273	27.8	474	5	7	25	50	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2107	20.3	277	5	6	16	27	47	67	99+
B. *Operated*	374	26.6	430	5	7	23	44	98	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	2481	21.3	305	5	6	16	29	53	81	99+
A. NOT OPERATED	2107	20.3	277	5	6	16	27	47	67	99+
B. OPERATED	374	26.6	430	5	7	23	44	98	99+	99+
TOTAL 0-19 YRS	5	12.2	59	6	6	10	16	25	25	25
20-34	12	13.8	117	2	4	10	19	29	39	41
35-49	52	19.3	300	4	6	14	25	43	74	99
50-64	438	18.2	218	4	5	14	25	43	67	99+
65+	1974	22.1	323	5	7	17	30	56	85	99+
GRAND TOTAL	**2481**	**21.3**	**305**	**5**	**6**	**16**	**29**	**53**	**81**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	60	1	1	2	10	17	17	17
20-34	21	3.6	8	1	1	3	4	8	11	12
35-49	77	4.0	6	1	2	3	5	8	9	12
50-64	315	4.4	14	1	1	4	6	8	9	16
65+	743	5.9	49	1	2	4	7	11	14	37
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	33	4.0	8	1	1	3	6	7	9	13
50-64	104	5.1	14	2	2	4	7	9	12	19
65+	105	5.6	15	1	2	5	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	9.6	123	2	2	6	10	25	40	41
20-34	44	4.8	25	1	1	3	6	8	11	32
35-49	299	5.5	14	1	2	5	6	10	12	21
50-64	1729	6.3	36	2	2	5	8	11	14	27
65+	9639	8.7	79	2	3	6	10	16	23	66
B. *Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	4	4.0	8	2	2	3	6	8	8	8
35-49	96	8.1	53	2	2	6	11	15	18	45
50-64	529	8.4	59	2	2	7	10	16	22	40
65+	1342	13.3	173	2	3	10	16	28	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1160	5.3	36	1	1	4	6	9	12	28
B. *Operated*	244	5.2	14	1	2	4	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	11722	8.2	72	2	3	6	10	15	21	62
B. *Operated*	1973	11.7	141	2	3	8	14	24	37	99+
1. SINGLE DX	1404	5.3	32	1	2	4	6	10	12	26
2. MULTIPLE DX	13695	8.7	83	2	3	6	10	17	24	69
A. NOT OPERATED	12882	8.0	69	2	2	6	9	15	21	59
B. OPERATED	2217	11.0	131	2	2	8	13	22	35	98
TOTAL 0-19 YRS	17	8.4	92	1	1	6	9	17	33	41
20-34	71	4.3	18	1	1	3	5	8	10	28
35-49	505	5.6	21	1	2	5	7	10	14	22
50-64	2677	6.5	39	1	2	5	3	12	15	29
65+	11829	9.0	90	2	3	6	11	17	25	75
GRAND TOTAL	**15099**	**8.4**	**80**	**2**	**2**	**6**	**10**	**16**	**23**	**64**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.5	11	4	4	7	10	12	12	12
20-34	6	4.7	11	<1	<1	4	5	10	11	11
35-49	29	6.6	102	1	1	5	7	10	17	56
50-64	143	9.9	109	2	3	8	12	17	27	50
65+	448	11.4	104	2	3	8	14	23	35	56
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	4	7.3	55	1	1	5	13	17	17	17
50-64	22	9.2	79	2	2	6	12	16	27	43
65+	25	14.0	279	2	3	9	17	52	76	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.5	12	4	4	9	11	12	12	12
20-34	15	9.5	77	2	2	7	13	27	28	29
35-49	138	12.5	133	2	3	9	15	29	39	80
50-64	934	12.9	133	3	4	9	16	28	40	99+
65+	5000	16.4	225	3	5	12	20	37	57	99+
B. *Operated*										
0-19 YRS	4	14.5	347	3	3	7	26	42	42	42
20-34	9	20.2	303	3	3	15	32	45	51	51
35-49	26	9.8	43	2	2	10	13	19	24	25
50-64	183	18.2	264	3	5	14	25	57	99+	99+
65+	651	26.3	454	5	7	21	42	85	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	630	10.8	105	2	3	8	13	22	32	56
B. *Operated*	52	11.2	175	2	2	6	13	27	52	99
2. MULTIPLE DX										
A. *Not Operated*	6091	15.7	210	3	4	11	20	35	55	99+
B. *Operated*	873	24.0	416	4	6	19	36	79	99+	99+
1. SINGLE DX	682	10.8	110	2	3	8	13	22	33	60
2. MULTIPLE DX	6964	16.7	243	3	4	12	21	41	64	99+
A. NOT OPERATED	6721	15.2	202	3	4	11	19	34	53	99+
B. OPERATED	925	23.2	411	4	5	18	35	76	99+	99+
TOTAL 0-19 YRS	13	9.6	106	3	3	7	11	18	38	42
20-34	30	11.7	58	2	2	6	14	30	37	51
35-49	197	11.1	119	1	2	8	13	23	35	67
50-64	1282	13.2	153	3	4	10	16	29	45	99+
65+	6124	17.0	252	3	4	12	22	43	65	99+
GRAND TOTAL	**7646**	**16.2**	**234**	**3**	**4**	**12**	**20**	**39**	**60**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	27.3	895	7	7	15	46	71	71	71
20-34	9	11.2	44	3	4	10	13	22	23	23
35-49	46	16.0	318	1	3	10	17	32	61	84
50-64	353	18.7	232	3	5	14	24	41	58	98
65+	1823	21.0	295	4	6	16	29	52	87	99+
B. *Operated*										
0-19 YRS										
20-34	3	10.3	9	7	7	12	56	99+	99+	99+
35-49	14	17.8	265	5	5	11	29	64	91	99+
50-64	64	20.8	280	6	6	16	40	99+	99+	99+
65+	264	28.7	432	7	8	25	51	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2235	20.5	286	4	6	16	28	50	78	99+
B. *Operated*	345	26.6	406	6	8	22	47	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	2580	21.3	307	4	6	17	30	56	90	99+
A. NOT OPERATED	2235	20.5	286	4	6	16	28	50	78	99+
B. OPERATED	345	26.6	406	6	8	22	47	99+	99+	99+
TOTAL 0-19 YRS	4	27.3	895	7	7	15	46	71	71	71
20-34	12	11.0	34	3	5	10	15	38	88	99+
35-49	60	16.5	302	2	4	11	21	45	63	98
50-64	417	19.0	240	4	5	15	25	46	66	99+
65+	2087	21.9	318	4	6	17	31	58	93	99+
GRAND TOTAL	**2580**	**21.3**	**307**	**4**	**6**	**17**	**30**	**56**	**90**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	5.4	11	1	1	4	8	10	11	11
35-49	29	4.6	12	1	1	3	6	10	12	12
50-64	73	5.8	21	1	2	5	7	12	15	23
65+	122	6.6	58	2	2	5	8	12	16	82
B. *Operated*										
0-19 YRS										
20-34	11	9.7	101	<1	<1	9	12	23	35	36
35-49	24	10.7	69	1	2	8	16	24	27	29
50-64	32	7.2	58	1	2	4	9	16	29	33
65+	19	8.6	65	2	2	5	12	17	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	4	2	2	2	6	6	6	6
20-34	22	5.4	11	1	2	5	7	10	12	14
35-49	142	6.1	27	2	2	5	8	12	15	31
50-64	484	7.7	63	2	2	5	9	14	20	53
65+	2346	11.6	152	2	3	8	14	26	46	99+
B. *Operated*										
0-19 YRS	6	8.3	92	2	2	3	15	24	25	25
20-34	25	14.7	110	2	3	14	20	28	33	46
35-49	62	19.3	451	2	2	12	27	50	85	99+
50-64	174	13.5	209	2	2	9	17	32	54	96
65+	393	17.1	302	2	3	12	23	55	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	6.0	39	1	2	5	7	12	15	32
B. *Operated*	86	8.8	67	1	2	6	12	19	29	36
2. MULTIPLE DX										
A. *Not Operated*	3000	10.6	133	2	3	7	12	23	37	99+
B. *Operated*	660	16.2	285	2	3	11	22	46	85	99+
1. SINGLE DX	322	6.8	48	1	2	5	8	14	19	35
2. MULTIPLE DX	3660	11.6	165	2	3	8	14	27	49	99+
A. NOT OPERATED	3236	10.3	128	2	3	7	12	22	36	99+
B. OPERATED	746	15.3	265	2	3	11	20	41	84	99+
TOTAL 0-19 YRS	14	5.2	45	1	2	2	6	16	23	25
20-34	68	9.5	78	1	1	7	13	20	28	44
35-49	257	9.5	162	2	2	5	10	23	31	85
50-64	763	8.8	99	2	2	6	10	18	26	61
65+	2880	12.1	173	2	3	8	15	29	54	99+
GRAND TOTAL	**3982**	**11.2**	**158**	**2**	**3**	**8**	**14**	**26**	**45**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	4.4	18	1	1	2	9	9	9	9
65+	8	5.5	22	1	1	4	9	12	13	13
B. *Operated*										
0-19 YRS										
20-34	3	12.3	100	2	2	13	20	22	22	22
35-49	23	7.6	64	1	1	6	10	12	22	40
50-64	97	6.0	28	1	1	3	10	13	14	26
65+	113	6.6	53	1	1	3	9	13	17	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	15	5.3	11	1	2	4	7	10	12	13
50-64	59	6.6	24	1	2	5	9	15	18	21
65+	265	12.0	168	2	2	8	15	28	49	99+
B. *Operated*										
0-19 YRS	2	25.0	18	22	22	25	28	28	28	28
20-34	4	4.3	13	1	1	3	7	9	9	9
35-49	104	11.6	143	2	2	10	15	25	44	99+
50-64	639	15.2	219	2	2	11	18	36	51	85
65+	1534	19.4	296	2	3	15	26	46	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.1	19	1	1	2	9	11	13	13
B. *Operated*	236	6.5	44	1	1	4	10	13	16	40
2. MULTIPLE DX										
A. *Not Operated*	339	10.8	141	2	2	7	14	25	38	99+
B. *Operated*	2283	17.8	272	2	3	13	23	43	62	99+
1. SINGLE DX	249	6.4	43	1	1	4	10	13	15	40
2. MULTIPLE DX	2622	16.9	261	2	3	12	22	41	60	99+
A. NOT OPERATED	352	10.6	138	1	2	7	13	24	37	99+
B. OPERATED	2519	16.8	262	2	2	12	22	41	59	99+
TOTAL 0-19 YRS	2	25.0	18	22	22	25	28	28	28	28
20-34	7	7.7	59	1	1	5	12	20	22	22
35-49	142	10.3	121	1	2	8	12	24	35	99+
50-64	800	13.4	193	1	2	10	16	31	45	84
65+	1920	17.6	277	2	2	13	23	43	65	99+
GRAND TOTAL	**2871**	**16.0**	**251**	**2**	**2**	**12**	**21**	**39**	**58**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	7	2.9	10	<1	<1	2	3	9	10	10
65+	32	5.0	19	1	1	3	8	11	15	16
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	8.5	12	4	4	9	11	12	12	12
50-64	83	10.6	34	2	3	10	12	17	24	33
65+	191	11.5	55	2	2	11	15	19	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	8	<1	<1	1	5	6	6	6
35-49	6	5.3	12	<1	<1	5	8	10	10	10
50-64	70	7.2	90	1	1	4	9	14	26	49
65+	424	8.6	59	1	2	7	11	19	24	50
B. *Operated*										
0-19 YRS	2	16.5	481	1	1	16	32	32	32	32
20-34	5	15.2	85	8	8	12	19	31	31	31
35-49	18	15.1	82	1	3	15	20	29	33	33
50-64	491	14.9	100	3	6	13	17	26	37	59
65+	1527	17.6	166	3	7	14	20	33	45	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	4.6	18	<1	1	3	7	10	14	16
B. *Operated*	278	11.2	48	2	2	11	14	18	23	36
2. MULTIPLE DX										
A. *Not Operated*	503	8.3	63	1	2	6	10	18	24	49
B. *Operated*	2043	16.9	150	3	7	14	19	32	41	84
1. SINGLE DX	317	10.4	49	1	2	10	13	18	20	36
2. MULTIPLE DX	2546	15.2	145	2	3	13	18	29	39	81
A. NOT OPERATED	542	8.1	60	1	2	6	10	18	23	49
B. OPERATED	2321	16.2	142	2	6	14	19	30	40	81
TOTAL 0-19 YRS	2	16.5	481	1	1	16	32	32	32	32
20-34	8	10.5	93	<1	<1	9	13	26	31	31
35-49	28	12.1	73	1	2	11	16	23	32	33
50-64	651	13.4	98	2	3	12	16	24	35	53
65+	2174	15.1	148	2	3	13	18	29	39	82
GRAND TOTAL	**2863**	**14.7**	**136**	**2**	**3**	**12**	**18**	**27**	**38**	**78**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.3		2	2	2	3	3	3	3
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	5	8.4	85	<1	<1	3	16	22	22	22
20-34	14	9.6	162	1	1	4	13	31	42	45
35-49	26	8.3	51	1	2	6	14	21	21	22
50-64	27	9.2	22	3	4	9	12	15	16	23
65+	55	9.3	30	2	2	9	12	15	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	15	3.6	4	1	2	3	5	6	8	8
65+	34	8.6	148	<1	1	4	8	22	40	57
B. *Operated*										
0-19 YRS	3	6.7	65	2	2	2	13	16	16	16
20-34	12	17.0	286	1	2	10	23	47	54	55
35-49	28	13.7	122	1	1	12	19	26	37	46
50-64	157	12.5	119	2	2	10	16	22	30	61
65+	277	15.6	204	2	3	12	19	34	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	2	1	1	2	3	5	5	5
B. *Operated*	127	9.0	47	2	2	8	12	16	22	33
2. MULTIPLE DX										
A. *Not Operated*	52	7.0	102	1	1	4	7	15	23	57
B. *Operated*	477	14.5	173	2	2	11	18	29	41	70
1. SINGLE DX	133	8.8	47	1	2	8	12	15	22	32
2. MULTIPLE DX	529	13.7	171	2	2	10	17	28	41	69
A. NOT OPERATED	58	6.5	93	1	1	4	6	15	23	56
B. OPERATED	604	13.3	152	2	2	11	16	26	37	65
TOTAL 0-19 YRS	10	7.2	55	<1	1	3	14	19	22	22
20-34	26	13.0	224	1	1	6	17	42	47	55
35-49	58	10.5	92	1	2	8	16	22	26	45
50-64	201	11.3	103	2	2	9	14	20	29	54
65+	367	14.0	180	2	2	10	17	29	41	70
GRAND TOTAL	**662**	**12.7**	**150**	**2**	**2**	**10**	**16**	**24**	**37**	**62**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	9.1	51	1	1	9	15	19	20	20
35-49	14	5.4	29	<1	1	3	9	14	16	17
50-64	27	5.4	35	1	1	3	6	13	17	26
65+	45	5.3	18	1	2	3	8	13	13	16
B. *Operated*										
0-19 YRS	4	5.5	15	1	1	5	8	10	10	10
20-34	12	5.3	9	1	2	5	7	10	11	11
35-49	84	7.4	21	1	2	7	10	12	14	23
50-64	353	8.2	31	2	2	8	11	14	17	27
65+	381	9.3	57	2	2	8	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	9	5.1	11	2	2	5	8	10	11	11
35-49	34	6.0	31	<1	1	4	9	13	19	23
50-64	130	7.1	51	1	2	5	10	14	17	38
65+	327	9.1	85	1	2	7	11	17	23	57
B. *Operated*										
0-19 YRS	5	7.8	13	4	4	8	10	13	13	13
20-34	32	18.8	475	1	2	10	25	49	60	99
35-49	290	13.3	166	2	2	11	15	25	41	82
50-64	1545	13.2	132	2	3	11	16	24	34	80
65+	2984	16.5	199	2	3	13	20	34	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	5.6	27	1	1	3	9	13	16	23
B. *Operated*	834	8.6	42	2	2	8	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	502	8.3	72	1	2	7	11	16	21	55
B. *Operated*	4856	15.3	180	2	3	12	19	31	46	99
1. SINGLE DX	927	8.3	41	1	2	8	11	16	19	31
2. MULTIPLE DX	5358	14.6	174	2	3	12	18	30	44	95
A. NOT OPERATED	595	7.9	66	1	2	6	10	15	20	52
B. OPERATED	5690	14.3	165	2	2	11	18	29	42	92
TOTAL 0-19 YRS	11	5.9	15	1	1	5	9	11	13	13
20-34	60	12.9	299	1	2	7	14	32	49	95
35-49	422	11.3	131	1	2	9	14	22	30	64
50-64	2055	11.9	114	2	2	10	14	22	30	69
65+	3737	15.0	181	2	2	12	19	31	47	99+
GRAND TOTAL	**6285**	**13.7**	**159**	**2**	**2**	**11**	**17**	**27**	**41**	**90**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	6.9	30	1	2	6	9	12	17	30
20-34	29	5.7	24	1	2	4	5	16	18	19
35-49	27	4.9	20	2	2	3	5	10	15	22
50-64	42	4.1	16	<1	1	3	5	10	14	18
65+	65	4.3	12	<1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	15	5.1	27	1	1	2	9	14	16	17
20-34	28	7.7	85	1	1	4	8	24	31	35
35-49	77	6.1	23	2	2	5	9	11	15	25
50-64	186	5.6	30	1	1	3	9	12	16	28
65+	227	6.7	61	1	2	4	9	16	19	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	7.4	37	1	2	5	10	17	18	28
20-34	37	10.9	281	<1	1	5	10	23	60	73
35-49	85	7.5	57	1	2	5	8	15	25	37
50-64	244	7.2	76	1	2	5	8	15	22	56
65+	763	9.5	94	1	2	7	12	19	28	79
B. *Operated*										
0-19 YRS	22	9.8	112	1	1	7	11	21	37	48
20-34	57	13.0	142	2	2	10	17	29	39	57
35-49	189	12.3	173	1	2	8	16	29	40	70
50-64	747	11.9	146	2	2	9	15	25	38	64
65+	1708	16.1	264	2	2	11	21	39	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	5.3	22	1	1	4	7	11	16	22
B. *Operated*	533	6.2	45	1	1	4	9	14	17	31
2. MULTIPLE DX										
A. *Not Operated*	1187	8.8	92	1	2	6	11	18	26	66
B. *Operated*	2723	14.5	226	2	2	10	18	34	50	97
1. SINGLE DX	774	6.0	38	1	1	4	8	13	17	30
2. MULTIPLE DX	3910	12.8	192	2	2	9	16	29	44	90
A. NOT OPERATED	1428	8.2	82	1	2	6	10	17	24	60
B. OPERATED	3256	13.2	205	2	2	9	17	31	45	93
TOTAL 0-19 YRS	173	7.3	43	1	2	6	10	15	18	32
20-34	151	10.1	148	1	2	6	12	24	37	64
35-49	378	9.4	114	1	2	6	12	22	33	53
50-64	1219	9.7	118	1	2	6	13	21	29	60
65+	2763	13.2	209	2	2	9	17	31	47	99
GRAND TOTAL	**4684**	**11.7**	**173**	**1**	**2**	**8**	**14**	**26**	**40**	**84**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	6.3	25	1	2	5	8	11	17	25
20-34	276	7.5	16	2	2	7	10	12	15	18
35-49	411	8.3	27	2	3	8	10	14	17	27
50-64	430	8.7	16	3	4	8	11	14	16	21
65+	403	8.5	16	3	4	8	10	14	16	22
B. *Operated*										
0-19 YRS	17	8.1	22	<1	2	9	10	15	17	18
20-34	114	7.0	30	1	2	6	10	13	15	31
35-49	169	7.3	21	1	2	7	10	13	15	20
50-64	197	8.5	34	1	2	7	12	15	18	30
65+	121	8.7	23	1	2	9	12	14	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	7.2	12	1	2	8	10	11	12	14
20-34	338	8.5	26	2	3	8	11	14	16	27
35-49	637	9.7	30	3	4	9	12	17	20	26
50-64	1336	10.5	39	3	5	9	13	17	21	32
65+	2233	11.3	55	4	5	10	14	19	24	45
B. *Operated*										
0-19 YRS	15	11.9	48	4	4	11	14	20	28	31
20-34	177	10.9	55	2	3	10	15	20	22	41
35-49	336	12.1	86	2	3	10	15	23	28	50
50-64	664	11.7	72	2	4	10	14	20	27	51
65+	1021	14.2	122	4	5	11	17	27	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1557	8.3	19	2	3	8	10	14	16	22
B. *Operated*	618	7.9	28	1	2	7	11	14	16	27
2. MULTIPLE DX										
A. *Not Operated*	4570	10.6	45	3	4	9	13	18	22	36
B. *Operated*	2213	12.8	97	3	4	11	15	23	31	62
1. SINGLE DX	2175	8.2	22	2	3	8	10	14	16	23
2. MULTIPLE DX	6783	11.3	63	3	4	10	14	19	24	50
A. NOT OPERATED	6127	10.0	40	3	4	9	12	17	20	35
B. OPERATED	2831	11.8	86	2	3	10	14	21	29	57
TOTAL 0-19 YRS	95	7.8	28	1	2	7	10	13	18	28
20-34	905	8.5	31	2	2	8	11	15	17	29
35-49	1553	9.6	43	2	3	9	12	17	21	32
50-64	2627	10.3	44	3	4	9	13	17	21	35
65+	3778	11.7	71	4	5	10	14	20	26	56
GRAND TOTAL	**8958**	**10.6**	**55**	**3**	**4**	**9**	**13**	**18**	**23**	**43**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	4.3	7	1	2	4	5	9	11	11
35-49	15	6.1	26	1	2	4	8	16	16	16
50-64	33	7.5	25	2	3	5	11	15	18	20
65+	68	13.9	189	3	4	10	17	27	36	79
B. *Operated*										
0-19 YRS	22	2.9	2	<1	1	3	4	5	5	5
20-34	643	3.7	6	1	2	3	5	6	7	13
35-49	963	4.1	6	1	2	4	5	6	8	14
50-64	728	4.9	20	2	2	4	5	8	11	26
65+	247	9.2	94	2	3	5	11	23	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	5	8	8	9	11	11	11	11
20-34	29	5.3	47	<1	<1	2	7	14	23	28
35-49	80	8.2	39	1	1	7	11	17	21	27
50-64	183	11.0	88	2	3	8	14	23	32	47
65+	602	13.9	130	3	4	11	17	27	37	72
B. *Operated*										
0-19 YRS	4	3.5	1	2	2	4	4	4	4	4
20-34	189	5.2	35	1	2	4	5	9	15	28
35-49	408	6.7	48	2	2	5	7	13	18	39
50-64	591	9.6	136	2	3	5	11	21	35	65
65+	690	18.8	272	3	3	15	26	43	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	10.4	123	2	2	7	13	19	27	73
B *Operated*	2603	4.7	21	2	2	4	5	7	11	26
2. MULTIPLE DX										
A. *Not Operated*	896	12.5	115	2	3	10	16	25	34	62
B. *Operated*	1882	11.9	186	2	3	6	15	31	42	82
1. SINGLE DX	2732	5.0	27	2	2	4	5	8	13	28
2. MULTIPLE DX	2778	12.1	163	2	3	7	16	28	40	72
A. NOT OPERATED	1025	12.3	117	2	3	9	16	25	33	63
B. OPERATED	4485	7.7	102	2	2	4	7	18	29	59
TOTAL 0-19 YRS	28	3.5	5	1	1	3	4	5	8	11
20-34	874	4.1	14	1	2	3	5	6	8	20
35-49	1466	5.0	22	1	2	4	5	9	13	25
50-64	1535	7.5	79	2	2	5	8	16	24	49
65+	1607	15.3	199	3	3	11	21	34	45	85
GRAND TOTAL	**5510**	**8.6**	**108**	**2**	**2**	**5**	**9**	**20**	**30**	**60**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	1	<1	<1	1	2	3	3	3
20-34	51	2.2	1	<1	1	2	3	4	5	5
35-49	87	2.7	4	<1	<1	2	4	7	7	9
50-64	73	2.7	7	<1	<1	2	3	6	8	13
65+	54	3.3	13	<1	<1	2	4	6	8	21
B. *Operated*										
0-19 YRS	21	3.7	2	1	1	4	4	5	6	6
20-34	306	4.0	4	1	2	4	5	6	7	11
35-49	471	4.3	3	1	2	4	5	6	8	10
50-64	314	4.1	3	1	2	4	5	6	7	9
65+	102	4.5	5	1	2	4	5	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.1	4	1	2	3	6	7	7	7
20-34	72	3.3	6	<1	1	3	4	6	8	11
35-49	162	4.6	12	<1	1	4	6	9	12	18
50-64	220	4.1	15	<1	1	3	5	8	10	21
65+	402	5.7	32	1	1	4	7	11	14	31
B. *Operated*										
0-19 YRS	37	3.5	3	1	1	4	4	5	6	8
20-34	1219	4.2	4	1	2	4	5	7	8	11
35-49	1890	4.7	8	2	2	4	6	7	9	15
50-64	1623	5.0	10	2	2	4	6	8	10	16
65+	987	6.8	33	2	2	5	8	13	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	2.7	6	<1	<1	2	3	6	7	13
B. *Operated*	1214	4.2	3	1	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	865	4.9	22	<1	1	4	6	10	12	24
B. *Operated*	5756	5.0	13	2	2	4	6	8	11	18
1. SINGLE DX	1486	3.9	4	1	1	4	5	6	7	10
2. MULTIPLE DX	6621	5.0	14	2	2	4	6	8	11	19
A. NOT OPERATED	1137	4.4	19	<1	1	3	6	9	11	20
B. OPERATED	6970	4.9	11	2	2	4	6	8	10	17
TOTAL 0-19 YRS	74	3.4	3	1	1	4	4	6	6	8
20-34	1648	4.1	4	1	2	4	5	6	8	11
35-49	2610	4.5	7	1	2	4	5	7	9	14
50-64	2230	4.7	10	1	2	4	6	8	10	16
65+	1545	6.2	31	1	2	5	7	12	16	30
GRAND TOTAL	**8107**	**4.8**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	5.0	20	1	1	3	8	10	13	22
20-34	116	6.7	24	1	1	6	10	12	14	24
35-49	113	6.1	20	1	1	5	9	11	14	23
50-64	130	6.8	23	1	1	6	10	13	15	24
65+	166	8.5	74	1	2	7	11	15	18	42
B. *Operated*										
0-19 YRS	209	2.5	6	<1	1	2	3	4	7	16
20-34	544	3.0	10	1	1	2	3	6	9	16
35-49	267	3.9	17	1	1	2	4	10	12	21
50-64	155	5.5	24	1	1	4	9	12	14	21
65+	87	7.2	47	<1	1	5	11	16	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.9	13	1	1	2	5	9	11	17
20-34	187	7.8	48	1	2	6	10	15	23	36
35-49	316	7.4	33	1	2	6	10	14	18	26
50-64	761	8.5	48	2	2	7	11	16	20	33
65+	1830	9.2	63	2	3	8	11	17	22	45
B. *Operated*										
0-19 YRS	72	5.1	78	<1	1	2	4	12	21	56
20-34	455	5.1	46	1	1	3	5	12	17	28
35-49	340	8.5	77	1	2	5	11	19	29	42
50-64	529	12.1	110	1	2	10	15	23	32	51
65+	842	14.5	177	2	3	11	17	30	41	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	556	7.1	39	1	1	6	10	13	16	26
B. *Operated*	1262	3.7	17	1	1	2	3	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	3155	8.6	55	2	2	7	11	16	21	38
B. *Operated*	2238	10.8	130	1	2	8	14	22	32	59
1. SINGLE DX	1818	4.7	26	1	1	3	7	11	13	22
2. MULTIPLE DX	5393	9.5	87	1	2	7	12	19	25	51
A. NOT OPERATED	3711	8.4	53	1	2	7	11	15	20	37
B. OPERATED	3500	8.2	101	1	1	4	11	18	26	51
TOTAL 0-19 YRS	373	3.4	23	1	1	2	3	8	11	22
20-34	1302	4.8	32	1	1	2	5	11	15	28
35-49	1036	6.7	45	1	2	4	9	15	19	36
50-64	1575	9.3	69	1	2	8	12	18	23	42
65+	2925	10.6	102	2	3	8	13	20	29	57
GRAND TOTAL	**7211**	**8.3**	**76**	**1**	**2**	**6**	**11**	**17**	**23**	**46**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2257	2.6	2	1	1	2	3	5	6	8
20-34	367	3.3	3	1	1	3	4	5	6	9
35-49	136	3.7	6	1	2	3	4	7	8	14
50-64	61	4.2	8	1	1	4	5	7	8	17
65+	50	4.5	10	1	1	4	6	8	11	17
B. *Operated*										
0-19 YRS	273	1.9	3	1	1	2	2	3	5	9
20-34	104	2.6	3	1	1	2	3	6	6	8
35-49	34	3.6	5	1	1	3	6	6	8	8
50-64	23	3.6	7	<1	1	3	5	7	9	12
65+	11	4.2	11	<1	1	2	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3760	3.5	6	1	1	3	4	6	8	11
20-34	694	3.9	7	1	2	3	5	7	8	13
35-49	340	4.7	9	1	2	4	6	8	10	16
50-64	423	6.2	26	2	2	5	8	12	15	22
65+	758	7.7	36	2	3	6	9	15	19	31
B. *Operated*										
0-19 YRS	242	3.8	29	1	1	2	4	8	12	33
20-34	113	6.3	76	<1	1	3	6	14	27	44
35-49	54	5.9	19	1	2	5	7	12	16	21
50-64	81	8.2	46	1	2	6	12	17	25	29
65+	83	11.6	160	1	2	8	15	27	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2871	2.8	3	1	1	2	4	5	6	9
B. *Operated*	445	2.3	4	1	1	2	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	5975	4.3	14	1	1	3	5	8	10	19
B. *Operated*	573	6.2	66	1	1	3	7	15	23	42
1. SINGLE DX	3316	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	6548	4.5	19	1	1	3	5	8	11	23
A. NOT OPERATED	8846	3.8	11	1	1	3	5	7	9	17
B. OPERATED	1018	4.5	42	1	1	2	5	10	16	36
TOTAL 0-19 YRS	6532	3.1	6	1	1	3	4	6	7	11
20-34	1278	3.8	12	1	1	3	5	7	8	17
35-49	564	4.5	10	1	2	4	6	8	10	16
50-64	588	6.2	27	1	2	5	8	12	16	26
65+	902	7.8	48	2	2	6	10	15	20	35
GRAND TOTAL	**9864**	**3.9**	**14**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2816	3.6	4	1	1	3	4	6	7	10
20-34	135	3.7	5	1	2	3	5	7	8	11
35-49	128	4.2	4	2	2	4	5	6	8	11
50-64	133	4.8	7	2	2	4	6	8	10	14
65+	189	5.7	14	2	2	5	7	10	12	20
B. *Operated*										
0-19 YRS	7	3.6	5	1	1	3	5	7	7	7
20-34	5	3.2	5	1	1	3	4	7	7	7
35-49	7	3.9	14	<1	<1	2	7	10	10	10
50-64	12	6.1	60	<1	1	2	9	18	25	26
65+	7	3.6	30	<1	<1	2	2	13	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3155	4.3	7	1	2	4	5	7	9	14
20-34	492	4.7	11	1	2	4	6	9	10	15
35-49	772	5.5	13	2	2	5	7	9	11	20
50-64	2341	7.6	35	2	3	6	9	13	17	32
65+	5866	8.9	50	3	3	7	11	16	20	41
B. *Operated*										
0-19 YRS	32	10.4	126	1	2	7	12	25	27	56
20-34	45	6.6	30	2	2	5	10	13	14	32
35-49	81	6.5	23	1	2	6	8	13	17	77
50-64	218	11.2	128	1	2	9	13	22	30	84
65+	484	15.2	144	3	5	12	20	31	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3401	3.8	5	1	2	3	5	6	8	11
B. *Operated*	38	4.4	28	<1	<1	2	6	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	12626	7.1	37	2	2	6	9	13	17	32
B. *Operated*	860	12.7	131	2	3	10	16	27	34	85
1. SINGLE DX	3439	3.8	5	1	2	3	5	6	8	12
2. MULTIPLE DX	13486	7.5	45	2	2	6	9	14	19	35
A. NOT OPERATED	16027	6.4	32	2	2	5	8	12	16	29
B. OPERATED	898	12.4	130	2	2	9	16	26	33	84
TOTAL 0-19 YRS	6010	4.0	7	1	2	3	5	7	8	13
20-34	677	4.6	11	1	2	4	6	9	10	15
35-49	988	5.4	13	2	2	5	7	9	11	21
50-64	2704	7.7	43	2	3	6	9	14	18	34
65+	6546	9.2	59	3	3	7	11	17	22	46
GRAND TOTAL	**16925**	**6.7**	**39**	**2**	**2**	**5**	**8**	**13**	**17**	**33**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	773	2.2	1	1	1	2	3	3	4	5
20-34	1629	2.2	1	1	1	2	3	3	4	5
35-49	709	2.2	1	1	1	2	3	3	4	4
50-64	294	2.2	1	1	1	2	3	3	4	5
65+	43	2.3	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.2		<1	<1	1	1	2	3	3
20-34	32	1.3		<1	<1	1	2	2	3	3
35-49	21	1.3	1	<1	<1	1	1	3	4	4
50-64	10	2.1	5	<1	<1	1	1	6	7	7
65+	8	3.0	3	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	1194	2.3	1	1	1	2	3	3	4	5
20-34	2796	2.3	2	1	1	2	3	3	4	5
35-49	1442	2.4	1	1	1	2	3	4	4	6
50-64	801	2.6	2	1	1	2	3	4	5	7
65+	206	2.7	4	1	1	2	3	4	5	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	4	1	1	2	3	5	5	5
B. *Operated*	3448	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	93	1.5	1	<1	<1	1	2	3	4	7
B. *Operated*	6439	2.4	1	1	1	2	3	4	4	6
1. SINGLE DX	3452	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	6532	2.4	1	1	1	2	3	3	4	6
A. NOT OPERATED	97	1.6	1	<1	<1	1	2	3	5	7
B. OPERATED	9887	2.3	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1990	2.2	1	1	1	2	3	3	4	5
20-34	4458	2.3	1	1	1	2	3	3	4	5
35-49	2172	2.3	1	1	1	2	3	3	4	5
50-64	1106	2.5	1	1	1	2	3	4	4	7
65+	258	2.7	3	1	1	2	3	4	5	14
GRAND TOTAL	**9984**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	20	1.7		<1	<1	2	2	3	3	3
20-34	60	2.0	1	<1	<1	2	3	4	4	6
35-49	82	2.1	1	<1	<1	2	3	4	5	5
50-64	105	2.1	1	<1	1	2	2	4	4	6
65+	61	2.6	2	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	2.3	5	<1	<1	<1	4	5	5	5
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	7	5.6	58	<1	<1	2	6	19	22	22
65+	6	2.7	7	1	1	1	5	7	7	7
B. *Operated*										
0-19 YRS	76	2.5	1	1	1	2	3	4	5	6
20-34	163	2.8	6	<1	1	2	3	4	6	17
35-49	256	2.7	3	1	1	2	3	4	5	10
50-64	330	2.7	4	1	1	2	3	4	6	14
65+	218	3.3	8	1	1	3	4	5	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	328	2.1	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	22	3.3	22	<1	<1	1	5	7	13	22
B. *Operated*	1043	2.8	5	1	1	2	3	4	6	13
1. SINGLE DX	328	2.1	1	<1	1	2	3	4	5	6
2. MULTIPLE DX	1065	2.8	5	1	1	2	3	4	6	13
A. NOT OPERATED	22	3.3	22	<1	<1	1	5	7	13	22
B. OPERATED	1371	2.7	4	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	97	2.3	1	<1	1	2	3	4	4	6
20-34	226	2.6	5	<1	1	2	3	4	5	14
35-49	343	2.5	2	<1	1	2	3	4	5	10
50-64	442	2.6	4	<1	1	2	3	4	5	14
65+	285	3.1	7	1	1	2	4	5	7	12
GRAND TOTAL	**1393**	**2.7**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	1.8	1	<1	<1	1	2	4	4	4
20-34	12	1.8	1	<1	<1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	11015	1.5	1	<1	1	1	2	2	2	3
20-34	2756	1.8	1	1	1	2	2	3	3	4
35-49	234	1.9	1	1	1	2	2	3	3	4
50-64	35	2.2	1	1	1	2	3	3	4	5
65+	24	1.8	2	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	345	1.4	1	<1	<1	<1	1	3	4	5
20-34	43	1.5	1	<1	<1	1	2	3	4	5
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	4	2.3	4	<1	<1	1	3	5	5	5
65+	3	6.3	30	<1	<1	6	10	12	12	12
B. *Operated*										
0-19 YRS	6116	1.5	1	<1	<1	1	2	2	3	4
20-34	410	2.3	2	1	1	2	3	4	4	8
35-49	50	2.7	3	1	1	2	3	4	5	13
50-64	24	2.5	7	<1	1	2	3	5	8	14
65+	18	5.6	169	1	1	2	3	8	38	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	1.8	1	<1	<1	2	2	3	4	4
B. *Operated*	14064	1.6	1	<1	1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	398	1.5	2	<1	<1	<1	1	3	4	6
B. *Operated*	6618	1.6	2	<1	<1	1	2	2	3	5
1. SINGLE DX	14106	1.6	1	<1	1	1	2	2	3	3
2. MULTIPLE DX	7016	1.6	2	<1	<1	1	2	2	3	5
A. NOT OPERATED	440	1.5	1	<1	<1	1	1	3	4	6
B. OPERATED	20682	1.6	1	<1	1	1	2	2	3	4
TOTAL 0-19 YRS	17504	1.5	1	<1	1	1	2	2	2	4
20-34	3221	1.9	1	1	1	2	2	3	3	5
35-49	288	2.0	1	1	1	2	2	3	3	5
50-64	63	2.3	3	<1	1	2	3	4	5	13
65+	46	3.5	70	1	1	2	3	6	10	57
GRAND TOTAL	**21122**	**1.6**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	469	3.0	3	<1	1	3	4	6	6	8
20-34	293	3.2	3	1	1	3	4	5	6	11
35-49	109	3.4	6	1	1	3	4	7	8	14
50-64	49	2.9	5	<1	<1	2	4	6	7	13
65+	36	2.9	3	1	1	2	4	6	7	9
B. *Operated*										
0-19 YRS	461	2.7	4	<1	1	2	3	5	6	9
20-34	803	2.4	3	<1	1	2	3	4	5	9
35-49	678	2.2	3	<1	1	2	2	4	5	10
50-64	688	2.2	9	<1	1	2	2	3	4	9
65+	348	2.4	5	1	1	2	2	3	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	3.7	5	1	1	3	5	6	8	11
20-34	217	3.8	5	1	2	3	4	7	8	12
35-49	138	4.0	9	<1	1	4	5	8	9	15
50-64	156	4.9	20	1	2	4	6	8	13	29
65+	170	5.8	25	1	1	4	8	11	15	29
B. *Operated*										
0-19 YRS	436	3.2	21	1	1	2	3	6	9	16
20-34	646	2.7	6	1	1	2	3	4	6	15
35-49	637	2.8	7	1	1	2	3	5	7	14
50-64	750	3.7	28	1	1	2	3	8	11	34
65+	608	5.0	53	1	1	2	5	12	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	956	3.1	4	1	1	3	4	5	7	9
B. *Operated*	2978	2.3	5	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	1029	4.3	12	1	1	4	5	8	10	16
B. *Operated*	3077	3.5	24	1	1	2	3	6	11	25
1. SINGLE DX	3934	2.5	5	<1	1	2	3	4	6	10
2. MULTIPLE DX	4106	3.7	21	1	1	2	4	7	10	23
A. NOT OPERATED	1985	3.7	8	1	1	3	5	7	8	14
B. OPERATED	6055	2.9	15	<1	1	2	3	5	8	19
TOTAL 0-19 YRS	1714	3.1	8	1	1	3	4	6	7	12
20-34	1959	2.8	5	1	1	2	3	5	6	12
35-49	1562	2.7	6	<1	1	2	3	5	6	12
50-64	1643	3.2	19	<1	1	2	3	6	8	22
65+	1162	4.3	35	1	1	2	4	9	15	30
GRAND TOTAL	**8040**	**3.1**	**13**	**1**	**1**	**2**	**3**	**6**	**8**	**17**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4293	4.2	7	1	2	4	5	7	9	13
20-34	1123	5.5	10	2	2	5	7	9	11	16
35-49	815	5.9	11	2	3	5	8	10	12	18
50-64	770	6.4	12	2	3	6	8	10	12	20
65+	1184	8.1	26	3	4	7	10	14	16	27
B. *Operated*										
0-19 YRS	21	8.0	57	2	3	5	9	13	25	38
20-34	32	6.7	30	1	2	5	9	13	14	28
35-49	48	7.9	41	<1	1	7	11	17	22	30
50-64	83	8.6	46	1	1	7	13	17	21	32
65+	74	11.2	85	2	2	10	13	20	26	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5517	5.2	18	2	2	4	6	9	12	21
20-34	1647	7.2	30	2	3	6	9	13	17	30
35-49	1997	8.1	30	3	3	7	10	14	18	29
50-64	4328	9.3	45	3	4	8	11	17	21	36
65+	17662	11.9	90	4	5	10	14	20	28	66
B. *Operated*										
0-19 YRS	101	14.2	203	2	3	10	16	30	45	77
20-34	219	18.6	262	3	5	14	23	42	56	91
35-49	284	17.2	224	3	5	14	22	33	51	99
50-64	836	17.2	199	3	5	13	21	35	51	92
65+	2485	21.9	279	5	7	17	28	50	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8185	5.3	13	2	2	4	7	9	12	18
B. *Operated*	258	8.9	57	1	2	8	12	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	31151	9.8	71	2	3	8	12	18	23	50
B. *Operated*	3925	20.1	260	4	6	16	25	45	64	99+
1. SINGLE DX	8443	5.4	15	2	2	5	7	10	12	19
2. MULTIPLE DX	35076	11.0	103	3	3	8	13	21	29	69
A. NOT OPERATED	39336	8.9	62	2	3	7	11	16	21	44
B. OPERATED	4183	19.5	255	4	6	15	24	43	63	99+
TOTAL 0-19 YRS	9932	4.9	16	2	2	4	6	8	11	19
20-34	3021	7.3	50	2	3	6	8	13	18	38
35-49	3144	8.4	52	2	3	7	10	15	20	36
50-64	6017	10.0	72	3	4	8	12	19	25	48
65+	21405	12.8	120	4	5	10	15	23	34	82
GRAND TOTAL	**43519**	**9.9**	**91**	**2**	**3**	**7**	**12**	**19**	**26**	**62**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	2.9	3	1	1	3	4	5	5	8
20-34	63	3.3	5	1	1	3	4	5	7	13
35-49	35	3.1	2	1	2	3	4	5	6	8
50-64	32	4.8	13	1	2	4	6	8	11	20
65+	40	5.2	11	1	2	5	6	8	11	18
B. *Operated*										
0-19 YRS	1	38.0		38	38	38	38	38	38	38
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	349	3.4	4	1	2	3	4	5	7	12
20-34	144	3.8	6	1	1	3	5	7	8	13
35-49	119	4.5	14	1	2	4	6	8	10	21
50-64	204	5.9	17	2	2	4	7	11	16	19
65+	490	8.1	48	2	3	6	10	14	19	34
B. *Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	4	10.5	158	<1	<1	6	18	29	29	29
35-49	3	8.3	6	6	6	8	10	11	11	11
50-64	17	13.1	62	4	5	10	17	25	30	32
65+	30	17.4	174	4	5	13	22	37	49	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	3.5	6	1	1	3	4	6	7	13
B. *Operated*	3	18.7	305	4	4	14	32	38	38	38
2. MULTIPLE DX										
A. *Not Operated*	1306	5.7	28	1	2	4	7	11	14	26
B. *Operated*	56	14.7	129	4	5	11	17	29	42	55
1. SINGLE DX	326	3.6	10	1	1	3	4	6	8	15
2. MULTIPLE DX	1362	6.1	35	1	2	4	7	12	16	29
A. NOT OPERATED	1629	5.3	24	1	2	4	6	10	13	23
B. OPERATED	59	14.9	134	4	5	12	17	29	42	54
TOTAL 0-19 YRS	505	3.3	6	1	2	3	4	5	7	12
20-34	211	3.8	9	1	1	3	5	7	8	14
35-49	158	4.3	12	1	2	3	5	8	10	16
50-64	253	6.2	23	2	2	5	7	12	17	25
65+	561	8.4	57	2	3	6	10	15	21	45
GRAND TOTAL	**1688**	**5.6**	**31**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	3.2	4	1	1	3	4	5	7	9
20-34	35	3.6	6	1	2	3	5	6	9	13
35-49	65	4.1	5	1	2	4	6	8	9	10
50-64	184	6.1	11	2	2	6	8	10	12	18
65+	216	7.0	33	2	2	6	8	12	17	45
B. *Operated*										
0-19 YRS	5	3.6	14	<1	<1	3	5	10	10	10
20-34	10	2.7	5	1	1	2	5	6	7	7
35-49	18	2.8	7	<1	<1	2	4	6	9	11
50-64	33	3.8	12	1	1	2	6	9	12	15
65+	39	4.7	20	<1	1	3	7	11	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	341	4.0	11	1	2	3	5	7	10	20
20-34	155	4.5	11	1	2	4	5	7	12	18
35-49	236	6.3	29	2	2	5	7	12	15	29
50-64	950	8.0	51	2	3	6	10	14	20	38
65+	2234	9.2	57	3	3	7	11	17	23	50
B. *Operated*										
0-19 YRS	11	3.6	3	2	2	4	4	6	8	8
20-34	25	6.2	44	<1	1	4	6	19	22	24
35-49	66	6.3	33	<1	2	4	8	13	17	29
50-64	178	8.8	111	1	1	5	13	21	32	99+
65+	349	13.6	179	2	2	10	17	32	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	831	4.9	16	1	2	4	6	9	11	19
B. *Operated*	105	3.8	13	<1	1	2	5	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	3916	8.1	51	2	3	6	10	15	21	42
B. *Operated*	629	11.0	145	1	2	8	14	27	40	99+
1. SINGLE DX	936	4.8	16	1	2	4	6	9	11	19
2. MULTIPLE DX	4545	8.5	65	2	2	6	10	16	23	50
A. NOT OPERATED	4747	7.5	46	2	2	6	9	14	19	41
B. OPERATED	734	10.0	132	1	2	6	13	24	36	99+
TOTAL 0-19 YRS	688	3.6	8	1	1	3	4	7	8	14
20-34	225	4.4	14	1	1	4	5	7	13	22
35-49	385	5.7	25	1	2	4	7	11	14	27
50-64	1345	7.8	54	2	2	6	9	15	20	45
65+	2838	9.5	73	2	3	7	11	18	25	59
GRAND TOTAL	**5481**	**7.9**	**59**	**2**	**2**	**6**	**10**	**15**	**21**	**46**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	14	4.6	3	2	2	4	6	7	7	7
50-64	75	8.2	26	2	3	7	12	15	17	24
65+	123	8.1	50	2	2	6	10	16	20	38
B. *Operated*										
0-19 YRS										
20-34	5	9.0	13	4	4	9	11	14	14	14
35-49	5	8.8	7	6	6	8	10	13	13	13
50-64	8	7.9	36	1	2	8	13	68	99+	99+
65+	4	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	8	5.3	7	2	2	5	7	9	10	10
35-49	53	9.5	145	2	2	5	9	24	39	59
50-64	498	10.5	97	3	4	8	12	18	27	55
65+	1268	11.1	95	3	4	8	13	22	30	61
B. *Operated*										
0-19 YRS	2	9.0	32	5	5	9	13	13	13	13
20-34	22	10.9	49	4	5	8	15	22	25	29
35-49	27	19.8	339	1	3	13	32	51	83	99+
50-64	92	17.2	296	4	5	12	20	41	72	99+
65+	162	21.6	355	3	5	16	29	51	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	7.9	39	2	2	6	10	15	19	28
B. *Operated*	22	7.5	20	1	2	8	10	15	48	99+
2. MULTIPLE DX										
A. *Not Operated*	1831	10.8	97	3	4	8	12	21	30	59
B. *Operated*	305	19.2	319	3	5	14	25	48	77	99+
1. SINGLE DX	237	7.8	37	2	2	6	10	15	19	35
2. MULTIPLE DX	2136	12.0	137	3	4	9	14	25	38	82
A. NOT OPERATED	2046	10.5	91	3	3	8	12	20	28	58
B. OPERATED	327	18.5	308	3	5	13	24	47	77	99+
TOTAL 0-19 YRS	7	6.3	13	3	3	5	8	12	13	13
20-34	37	9.1	38	3	4	8	10	19	22	29
35-49	99	11.6	196	2	2	7	12	32	47	90
50-64	673	11.1	121	3	4	8	13	20	31	77
65+	1557	11.9	130	3	3	9	14	25	38	83
GRAND TOTAL	**2373**	**11.6**	**129**	**3**	**3**	**8**	**14**	**24**	**36**	**80**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7787	3.4	5	1	1	3	4	6	7	10
20-34	2539	4.3	6	1	2	4	5	7	9	11
35-49	2037	5.0	8	2	2	4	6	9	10	15
50-64	1426	5.5	9	2	2	5	7	9	11	15
65+	791	6.3	14	2	2	5	8	11	13	19
B. *Operated*										
0-19 YRS	13	4.6	6	2	2	4	5	9	11	11
20-34	8	6.3	36	1	1	4	8	16	19	19
35-49	16	7.1	28	1	1	6	10	16	18	19
50-64	15	7.8	11	1	1	8	11	12	12	12
65+	9	8.3	28	<1	1	7	13	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4327	4.0	10	1	2	3	5	7	8	14
20-34	1732	5.3	14	2	2	4	6	9	11	19
35-49	2280	6.4	22	2	3	5	8	11	14	24
50-64	3592	7.3	27	2	3	6	9	13	16	29
65+	4328	8.8	49	3	3	7	11	15	20	36
B. *Operated*										
0-19 YRS	29	9.0	37	1	2	9	13	20	24	99+
20-34	65	10.8	75	3	4	9	13	17	27	53
35-49	114	12.4	88	2	4	10	16	21	36	47
50-64	216	12.5	101	2	4	10	15	23	31	45
65+	283	16.7	156	5	6	13	19	37	46	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14580	4.1	7	1	2	4	5	7	9	13
B. *Operated*	61	6.8	20	1	2	6	10	13	16	19
2. MULTIPLE DX										
A. *Not Operated*	16259	6.5	30	2	2	5	8	12	15	28
B. *Operated*	707	13.9	121	3	4	11	17	28	38	70
1. SINGLE DX	14641	4.1	7	1	2	4	5	7	9	13
2. MULTIPLE DX	16966	6.8	36	2	2	5	8	12	16	31
A. NOT OPERATED	30839	5.4	20	1	2	4	7	10	13	22
B. OPERATED	768	13.3	117	2	4	11	16	27	37	66
TOTAL 0-19 YRS	12156	3.6	7	1	2	3	4	6	7	12
20-34	4344	4.8	11	1	2	4	6	8	10	15
35-49	4447	5.9	19	2	2	5	7	10	13	21
50-64	5249	7.0	27	2	3	6	9	12	15	29
65+	5411	8.9	54	2	3	7	11	16	20	40
GRAND TOTAL	**31607**	**5.6**	**24**	**1**	**2**	**4**	**7**	**10**	**13**	**25**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.6	18	<1	<1	4	10	11	12	12
20-34	11	4.3	2	2	2	4	6	7	7	7
35-49	87	5.3	10	2	2	5	7	9	10	19
50-64	539	7.0	21	2	3	6	9	13	15	23
65+	906	7.5	37	2	3	6	9	13	17	41
B. *Operated*										
0-19 YRS	3	10.0	81	1	1	10	17	19	19	19
20-34	2	10.0	128	2	2	10	18	18	18	18
35-49	9	5.9	17	2	2	6	9	12	13	13
50-64	41	10.4	229	1	1	4	10	31	47	69
65+	43	7.5	47	1	1	4	12	20	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	7.1	22	2	2	6	10	16	17	17
20-34	42	10.0	77	1	2	7	14	23	27	43
35-49	359	8.4	50	2	3	6	11	16	21	32
50-64	3081	9.3	58	3	3	7	11	17	23	42
65+	7491	10.4	82	3	4	8	12	19	26	57
B. *Operated*										
0-19 YRS	7	5.7	55	2	2	2	6	19	22	22
20-34	14	11.3	101	2	3	8	13	24	35	38
35-49	52	10.4	68	2	3	8	13	24	32	98
50-64	359	16.1	264	2	3	12	21	37	62	99+
65+	946	18.3	264	3	4	13	24	46	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1555	7.1	30	2	3	6	9	12	16	30
B. *Operated*	98	8.7	122	1	1	5	11	21	23	59
2. MULTIPLE DX										
A. *Not Operated*	10995	10.0	74	3	3	8	12	19	25	53
B. *Operated*	1378	17.3	257	3	4	13	23	42	62	99+
1. SINGLE DX	1653	7.2	36	2	3	6	9	13	17	32
2. MULTIPLE DX	12373	10.8	100	3	3	8	13	21	29	70
A. NOT OPERATED	12550	9.7	70	3	3	8	12	18	24	52
B. OPERATED	1476	16.7	253	2	3	12	22	41	61	99+
TOTAL 0-19 YRS	44	6.7	28	1	2	5	10	15	18	22
20-34	69	9.4	73	2	2	6	12	22	27	42
35-49	507	8.1	46	2	2	6	10	15	21	35
50-64	4020	9.6	78	2	3	7	11	18	25	56
65+	9386	10.9	103	3	4	8	13	21	29	75
GRAND TOTAL	**14026**	**10.4**	**94**	**3**	**3**	**8**	**12**	**20**	**28**	**67**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	45	3.4	8	<1	1	3	5	6	10	14
20-34	186	3.5	6	1	1	3	5	6	8	13
35-49	48	3.8	7	1	1	3	5	7	9	13
50-64	15	5.5	36	1	1	4	6	15	21	23
65+	13	5.8	14	<1	2	5	8	12	13	13
B. ***Operated***										
0-19 YRS	122	6.3	27	2	3	5	8	12	13	30
20-34	567	6.1	13	2	3	5	7	11	13	20
35-49	190	7.3	26	2	3	6	8	14	20	28
50-64	54	8.1	27	3	3	7	11	14	17	29
65+	32	8.5	16	4	4	8	12	14	17	17
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	14	4.0	7	1	1	4	4	8	10	10
20-34	54	4.0	12	1	1	3	5	7	11	18
35-49	40	6.1	41	1	1	4	7	15	18	33
50-64	54	7.8	21	3	3	7	10	15	17	21
65+	82	9.8	103	3	3	7	11	16	35	88
B. ***Operated***										
0-19 YRS	39	10.4	40	3	4	9	13	20	22	30
20-34	207	9.8	42	3	4	8	12	18	22	36
35-49	147	10.5	83	3	3	8	14	21	29	69
50-64	198	13.0	90	3	4	10	18	25	31	55
65+	261	13.4	91	3	5	11	17	26	34	55
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	307	3.8	8	1	1	3	5	6	10	15
B. ***Operated***	965	6.5	19	2	3	5	8	12	15	23
2. MULTIPLE DX										
A. ***Not Operated***	244	7.1	54	1	2	5	9	14	17	55
B. ***Operated***	852	11.8	77	3	4	9	15	23	30	47
1. SINGLE DX	1272	5.9	18	1	2	5	7	11	14	21
2. MULTIPLE DX	1096	10.8	76	2	3	8	14	22	29	49
A. NOT OPERATED	551	5.3	31	1	1	4	6	11	14	33
B. OPERATED	1817	9.0	53	3	3	7	11	18	24	39
TOTAL 0-19 YRS	220	6.3	29	1	2	5	8	12	16	25
20-34	1014	6.3	22	1	2	5	8	12	15	24
35-49	425	7.9	49	2	3	6	9	17	21	39
50-64	321	10.9	72	3	3	8	14	23	27	44
65+	388	12.0	89	3	4	10	14	24	33	57
GRAND TOTAL	**2368**	**8.1**	**50**	**2**	**2**	**6**	**10**	**16**	**22**	**38**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	244	3.5	10	1	1	3	4	6	8	19
20-34	155	3.7	29	1	1	3	4	6	7	29
35-49	153	5.1	22	1	1	4	6	10	14	26
50-64	168	4.9	18	1	1	4	6	10	13	19
65+	229	6.2	26	1	1	5	8	12	17	27
B. ***Operated***										
0-19 YRS	32	4.3	15	<1	1	2	6	9	14	16
20-34	91	7.1	69	1	1	4	9	15	25	45
35-49	131	7.1	48	<1	1	5	10	16	21	32
50-64	219	6.3	32	1	1	5	9	13	17	26
65+	217	8.3	73	1	1	6	12	18	22	42
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	467	5.0	24	1	2	4	6	11	15	21
20-34	395	6.4	40	1	1	5	8	13	18	39
35-49	564	7.0	52	1	2	5	8	14	20	41
50-64	1612	7.8	41	2	2	6	10	15	20	33
65+	5018	10.3	78	2	3	8	13	19	26	54
B. ***Operated***										
0-19 YRS	105	13.1	276	<1	<1	7	18	33	60	83
20-34	193	14.6	212	1	2	9	21	33	43	99
35-49	376	12.6	121	2	2	10	17	29	35	54
50-64	932	13.8	178	2	2	10	18	31	45	86
65+	1857	16.4	211	2	3	12	21	36	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	949	4.7	21	1	1	3	6	9	13	24
B. ***Operated***	690	7.1	53	1	1	5	10	16	20	37
2. MULTIPLE DX										
A. ***Not Operated***	8056	9.1	67	2	2	7	11	18	23	45
B. ***Operated***	3463	15.1	196	2	2	11	20	34	47	99+
1. SINGLE DX	1639	5.7	36	1	1	4	7	12	16	30
2. MULTIPLE DX	11519	10.9	113	2	2	8	14	23	32	66
A. NOT OPERATED	9005	8.6	64	2	2	7	11	17	23	43
B. OPERATED	4153	13.7	181	1	2	10	18	31	43	96
TOTAL 0-19 YRS	848	5.5	59	1	1	3	6	12	19	51
20-34	834	7.9	95	1	1	5	9	19	29	56
35-49	1224	8.5	77	1	2	6	11	19	28	48
50-64	2931	9.4	92	1	2	7	12	20	28	53
65+	7321	11.7	118	2	3	9	14	23	33	72
GRAND TOTAL	**13158**	**10.2**	**107**	**1**	**2**	**7**	**13**	**21**	**30**	**62**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.1	6	<1	1	2	5	6	7	12
20-34	33	2.2	1	<1	<1	2	3	4	4	5
35-49	16	5.2	16	<1	1	4	7	12	13	14
50-64	10	5.5	28	1	1	4	8	13	18	18
65+	7	3.4	7	<1	<1	3	5	7	8	8
B. *Operated*										
0-19 YRS	2200	1.7	1	<1	<1	1	2	3	4	6
20-34	1999	1.9	3	<1	<1	2	2	3	4	7
35-49	653	2.1	2	<1	<1	2	3	3	4	6
50-64	390	2.3	9	<1	<1	2	2	3	4	8
65+	229	2.2	2	<1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	2.7	6	<1	<1	2	3	6	8	13
20-34	142	2.6	5	<1	1	2	3	5	6	12
35-49	68	3.2	11	<1	<1	2	4	8	9	20
50-64	56	4.5	55	<1	<1	2	4	8	23	43
65+	71	5.8	51	1	1	3	7	14	19	43
B. *Operated*										
0-19 YRS	1530	2.1	2	<1	<1	2	2	4	5	7
20-34	1710	2.5	4	<1	1	2	3	5	6	9
35-49	865	2.6	5	<1	1	2	3	5	6	14
50-64	903	3.1	23	1	1	2	3	5	8	24
65+	809	3.2	18	1	1	2	3	5	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	3.4	9	<1	<1	3	5	7	9	16
B. *Operated*	5471	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	486	3.4	20	<1	<1	2	4	7	9	22
B. *Operated*	5817	2.6	9	<1	1	2	3	4	6	13
1. SINGLE DX	5577	1.9	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX	6303	2.7	10	<1	1	2	3	5	6	14
A. NOT OPERATED	592	3.4	18	<1	<1	2	4	7	9	21
B. OPERATED	11288	2.2	6	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	3919	1.9	2	<1	<1	2	2	3	4	7
20-34	3884	2.2	3	<1	<1	2	2	4	5	8
35-49	1602	2.5	4	<1	<1	2	3	4	6	12
50-64	1359	2.9	21	<1	1	2	3	4	7	23
65+	1116	3.1	17	1	1	2	3	5	9	20
GRAND TOTAL	**11880**	**2.3**	**6**	**<1**	**<1**	**2**	**2**	**4**	**5**	**11**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	3.8	5	1	1	3	5	7	9	12
20-34	33	3.8	6	1	1	4	5	6	8	13
35-49	22	4.2	7	1	2	3	6	8	9	10
50-64	24	4.7	7	2	2	4	6	7	10	14
65+	20	5.1	12	<1	1	5	7	10	12	14
B. *Operated*										
0-19 YRS	119	2.4	3	<1	<1	2	3	5	6	9
20-34	129	3.3	8	<1	1	2	4	7	10	14
35-49	143	2.9	4	<1	1	3	3	6	7	9
50-64	122	2.8	4	<1	1	2	3	5	6	11
65+	95	4.0	15	1	1	3	4	7	10	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	4.2	5	2	2	4	5	7	8	14
20-34	50	3.4	6	<1	1	3	5	6	7	14
35-49	45	4.6	7	1	1	4	6	9	10	12
50-64	82	6.9	27	1	2	5	9	12	20	26
65+	154	8.6	33	2	3	7	11	16	19	29
B. *Operated*										
0-19 YRS	72	4.1	18	1	1	3	5	9	13	24
20-34	90	4.1	12	<1	1	3	5	9	11	19
35-49	119	4.9	48	1	1	3	5	10	13	45
50-64	177	4.9	21	1	1	3	6	10	15	26
65+	187	6.1	48	1	2	4	7	12	18	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	4.1	7	1	1	4	5	8	9	13
B. *Operated*	608	3.0	6	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	444	6.2	23	1	2	5	8	12	16	25
B. *Operated*	645	5.0	33	1	1	3	6	10	14	32
1. SINGLE DX	797	3.3	7	<1	1	3	4	6	8	14
2. MULTIPLE DX	1089	5.5	29	1	2	4	7	11	15	28
A. NOT OPERATED	633	5.6	19	1	2	4	7	11	14	23
B. OPERATED	1253	4.1	21	<1	1	3	5	8	12	22
TOTAL 0-19 YRS	394	3.5	8	<1	1	3	4	6	9	14
20-34	302	3.6	8	<1	1	3	4	7	9	15
35-49	329	3.9	21	1	1	3	4	8	9	21
50-64	405	4.7	18	1	1	3	5	10	13	24
65+	456	6.5	37	1	2	4	9	14	17	33
GRAND TOTAL	**1886**	**4.6**	**21**	**1**	**1**	**3**	**5**	**9**	**13**	**23**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	238	3.2	6	<1	1	3	4	6	8	12
20-34	110	3.4	7	<1	1	3	4	7	9	13
35-49	174	3.1	5	<1	<1	2	4	6	7	11
50-64	163	3.6	9	<1	<1	3	5	7	9	14
65+	145	4.8	24	<1	1	3	6	9	14	27
B. *Operated*										
0-19 YRS	83	4.8	29	1	1	2	6	10	16	29
20-34	60	4.2	10	<1	<1	3	6	10	11	90
35-49	90	4.9	32	<1	<1	2	7	12	19	26
50-64	106	5.6	47	<1	<1	3	6	11	18	39
65+	175	4.8	21	<1	<1	3	7	10	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	299	4.5	25	1	1	3	5	9	12	31
20-34	289	4.5	14	1	1	4	6	8	9	22
35-49	662	4.6	13	1	1	4	6	8	10	17
50-64	994	5.2	18	1	2	4	6	10	13	21
65+	1668	6.9	38	1	2	5	8	13	17	30
B. *Operated*										
0-19 YRS	156	11.9	157	1	2	7	15	30	44	59
20-34	159	8.0	85	<1	1	5	10	16	26	52
35-49	288	8.4	77	1	2	6	10	16	24	66
50-64	636	8.1	63	<1	1	6	11	17	25	41
65+	1461	10.2	130	1	2	7	13	22	35	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	830	3.5	10	<1	1	3	5	7	9	16
B. *Operated*	514	4.9	28	<1	1	3	7	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	3912	5.7	27	1	2	4	7	11	14	25
B. *Operated*	2700	9.5	109	1	2	6	12	20	30	63
1. SINGLE DX	1344	4.1	17	<1	1	3	5	8	11	24
2. MULTIPLE DX	6612	7.3	64	1	2	5	9	15	21	43
A. NOT OPERATED	4742	5.3	24	1	1	4	7	10	14	25
B. OPERATED	3214	8.8	99	1	1	6	11	19	28	56
TOTAL 0-19 YRS	776	5.6	56	1	1	3	6	12	20	46
20-34	618	5.2	33	<1	1	4	6	10	14	32
35-49	1214	5.3	31	1	1	4	7	10	14	30
50-64	1899	6.1	36	1	1	4	7	13	17	32
65+	3449	8.1	79	1	2	6	10	16	23	49
GRAND TOTAL	**7956**	**6.7**	**57**	**1**	**1**	**5**	**8**	**14**	**20**	**42**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.4	3	1	1	3	4	6	7	7
20-34	38	4.2	9	<1	1	3	6	8	10	16
35-49	94	4.3	11	<1	<1	3	6	9	11	17
50-64	54	3.9	6	<1	<1	4	5	8	9	10
65+	62	4.6	11	<1	<1	4	6	8	10	17
B. *Operated*										
0-19 YRS	4	3.0	6	1	1	3	5	6	6	6
20-34	27	6.0	18	<1	<1	5	8	13	15	16
35-49	54	6.9	20	<1	<1	7	9	12	16	20
50-64	81	5.8	22	<1	<1	5	9	12	16	19
65+	75	7.0	68	<1	<1	5	9	15	21	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.0	10	1	1	3	5	9	11	11
20-34	63	6.7	44	1	1	4	8	18	23	30
35-49	165	5.9	12	1	2	5	8	10	12	18
50-64	273	6.6	30	1	2	5	8	12	16	31
65+	586	8.2	35	2	3	7	10	16	21	29
B. *Operated*										
0-19 YRS	4	10.5	140	2	2	6	17	28	28	28
20-34	43	8.7	47	2	3	8	10	16	20	42
35-49	148	8.8	81	<1	2	7	10	16	19	52
50-64	296	9.8	74	<1	2	8	12	18	23	55
65+	559	10.7	68	2	3	9	14	20	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	4.2	9	<1	<1	3	6	8	10	16
B. *Operated*	241	6.4	35	<1	<1	5	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	1095	7.3	32	1	2	6	9	13	19	29
B. *Operated*	1050	10.1	71	1	3	8	13	18	25	45
1. SINGLE DX	497	5.3	23	<1	<1	4	7	10	14	20
2. MULTIPLE DX	2145	8.7	53	1	2	7	11	17	22	39
A. NOT OPERATED	1351	6.7	29	1	2	5	8	12	17	28
B. OPERATED	1291	9.4	66	<1	2	8	12	18	23	44
TOTAL 0-19 YRS	24	4.7	30	1	1	3	5	8	16	28
20-34	171	6.5	35	<1	1	5	8	13	18	29
35-49	461	6.6	37	<1	1	5	9	12	16	24
50-64	704	7.7	50	<1	1	6	10	15	20	34
65+	1282	9.0	53	1	2	7	11	18	23	37
GRAND TOTAL	**2642**	**8.0**	**49**	**<1**	**2**	**6**	**10**	**16**	**21**	**36**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.2	2	1	2	4	5	6	6	6
20-34	22	5.2	4	2	3	5	6	8	9	9
35-49	61	4.9	4	2	3	5	6	7	9	13
50-64	93	5.1	6	2	2	5	6	8	10	13
65+	114	6.8	17	2	3	6	8	10	13	23
B. *Operated*										
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	22	7.0	19	2	3	6	8	14	16	18
35-49	47	7.4	14	3	3	7	9	12	14	20
50-64	78	8.9	27	2	4	9	11	13	19	30
65+	103	11.5	48	4	5	10	14	20	26	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.1	7	3	3	4	6	9	12	12
20-34	50	5.2	10	1	1	5	7	9	12	15
35-49	147	6.4	13	2	3	6	8	11	13	21
50-64	401	6.9	27	2	3	6	8	11	14	27
65+	1076	9.1	51	3	4	7	11	15	20	42
B. *Operated*										
0-19 YRS	4	9.0	9	6	6	8	11	13	13	13
20-34	32	9.9	64	4	4	8	11	17	33	37
35-49	127	12.1	84	4	4	9	14	26	31	48
50-64	362	12.1	117	3	4	9	14	24	32	68
65+	1082	14.8	143	4	5	11	18	29	42	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	5.7	10	2	3	5	7	9	11	15
B. *Operated*	252	9.5	35	3	4	8	12	17	20	31
2. MULTIPLE DX										
A. *Not Operated*	1686	8.2	42	3	3	7	10	14	17	35
B. *Operated*	1607	13.9	132	4	5	10	17	27	37	76
1. SINGLE DX	551	7.4	25	2	3	6	9	13	17	29
2. MULTIPLE DX	3293	10.9	94	3	4	8	13	21	30	62
A. NOT OPERATED	1985	7.8	38	2	3	6	9	13	17	33
B. OPERATED	1859	13.3	121	4	5	10	16	26	36	73
TOTAL 0-19 YRS	27	5.7	8	2	3	5	7	10	12	13
20-34	126	6.7	28	1	2	6	8	12	14	35
35-49	382	8.2	44	2	3	6	9	14	20	40
50-64	934	8.9	67	3	3	7	10	15	23	50
65+	2375	11.7	100	3	4	9	14	23	31	64
GRAND TOTAL	**3844**	**10.4**	**86**	**3**	**4**	**8**	**12**	**20**	**28**	**57**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.6	10	<1	1	3	5	6	7	22
20-34	219	3.7	5	1	1	3	5	7	8	10
35-49	266	4.3	10	1	1	4	5	8	9	15
50-64	198	4.5	7	<1	2	4	5	8	10	13
65+	151	4.9	9	<1	2	4	7	9	11	14
B. *Operated*										
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12
20-34	21	10.0	63	3	4	8	11	20	30	36
35-49	60	8.1	36	<1	1	8	11	15	18	31
50-64	35	7.9	33	<1	<1	8	11	16	19	24
65+	26	7.0	25	<1	<1	5	10	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	4.5	10	1	2	4	5	8	13	15
20-34	315	5.0	15	2	2	4	6	9	12	18
35-49	550	5.4	12	2	2	5	7	9	12	17
50-64	771	6.1	17	2	2	5	8	11	13	22
65+	1149	8.0	46	2	3	7	9	14	18	36
B. *Operated*										
0-19 YRS	7	7.7	7	5	5	7	8	12	13	13
20-34	71	11.1	126	2	3	8	13	21	27	70
35-49	144	10.9	80	2	4	9	13	18	24	54
50-64	245	10.7	67	2	3	9	13	21	27	40
65+	323	15.3	194	4	5	11	18	31	47	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	893	4.2	8	1	1	4	5	8	9	13
B. *Operated*	144	8.2	37	<1	<1	7	11	16	18	32
2. MULTIPLE DX										
A. *Not Operated*	2848	6.6	29	2	2	5	8	12	15	27
B. *Operated*	790	12.6	130	3	4	10	15	23	33	74
1. SINGLE DX	1037	4.8	14	<1	1	4	6	9	11	18
2. MULTIPLE DX	3638	7.9	57	2	3	6	9	14	19	40
A. NOT OPERATED	3741	6.0	25	1	2	5	7	11	14	23
B. OPERATED	934	12.0	118	2	3	9	14	22	31	72
TOTAL 0-19 YRS	131	4.3	11	<1	1	4	5	8	12	17
20-34	626	5.4	31	1	2	4	7	10	13	26
35-49	1020	6.0	27	1	2	5	8	11	15	26
50-64	1249	6.8	30	2	2	5	8	12	17	28
65+	1649	9.1	81	2	3	7	10	17	23	51
GRAND TOTAL	**4675**	**7.2**	**49**	**1**	**2**	**5**	**9**	**13**	**18**	**35**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	4.9	10	1	1	4	6	10	12	12
20-34	172	4.8	7	2	2	4	6	8	9	15
35-49	224	4.8	6	2	2	4	6	8	9	13
50-64	291	5.1	7	2	2	5	6	9	11	13
65+	247	6.4	24	3	3	6	7	9	12	31
B. *Operated*										
0-19 YRS	9	8.2	16	2	3	8	10	14	16	16
20-34	58	9.7	49	5	5	8	10	16	18	51
35-49	98	9.4	20	4	5	9	11	15	18	27
50-64	120	9.9	25	4	5	9	12	15	19	29
65+	88	11.7	71	5	5	10	13	19	27	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.8	68	1	2	4	5	9	22	42
20-34	161	5.2	12	2	2	5	7	9	10	18
35-49	346	6.2	15	2	3	5	8	10	12	23
50-64	807	6.6	15	3	3	6	8	11	13	21
65+	1726	9.3	49	3	4	8	11	16	22	44
B. *Operated*										
0-19 YRS	6	6.8	22	2	2	6	10	14	14	14
20-34	67	11.5	62	4	5	9	14	20	23	51
35-49	168	12.2	83	3	4	10	15	21	25	57
50-64	341	15.0	166	4	5	12	16	28	44	72
65+	870	17.4	199	5	6	13	21	36	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	956	5.3	11	2	2	5	7	9	10	15
B. *Operated*	373	10.1	38	4	5	9	12	16	19	39
2. MULTIPLE DX										
A. *Not Operated*	3063	8.0	37	3	3	7	9	14	19	35
B. *Operated*	1452	15.9	175	4	5	12	19	31	47	98
1. SINGLE DX	1329	6.7	24	2	3	6	8	11	14	25
2. MULTIPLE DX	4515	10.6	95	3	4	8	13	20	28	65
A. NOT OPERATED	4019	7.4	32	2	3	6	9	13	17	33
B. OPERATED	1825	14.8	153	4	5	11	17	28	42	84
TOTAL 0-19 YRS	60	5.9	34	1	2	4	7	11	13	39
20-34	458	6.6	29	2	2	5	8	10	16	25
35-49	836	7.4	34	2	3	6	9	13	17	30
50-64	1559	8.4	60	2	3	7	10	15	20	45
65+	2931	11.5	108	3	4	9	14	22	32	82
GRAND TOTAL	**5844**	**9.7**	**81**	**3**	**3**	**7**	**11**	**18**	**25**	**58**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	4.3	12	1	1	4	4	10	13	13
35-49	14	5.8	23	<1	2	4	8	11	18	20
50-64	18	6.3	14	<1	1	6	10	12	13	13
65+	30	7.2	12	2	3	7	9	12	14	15
B. *Operated*										
0-19 YRS										
20-34	4	9.8	70	4	4	6	15	22	22	22
35-49	23	10.7	30	2	5	10	13	20	22	23
50-64	29	14.3	62	7	7	13	16	23	28	44
65+	27	13.0	84	2	4	11	17	23	33	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	11	7.5	15	3	3	7	10	14	15	15
35-49	31	8.4	35	3	3	6	12	16	22	27
50-64	62	7.2	10	3	4	7	9	12	13	14
65+	141	10.8	91	3	4	8	12	20	29	52
B. *Operated*										
0-19 YRS	2	19.5	181	10	10	19	29	29	29	29
20-34	9	12.2	38	3	4	13	19	61	99+	99+
35-49	43	19.3	241	6	7	15	25	45	61	99+
50-64	125	17.5	128	5	7	15	21	30	39	62
65+	257	20.3	205	5	6	17	26	41	54	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	6.3	15	1	2	6	9	12	13	19
B. *Operated*	83	12.7	61	3	5	11	15	22	25	43
2. MULTIPLE DX										
A. *Not Operated*	247	9.4	62	3	4	7	11	16	23	44
B. *Operated*	436	19.2	184	5	7	16	25	39	51	99+
1. SINGLE DX	154	9.7	49	2	3	8	13	20	22	42
2. MULTIPLE DX	683	15.7	162	4	5	12	20	33	45	75
A. NOT OPERATED	318	8.7	53	2	3	7	10	15	21	43
B. OPERATED	519	18.2	170	5	6	15	23	37	47	87
TOTAL 0-19 YRS	4	12.8	122	5	5	8	19	29	29	29
20-34	33	8.2	33	2	3	6	13	19	23	99+
35-49	111	12.8	140	3	3	9	15	26	39	89
50-64	234	13.5	102	3	4	11	17	27	32	55
65+	455	16.1	174	4	5	12	21	35	45	74
GRAND TOTAL	**837**	**14.6**	**147**	**3**	**4**	**11**	**19**	**30**	**42**	**71**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	419	2.6	3	1	1	2	3	5	6	8
20-34	620	3.0	4	<1	1	3	4	5	7	11
35-49	465	3.4	6	<1	1	3	4	5	7	13
50-64	317	3.5	5	<1	1	3	5	6	7	11
65+	184	4.3	14	<1	1	4	5	8	11	29
B. *Operated*										
0-19 YRS	9	4.1	4	1	1	5	5	7	7	7
20-34	38	4.7	9	<1	<1	5	7	9	10	11
35-49	53	4.8	16	<1	<1	4	7	10	13	19
50-64	62	4.8	13	<1	<1	4	8	9	11	14
65+	40	5.3	37	<1	<1	3	7	11	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	761	3.1	5	1	1	3	4	5	7	11
20-34	1274	4.4	17	1	1	4	5	8	10	16
35-49	1574	5.0	13	1	2	4	6	9	11	20
50-64	1833	5.8	18	1	2	5	7	10	13	21
65+	3124	7.6	45	2	3	6	9	14	18	37
B. *Operated*										
0-19 YRS	26	5.4	14	<1	2	4	8	12	13	14
20-34	190	7.0	34	2	2	6	8	12	18	28
35-49	283	8.7	43	1	2	7	12	17	22	30
50-64	521	9.0	48	1	2	8	12	16	22	36
65+	973	11.4	110	2	3	9	14	22	33	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2005	3.2	6	<1	1	3	4	6	7	12
B. *Operated*	202	4.9	17	<1	<1	4	7	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	8566	5.9	28	1	2	5	7	11	14	25
B. *Operated*	1993	9.9	78	2	3	8	12	19	26	60
1. SINGLE DX	2207	3.4	7	<1	1	3	4	6	8	13
2. MULTIPLE DX	10559	6.6	40	1	2	5	8	13	17	32
A. NOT OPERATED	10571	5.4	25	1	2	4	7	10	13	24
B. OPERATED	2195	9.4	75	1	2	8	12	19	25	57
TOTAL 0-19 YRS	1215	3.0	5	1	1	2	4	5	7	10
20-34	2122	4.2	16	1	1	3	5	8	10	17
35-49	2375	5.1	17	1	2	4	6	10	13	22
50-64	2733	6.1	25	1	2	5	8	11	15	24
65+	4321	8.3	62	2	2	6	10	16	21	46
GRAND TOTAL	**12766**	**6.1**	**36**	**1**	**2**	**5**	**7**	**12**	**16**	**30**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.5	2	1	1	2	4	5	5	7
20-34	66	3.3	8	<1	<1	3	4	6	9	16
35-49	65	3.3	5	<1	1	3	4	6	8	10
50-64	46	4.0	15	<1	1	3	5	7	12	23
65+	36	5.8	26	<1	1	5	9	12	13	25
B. *Operated*										
0-19 YRS	27	5.3	16	2	3	4	5	8	12	23
20-34	5	8.6	39	2	2	7	11	19	19	19
35-49	13	9.4	37	1	3	9	11	18	24	25
50-64	18	13.5	166	2	5	9	18	24	44	58
65+	15	9.7	37	<1	1	9	13	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	4.8	22	1	1	3	6	9	14	27
20-34	172	5.2	56	1	1	4	7	9	11	17
35-49	207	5.2	29	1	1	4	6	10	13	31
50-64	283	5.8	24	1	2	5	7	11	15	32
65+	512	7.5	44	1	2	6	10	15	18	37
B. *Operated*										
0-19 YRS	17	7.4	56	1	2	4	9	18	26	30
20-34	35	12.1	116	1	3	9	15	34	45	99+
35-49	82	14.3	105	3	5	12	18	30	34	52
50-64	111	14.5	121	1	3	13	19	29	37	54
65+	244	17.0	156	3	5	14	23	33	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	3.6	11	<1	1	3	4	7	10	16
B. *Operated*	78	8.9	66	1	3	7	10	19	23	49
2. MULTIPLE DX										
A. *Not Operated*	1275	6.2	38	1	2	5	8	12	16	32
B. *Operated*	489	15.3	137	2	4	12	20	32	39	65
1. SINGLE DX	342	4.8	28	<1	1	3	6	10	13	24
2. MULTIPLE DX	1764	8.7	82	1	2	6	11	19	27	49
A. NOT OPERATED	1539	5.8	35	1	1	4	7	11	16	28
B. OPERATED	567	14.4	132	2	3	12	19	30	38	62
TOTAL 0-19 YRS	196	4.5	20	1	1	3	5	8	13	27
20-34	278	5.7	58	<1	1	4	7	11	16	46
35-49	367	7.1	58	1	1	5	8	15	22	40
50-64	458	8.0	68	1	2	5	10	18	24	43
65+	807	10.4	96	1	2	8	13	22	29	51
GRAND TOTAL	**2106**	**8.1**	**75**	**1**	**2**	**5**	**10**	**18**	**25**	**48**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.3	2	<1	1	2	3	4	5	8
20-34	38	2.3	2	<1	1	2	3	4	5	7
35-49	22	2.8	2	1	1	3	4	5	5	5
50-64	5	4.8	7	2	2	4	7	8	8	8
65+	3	4.7	5	2	2	6	6	6	6	6
B. *Operated*										
0-19 YRS	4056	3.8	2	2	2	4	4	5	6	9
20-34	2632	4.2	3	2	3	4	5	6	7	10
35-49	729	4.7	3	2	3	4	6	7	8	11
50-64	313	5.6	7	3	3	5	7	9	11	15
65+	97	6.9	13	3	4	6	8	11	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	2.6	9	1	1	2	3	5	6	22
20-34	31	3.1	6	1	1	2	4	7	8	11
35-49	14	5.0	8	1	1	6	7	8	9	9
50-64	14	7.2	16	1	2	7	10	13	14	14
65+	10	7.7	22	3	3	6	12	15	17	17
B. *Operated*										
0-19 YRS	713	5.6	17	2	3	4	6	9	13	20
20-34	605	6.0	14	3	3	5	7	10	12	21
35-49	306	7.6	33	3	3	6	9	13	16	38
50-64	191	9.1	80	3	3	7	11	15	23	47
65+	168	10.7	96	4	4	8	12	19	25	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	2.5	2	1	1	2	3	5	6	8
B. *Operated*	7827	4.1	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	126	3.9	13	1	1	3	6	8	12	18
B. *Operated*	1983	6.8	34	3	3	5	8	12	15	32
1. SINGLE DX	7962	4.1	3	2	2	4	5	6	7	10
2. MULTIPLE DX	2109	6.6	33	2	3	5	8	11	15	30
A. NOT OPERATED	261	3.2	8	1	1	2	4	7	8	14
B. OPERATED	9810	4.6	10	2	3	4	5	7	9	15
TOTAL 0-19 YRS	4893	4.0	5	2	2	4	5	6	7	12
20-34	3306	4.5	5	2	3	4	5	7	8	12
35-49	1071	5.5	14	2	3	5	6	9	11	18
50-64	523	6.9	36	3	3	5	8	12	14	30
65+	278	9.2	66	3	4	7	10	16	22	43
GRAND TOTAL	10071	4.6	10	2	2	4	5	7	9	15

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	8.1	18	2	3	7	11	14	16	17
20-34	18	6.4	13	2	3	6	8	10	14	17
35-49	15	6.9	14	2	3	7	9	13	14	14
50-64	6	7.5	4	4	4	8	9	9	9	9
65+	3	7.7	2	6	6	8	9	9	9	9
B. *Operated*										
0-19 YRS	894	7.4	12	3	4	7	9	11	13	20
20-34	507	6.8	10	3	4	6	8	11	12	18
35-49	304	7.8	14	3	4	7	10	13	15	21
50-64	213	9.5	20	5	5	8	12	15	17	27
65+	103	10.4	24	5	6	10	12	14	17	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	11.6	10	5	7	12	14	15	15	15
20-34	7	6.7	18	2	2	7	11	12	12	12
35-49	9	10.6	10	4	6	11	13	14	14	14
50-64	16	8.3	13	1	4	8	10	14	14	14
65+	13	12.2	31	7	7	10	17	21	23	23
B. *Operated*										
0-19 YRS	442	10.1	29	4	5	9	12	18	21	28
20-34	308	10.3	47	4	5	9	12	16	20	44
35-49	263	11.9	42	5	6	10	14	20	25	36
50-64	386	12.9	41	6	7	12	15	21	27	[illegible]
65+	335	15.8	144	7	8	12	18	27	38	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	7.1	13	2	3	7	9	13	14	17
B. *Operated*	2021	7.7	14	3	4	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	55	10.0	19	3	4	9	12	15	18	23
B. *Operated*	1734	12.1	64	5	6	10	14	20	26	47
1. SINGLE DX	2077	7.7	[illegible]	3	4	7	9	12	14	21
2. MULTIPLE DX	1789	12.1	[illegible]	5	6	10	14	20	25	46
A. NOT OPERATED	111	8.6	18	3	3	8	11	14	16	22
B. OPERATED	3755	9.8	42	4	4	8	11	16	21	35
TOTAL 0-19 YRS	1360	8.4	19	3	4	8	10	13	17	25
20-34	840	8.1	27	3	4	7	9	13	16	25
35-49	591	9.6	30	4	4	8	12	16	20	30
50-64	621	11.6	36	5	6	10	14	19	24	36
65+	454	14.4	118	6	7	11	16	25	34	79
GRAND TOTAL	3866	9.7	41	3	4	8	11	16	21	35

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.2	1	1	1	2	3	4	5	5
20-34	36	2.5	2	<1	1	2	3	5	5	7
35-49	13	2.2	2	1	1	2	3	5	5	5
50-64	10	4.5	16	1	1	4	6	10	14	14
65+										
B. *Operated*										
0-19 YRS	142	4.1	3	2	2	4	5	6	7	10
20-34	141	4.3	2	2	3	4	5	6	7	8
35-49	36	5.9	14	3	3	5	7	10	15	19
50-64	15	6.4	29	1	1	6	7	9	20	24
65+	5	7.0	4	4	4	8	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.8	3	<1	1	2	4	5	6	8
20-34	22	2.8	3	<1	1	3	4	5	6	7
35-49	15	4.9	7	<1	2	4	6	9	10	10
50-64	7	6.7	31	2	2	4	10	16	17	17
65+	5	9.8	25	6	6	7	13	18	18	18
B. *Operated*										
0-19 YRS	103	5.1	13	2	3	4	5	7	11	24
20-34	97	6.3	13	3	3	6	8	10	12	22
35-49	38	7.0	20	3	3	6	8	11	17	24
50-64	30	8.6	26	4	4	7	10	16	22	24
65+	15	19.5	483	5	5	9	21	46	77	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	2.6	3	1	1	2	3	5	5	11
B. *Operated*	339	4.5	5	2	3	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	74	4.1	11	1	1	3	5	8	11	18
B. *Operated*	283	6.9	48	3	3	5	8	11	16	32
1. SINGLE DX	439	4.1	6	1	2	4	5	7	8	13
2. MULTIPLE DX	357	6.3	42	2	2	5	7	11	16	30
A. NOT OPERATED	174	3.2	7	1	1	2	4	6	8	16
B. OPERATED	622	5.6	26	2	3	4	6	9	11	24
TOTAL 0-19 YRS	311	4.1	7	1	2	4	5	6	8	14
20-34	296	4.6	7	1	2	4	6	7	9	14
35-49	102	5.7	15	1	2	5	7	10	12	22
50-64	62	7.2	27	1	2	6	9	14	19	24
65+	25	15.1	318	5	5	8	16	33	56	87
GRAND TOTAL	**796**	**5.1**	**23**	**1**	**2**	**4**	**6**	**8**	**11**	**23**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.6	1	<1	<1	1	2	3	5	6
20-34	17	1.8	1	<1	1	2	2	3	3	3
35-49	13	2.4	1	<1	1	2	3	4	4	4
50-64	16	1.9	1	<1	1	2	3	4	4	4
65+	17	2.6	4	<1	1	2	3	5	8	9
B. *Operated*										
0-19 YRS	3432	1.8	1	<1	<1	2	2	3	4	5
20-34	3249	3.0	3	1	1	3	4	4	5	7
35-49	2923	3.2	2	1	2	3	4	5	6	8
50-64	4238	3.5	2	1	2	3	4	5	6	8
65+	2927	3.9	4	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	235	1.4	5	<1	<1	1	1	2	3	7
20-34	44	1.7	2	<1	<1	1	2	3	4	9
35-49	49	1.7	2	<1	<1	1	2	3	6	6
50-64	108	3.2	17	<1	<1	2	4	6	10	24
65+	152	4.3	15	<1	1	3	6	10	12	17
B. *Operated*										
0-19 YRS	1851	2.0	3	<1	<1	2	2	3	5	9
20-34	1190	3.5	3	1	2	3	4	5	7	9
35-49	1794	4.0	5	1	2	4	5	6	8	12
50-64	4217	4.5	9	2	2	4	5	7	9	16
65+	5560	5.6	24	2	2	4	6	9	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	2.0	2	<1	<1	2	3	3	4	8
B. *Operated*	16769	3.1	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	588	2.5	11	<1	<1	1	3	6	9	16
B. *Operated*	14612	4.5	15	1	2	4	5	8	10	19
1. SINGLE DX	16851	3.1	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	15200	4.4	15	1	1	4	5	8	10	19
A. NOT OPERATED	670	2.5	9	<1	<1	1	3	5	8	15
B. OPERATED	31381	3.7	9	1	1	3	4	6	8	14
TOTAL 0-19 YRS	5537	1.8	2	<1	<1	1	2	3	4	6
20-34	4500	3.1	3	1	1	3	4	5	5	8
35-49	4779	3.5	3	1	2	3	4	5	6	9
50-64	8579	4.0	6	1	2	4	5	6	8	13
65+	8656	5.0	18	2	2	4	6	8	11	21
GRAND TOTAL	**32051**	**3.7**	**9**	**<1**	**1**	**3**	**4**	**6**	**8**	**14**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.3		<1	<1	1	1	2	3	3
20-34	5	2.0	1	1	1	2	3	3	3	3
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	7	1.9	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	291	2.1	2	<1	1	2	3	4	4	7
20-34	151	3.4	2	1	2	3	4	5	6	8
35-49	128	3.9	3	2	2	4	5	6	7	9
50-64	205	4.4	4	2	2	4	5	7	8	11
65+	293	5.6	12	2	3	5	7	8	11	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	4	<1	<1	2	3	4	7	8
20-34	8	4.5	9	1	1	4	6	9	10	10
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	8	2.1	4	1	1	1	2	6	7	7
65+	91	7.3	146	1	1	4	8	13	21	81
B. *Operated*										
0-19 YRS	193	2.5	4	<1	1	2	3	5	7	11
20-34	55	3.9	3	2	2	4	5	6	7	9
35-49	106	4.9	7	2	2	4	6	8	11	14
50-64	262	6.7	36	2	3	5	8	11	15	32
65+	956	10.2	95	3	4	7	12	19	30	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	1068	3.9	7	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	126	6.0	111	1	1	4	7	12	18	70
B. *Operated*	1572	8.1	73	1	2	6	9	16	22	52
1. SINGLE DX	1096	3.8	7	1	1	3	5	7	8	13
2. MULTIPLE DX	1698	7.9	76	1	2	6	9	15	21	55
A. NOT OPERATED	154	5.2	93	<1	1	3	6	10	16	60
B. OPERATED	2640	6.4	51	1	2	5	7	12	18	39
TOTAL 0-19 YRS	512	2.2	3	<1	1	2	3	4	5	9
20-34	219	3.5	3	1	2	3	4	6	7	9
35-49	237	4.3	5	2	2	4	5	7	8	12
50-64	479	5.6	23	2	2	5	7	9	12	24
65+	1347	8.9	84	2	3	6	10	17	24	70
GRAND TOTAL	**2794**	**6.3**	**53**	**1**	**1**	**4**	**7**	**12**	**17**	**39**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	3	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	417	2.0	3	<1	<1	2	2	3	4	6
20-34	171	3.0	2	1	1	3	4	5	6	7
35-49	251	3.1	2	1	1	3	4	5	6	8
50-64	203	3.5	3	1	2	3	4	5	6	9
65+	61	4.1	3	2	2	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	1.2		<1	<1	1	1	2	2	3
20-34	11	2.6	7	<1	<1	2	3	6	10	10
35-49	13	3.3	11	<1	<1	2	4	9	11	11
50-64	16	3.9	13	<1	<1	2	7	9	10	11
65+	14	6.4	99	<1	1	3	6	11	34	40
B. *Operated*										
0-19 YRS	83	2.9	17	<1	<1	2	3	5	6	28
20-34	84	4.2	5	1	2	4	5	8	9	12
35-49	200	4.3	6	1	2	4	6	7	9	13
50-64	240	5.2	15	2	2	4	6	9	14	21
65+	172	6.5	21	2	3	5	8	11	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.3	1	1	1	2	3	3	3	3
B. *Operated*	1103	2.8	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	85	3.0	23	<1	<1	1	3	7	9	30
B. *Operated*	779	4.9	14	1	2	4	6	9	11	21
1. SINGLE DX	1109	2.8	3	<1	1	2	3	5	5	8
2. MULTIPLE DX	864	4.7	16	1	1	4	6	9	11	21
A. NOT OPERATED	91	3.0	22	<1	<1	1	3	7	9	28
B. OPERATED	1882	3.7	9	<1	1	3	5	6	8	16
TOTAL 0-19 YRS	533	2.1	5	<1	<1	2	2	3	4	7
20-34	266	3.3	4	1	1	3	4	6	7	9
35-49	465	3.6	5	1	1	3	5	6	8	11
50-64	459	4.4	10	1	2	4	5	7	10	17
65+	250	5.9	22	2	2	5	7	10	14	31
GRAND TOTAL	**1973**	**3.6**	**10**	**<1**	**1**	**3**	**5**	**6**	**9**	**16**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49	9	3.6	6	1	1	3	4	8	9	9
50-64	8	4.1	15	<1	<1	3	5	11	13	13
65+	7	2.7	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	87	2.3	3	<1	<1	2	3	4	4	11
20-34	348	3.7	4	1	2	3	5	6	7	9
35-49	492	4.6	5	2	2	4	6	7	9	12
50-64	513	5.1	5	2	2	5	6	8	9	13
65+	362	5.8	8	2	3	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	<1	<1	2	2	3	3	3
20-34	18	2.8	5	<1	<1	2	4	6	8	9
35-49	37	3.2	12	<1	<1	2	4	8	10	16
50-64	54	4.2	19	<1	1	3	5	9	13	25
65+	82	6.3	35	1	1	4	8	14	17	31
B. *Operated*										
0-19 YRS	33	3.5	6	<1	1	3	5	6	8	13
20-34	202	5.9	18	2	2	5	7	10	14	24
35-49	489	6.4	20	2	3	5	8	11	13	23
50-64	857	7.8	42	3	3	6	9	13	17	34
65+	851	9.2	45	3	4	7	11	17	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.3	7	<1	<1	3	4	6	9	13
B. *Operated*	1802	4.7	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	196	4.7	25	<1	1	3	6	11	15	27
B. *Operated*	2432	7.8	38	3	3	6	9	14	18	32
1. SINGLE DX	1832	4.7	6	1	2	4	6	8	9	12
2. MULTIPLE DX	2628	7.6	37	2	3	6	9	13	18	32
A. NOT OPERATED	226	4.5	22	<1	1	3	6	10	14	26
B. OPERATED	4234	6.5	27	2	2	5	8	11	15	26
TOTAL 0-19 YRS	127	2.6	4	<1	<1	2	3	5	6	12
20-34	572	4.5	10	1	2	4	6	7	9	18
35-49	1027	5.4	13	2	2	5	7	9	11	18
50-64	1432	6.7	30	2	3	5	8	11	14	28
65+	1302	8.0	36	2	3	7	10	14	19	32
GRAND TOTAL	**4460**	**6.4**	**26**	**2**	**2**	**5**	**8**	**11**	**14**	**26**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	3.4	5	<1	<1	3	6	7	7	7
35-49	76	3.9	6	<1	1	3	5	8	9	12
50-64	63	3.9	6	1	1	3	5	7	8	16
65+	49	4.0	5	1	1	4	5	7	8	10
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	8.0	19	<1	2	9	10	13	16	16
35-49	14	7.0	24	<1	<1	7	9	14	16	17
50-64	28	8.2	10	3	4	8	10	13	13	15
65+	20	8.7	11	2	3	9	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.7	8	<1	1	4	6	8	11	11
20-34	81	4.0	6	<1	1	4	6	7	9	13
35-49	300	4.8	8	1	2	4	6	9	10	14
50-64	642	5.0	12	1	2	4	6	8	11	19
65+	1229	6.7	29	2	2	5	8	12	15	30
B. *Operated*										
0-19 YRS	6	18.2	309	1	2	13	22	48	51	51
20-34	49	9.1	49	2	3	8	10	15	17	48
35-49	102	8.8	34	2	4	8	10	14	19	34
50-64	210	9.9	41	2	3	9	12	17	22	31
65+	322	12.2	103	2	3	10	15	23	33	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	3.9	6	<1	1	3	5	7	8	12
B. *Operated*	75	8.0	14	<1	3	8	10	13	14	17
2. MULTIPLE DX										
A. *Not Operated*	2264	5.8	21	1	2	5	7	10	13	24
B. *Operated*	689	10.8	74	2	3	9	13	19	25	56
1. SINGLE DX	274	5.0	11	<1	1	4	7	10	12	16
2. MULTIPLE DX	2953	7.0	38	2	2	5	9	13	17	33
A. NOT OPERATED	2463	5.7	20	1	2	5	7	10	13	23
B. OPERATED	764	10.5	68	2	3	9	12	19	24	55
TOTAL 0-19 YRS	19	8.8	133	<1	1	5	10	20	38	51
20-34	153	5.9	26	<1	1	5	8	10	14	23
35-49	492	5.5	17	1	2	5	7	10	12	20
50-64	943	6.1	22	1	2	5	8	11	14	24
65+	1620	7.7	48	2	2	6	10	14	19	39
GRAND TOTAL	**3227**	**6.8**	**36**	**1**	**2**	**5**	**8**	**13**	**17**	**33**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	4.5	13	2	2	4	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	29	2.6	5	<1	1	2	3	5	6	12
20-34	60	3.0	2	1	1	3	4	5	5	6
35-49	92	3.3	3	1	2	3	4	5	7	9
50-64	101	4.3	6	1	2	4	5	7	9	14
65+	98	4.6	6	2	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	6	1	1	4	5	6	6	6
20-34	2	9.0	128	1	1	9	17	17	17	17
35-49	7	4.3	17	1	1	2	8	11	11	11
50-64	7	3.4	5	<1	<1	3	6	6	6	6
65+	14	7.6	27	2	3	6	8	15	19	20
B. *Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	34	4.3	10	1	2	3	6	7	12	16
35-49	64	4.3	12	1	2	4	5	6	9	25
50-64	96	5.9	26	2	3	5	7	9	12	33
65+	184	6.9	29	2	3	5	8	12	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	6	<1	<1	2	4	7	7	7
B. *Operated*	380	3.8	5	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	33	5.7	24	1	1	4	7	14	17	20
B. *Operated*	381	5.9	25	2	2	4	7	10	15	29
1. SINGLE DX	386	3.8	5	1	2	3	5	6	8	13
2. MULTIPLE DX	414	5.9	25	2	2	4	7	11	16	29
A. NOT OPERATED	39	5.3	22	<1	1	4	7	13	16	20
B. OPERATED	761	4.9	16	1	2	4	5	8	11	25
TOTAL 0-19 YRS	37	2.6	4	<1	<1	2	4	5	6	12
20-34	98	3.5	7	1	1	3	4	6	7	17
35-49	163	3.8	7	1	2	3	4	6	8	12
50-64	206	5.0	16	2	2	4	6	8	10	26
65+	296	6.2	22	2	3	5	7	11	16	28
GRAND TOTAL	**800**	**4.9**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**24**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	3	1.3		1	1	1	2	2	2	2
35-49	9	3.8	7	1	1	3	6	8	8	8
50-64	10	4.8	15	1	1	4	5	10	15	15
65+	19	3.5	5	<1	1	3	5	7	9	9
B. *Operated*										
0-19 YRS	34	2.4	2	<1	1	2	3	4	6	8
20-34	143	3.2	3	1	1	3	4	5	7	8
35-49	234	4.3	7	1	2	4	5	8	10	13
50-64	258	5.3	7	2	2	5	6	9	10	14
65+	294	7.6	28	2	3	7	9	12	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	7	2.7	2	1	1	3	4	5	5	5
35-49	21	3.3	5	1	1	3	5	7	7	7
50-64	47	5.9	15	1	2	5	8	10	13	22
65+	167	7.7	58	1	2	6	9	15	21	40
B. *Operated*										
0-19 YRS	17	6.6	39	1	1	5	8	19	22	22
20-34	84	6.5	41	1	2	5	8	11	20	33
35-49	263	7.6	31	2	3	6	10	15	19	27
50-64	507	9.3	59	3	3	7	11	17	22	44
65+	1118	12.7	115	3	4	10	15	24	32	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.6	8	<1	1	3	5	7	9	15
B. *Operated*	963	5.3	16	1	2	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	244	6.8	45	1	2	5	8	13	17	34
B. *Operated*	1989	10.8	91	3	3	8	13	20	28	60
1. SINGLE DX	1006	5.3	15	1	2	4	7	10	12	18
2. MULTIPLE DX	2233	10.4	87	2	3	8	13	20	27	60
A. NOT OPERATED	287	6.3	41	1	1	5	8	12	16	32
B. OPERATED	2952	9.1	73	2	3	7	11	17	24	45
TOTAL 0-19 YRS	55	3.6	17	<1	1	2	4	7	10	22
20-34	237	4.4	19	1	1	3	5	8	10	31
35-49	527	5.9	22	1	2	4	7	11	15	25
50-64	822	7.8	43	2	3	6	9	14	19	38
65+	1598	11.1	98	3	3	9	13	21	29	63
GRAND TOTAL	**3239**	**8.8**	**70**	**2**	**2**	**7**	**11**	**17**	**23**	**44**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	3.0	6	<1	1	2	4	6	7	12
20-34	227	4.5	8	1	2	4	6	9	10	13
35-49	329	4.9	10	1	2	4	6	9	11	17
50-64	355	5.0	9	1	2	4	7	9	10	15
65+	476	5.9	14	1	2	5	8	11	13	18
B. *Operated*										
0-19 YRS	107	6.9	36	2	3	6	8	13	15	34
20-34	126	9.4	22	4	5	9	11	15	21	26
35-49	146	9.9	28	5	5	9	11	15	22	34
50-64	169	11.3	27	6	6	10	13	17	22	32
65+	182	13.3	41	6	7	12	16	23	27	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	3.8	11	1	1	3	5	8	11	15
20-34	280	5.4	17	1	2	4	7	10	13	20
35-49	462	5.9	15	2	2	5	7	11	13	19
50-64	962	7.1	34	2	2	6	9	13	16	29
65+	2771	9.1	62	2	3	7	11	17	22	44
B. *Operated*										
0-19 YRS	121	9.6	71	2	3	8	10	15	25	49
20-34	205	13.3	70	5	6	11	16	23	30	48
35-49	356	15.5	124	6	7	12	19	30	39	58
50-64	658	17.3	138	6	8	14	21	32	41	74
65+	1686	19.7	189	7	8	16	24	37	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1505	5.0	11	1	2	4	7	9	11	17
B. *Operated*	730	10.6	35	4	5	9	13	17	23	31
2. MULTIPLE DX										
A. *Not Operated*	4581	8.0	49	2	2	6	10	15	19	37
B. *Operated*	3026	17.9	164	6	7	14	22	33	45	90
1. SINGLE DX	2235	6.8	26	1	2	6	9	13	16	26
2. MULTIPLE DX	7607	11.9	119	2	3	9	15	23	33	64
A. NOT OPERATED	6086	7.2	42	1	2	6	9	14	17	34
B. OPERATED	3756	16.4	148	5	6	13	20	30	41	83
TOTAL 0-19 YRS	452	5.9	39	1	1	5	8	11	15	34
20-34	838	7.7	41	2	2	6	10	15	19	34
35-49	1293	8.8	65	2	2	7	11	17	23	44
50-64	2144	10.2	86	2	3	8	13	20	27	47
65+	5115	12.4	126	2	3	10	16	24	33	71
GRAND TOTAL	9842	10.8	102	2	3	8	13	21	29	58

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3972	2.7	3	1	1	2	3	5	6	8
20-34	1733	2.6	3	1	1	2	3	5	6	9
35-49	734	3.1	5	1	1	3	4	6	7	11
50-64	435	3.7	10	1	1	3	5	7	8	13
65+	389	4.0	7	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	83	6.7	128	1	2	4	7	9	11	78
20-34	134	5.9	26	1	2	5	7	9	14	28
35-49	69	5.4	16	1	1	5	7	9	11	24
50-64	44	5.8	12	<1	1	6	8	9	13	15
65+	32	5.6	16	1	1	6	8	10	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6233	3.6	7	1	2	3	4	6	7	14
20-34	2016	3.5	6	1	1	3	4	6	8	12
35-49	1396	4.4	11	1	2	4	5	8	10	17
50-64	1917	5.1	18	1	2	4	6	9	12	20
65+	4190	7.2	53	2	2	5	8	13	18	49
B. *Operated*										
0-19 YRS	100	7.3	85	2	3	5	8	12	36	99+
20-34	198	8.2	84	1	2	6	10	15	24	56
35-49	208	9.0	80	2	3	7	11	16	22	56
50-64	288	11.0	108	2	3	8	13	21	32	64
65+	615	13.7	143	2	4	10	17	29	37	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7263	2.8	4	1	1	2	4	5	6	10
B. *Operated*	362	5.9	45	1	1	5	7	9	13	31
2. MULTIPLE DX										
A. *Not Operated*	15752	4.8	23	1	2	4	6	9	12	23
B. *Operated*	1409	11.2	120	2	3	8	13	24	33	70
1. SINGLE DX	7625	3.0	6	1	1	2	4	5	7	10
2. MULTIPLE DX	17161	5.3	34	1	2	4	6	10	14	32
A. NOT OPERATED	23015	4.2	18	1	1	3	5	8	10	20
B. OPERATED	1771	10.1	109	2	2	7	12	21	31	65
TOTAL 0-19 YRS	10388	3.3	8	1	1	3	4	6	7	12
20-34	4081	3.4	11	1	1	3	4	6	8	14
35-49	2407	4.4	17	1	1	3	5	8	11	20
50-64	2684	5.5	30	1	2	4	7	10	14	28
65+	5226	7.7	66	2	2	5	9	15	21	53
GRAND TOTAL	24786	4.6	27	1	1	3	5	9	12	26

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	73	5.2	6	2	2	5	7	8	9	11
35-49	382	5.4	8	2	2	5	7	9	11	15
50-64	793	5.7	10	1	2	5	7	9	11	16
65+	899	5.4	15	1	1	5	7	10	12	17
B. *Operated*										
0-19 YRS	3	8.7	5	6	6	10	10	10	10	10
20-34	31	10.0	25	2	4	9	13	17	18	25
35-49	119	10.8	39	4	5	10	12	18	20	37
50-64	204	11.7	34	4	6	11	13	18	23	34
65+	200	13.2	76	2	5	12	15	22	27	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.7	18	2	2	4	8	13	15	15
20-34	64	5.9	13	1	2	5	8	12	13	16
35-49	446	6.4	14	2	3	6	8	11	13	19
50-64	1660	6.5	16	2	2	6	8	11	14	21
65+	5913	8.2	48	2	3	7	10	14	19	38
B. *Operated*										
0-19 YRS	4	6.0	3	4	4	6	7	8	8	8
20-34	69	12.6	49	6	7	10	15	21	27	41
35-49	365	13.5	67	5	7	11	16	23	28	46
50-64	1036	15.0	89	4	6	13	18	26	33	50
65+	2402	17.1	162	4	6	14	21	32	43	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2147	5.5	12	1	2	5	7	9	11	17
B. *Operated*	557	11.9	50	3	5	11	14	20	24	39
2. MULTIPLE DX										
A. *Not Operated*	8093	7.8	40	2	3	6	9	14	17	34
B. *Operated*	3876	16.1	133	4	6	13	20	30	39	75
1. SINGLE DX	2704	6.8	26	1	2	6	9	12	16	25
2. MULTIPLE DX	11969	10.5	86	2	3	8	13	20	27	53
A. NOT OPERATED	10240	7.3	35	2	2	6	9	13	16	31
B. OPERATED	4433	15.6	125	4	6	13	19	28	37	72
TOTAL 0-19 YRS	17	6.3	13	2	3	6	9	11	14	15
20-34	237	8.1	33	2	3	7	10	15	18	30
35-49	1312	8.5	40	2	3	7	11	15	20	31
50-64	3693	9.0	52	2	3	7	11	17	22	38
65+	9414	10.3	92	2	3	8	13	20	28	57
GRAND TOTAL	**14673**	**9.8**	**77**	**2**	**3**	**8**	**12**	**19**	**25**	**49**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	4	<1	1	2	3	6	7	8
20-34	44	3.4	6	<1	1	3	5	7	9	10
35-49	31	2.8	3	<1	1	2	4	6	6	7
50-64	18	3.8	6	<1	<1	3	5	7	9	10
65+	12	6.0	17	1	2	5	7	12	15	16
B. *Operated*										
0-19 YRS	151	3.1	6	<1	1	3	4	6	8	13
20-34	952	3.1	3	1	1	3	4	5	6	8
35-49	849	3.3	4	1	1	3	4	6	7	10
50-64	455	3.6	6	1	2	3	4	6	7	17
65+	172	4.5	26	1	2	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.9	10	<1	1	3	5	9	10	12
20-34	62	4.0	15	<1	<1	2	5	11	13	15
35-49	65	5.7	48	<1	1	3	7	11	16	44
50-64	66	4.6	13	1	1	4	6	9	11	21
65+	93	8.5	78	1	2	7	12	16	19	52
B. *Operated*										
0-19 YRS	74	4.7	18	1	1	3	5	11	15	21
20-34	783	4.3	14	1	2	4	5	7	10	15
35-49	1039	4.5	18	1	2	4	5	8	11	21
50-64	858	5.4	38	2	2	4	5	10	15	35
65+	556	7.4	78	2	2	5	8	15	24	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	3.4	7	<1	1	3	5	7	8	12
B. *Operated*	2579	3.4	6	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	312	5.8	43	<1	1	4	8	12	15	22
B. *Operated*	3310	5.2	33	1	2	4	5	9	14	30
1. SINGLE DX	2700	3.4	6	1	1	3	4	6	7	12
2. MULTIPLE DX	3622	5.2	34	1	2	4	6	10	14	30
A. NOT OPERATED	433	5.2	34	<1	1	3	7	11	15	21
B. OPERATED	5889	4.4	22	1	2	3	5	7	11	24
TOTAL 0-19 YRS	267	3.6	10	<1	1	3	4	8	10	16
20-34	1841	3.7	8	1	1	3	4	6	8	14
35-49	1984	4.0	13	1	1	3	5	7	9	18
50-64	1397	4.8	27	1	2	4	5	8	12	29
65+	833	6.9	68	2	2	4	8	14	19	59
GRAND TOTAL	**6322**	**4.4**	**23**	**1**	**2**	**3**	**5**	**8**	**11**	**23**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	571	3.8	13	<1	1	3	5	8	10	18
20-34	784	5.4	17	1	1	4	7	10	13	20
35-49	500	5.1	20	<1	1	4	7	10	13	22
50-64	338	5.2	24	<1	1	4	7	11	13	24
65+	478	5.0	22	1	1	4	6	10	14	23
B. *Operated*										
0-19 YRS	209	7.6	55	<1	1	5	9	18	25	34
20-34	502	8.0	49	1	1	6	10	16	22	33
35-49	356	8.3	77	<1	1	6	11	17	24	48
50-64	339	7.3	55	<1	1	5	10	15	21	36
65+	369	7.7	42	<1	1	6	11	15	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	580	4.7	25	1	1	3	6	10	13	27
20-34	1104	6.2	29	1	2	5	8	12	16	27
35-49	1056	6.6	27	1	2	5	8	13	17	26
50-64	1417	6.8	41	1	2	5	8	13	17	33
65+	4080	8.0	65	2	2	6	10	16	21	51
B. *Operated*										
0-19 YRS	261	12.2	188	1	2	8	13	28	42	69
20-34	999	13.0	153	2	3	9	16	28	39	64
35-49	1008	12.5	142	2	3	9	16	25	35	68
50-64	1326	14.1	199	2	3	10	18	32	45	78
65+	2668	15.9	201	2	4	12	20	34	49	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2671	4.9	19	1	1	4	6	10	13	21
B. *Operated*	1775	7.8	55	<1	1	6	10	16	22	36
2. MULTIPLE DX										
A. *Not Operated*	8237	7.2	50	1	2	5	9	14	19	40
B. *Operated*	6262	14.4	185	2	3	10	18	31	44	82
1. SINGLE DX	4446	6.1	35	<1	1	4	8	12	16	30
2. MULTIPLE DX	14499	10.3	121	1	2	7	12	22	32	66
A. NOT OPERATED	10908	6.6	43	1	2	5	8	13	18	35
B. OPERATED	8037	12.9	164	1	2	9	16	28	40	76
TOTAL 0-19 YRS	1621	5.9	60	1	1	4	7	12	19	41
20-34	3389	8.3	76	1	2	6	10	17	25	46
35-49	2920	8.6	80	1	2	6	11	18	24	49
50-64	3420	9.5	115	1	2	6	11	20	30	63
65+	7595	10.6	125	2	2	7	13	23	33	73
GRAND TOTAL	**18945**	**9.3**	**104**	**1**	**2**	**6**	**11**	**20**	**29**	**60**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	24	6.7	23	2	2	5	9	10	16	25
35-49	59	7.9	43	2	3	7	9	15	16	43
50-64	56	8.0	65	2	2	6	10	13	20	45
65+	26	8.4	24	3	4	7	10	14	19	25
B. *Operated*										
0-19 YRS										
20-34	6	2.7	10	1	1	1	3	8	9	9
35-49	17	4.8	29	1	1	2	7	14	16	17
50-64	37	6.9	63	1	1	3	10	17	23	38
65+	7	4.4	14	1	1	3	6	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	10.1	49	4	4	7	16	21	22	22
20-34	370	8.5	47	3	4	6	8	16	20	41
35-49	910	9.6	51	3	4	7	12	18	24	38
50-64	911	11.7	86	3	4	9	15	23	29	53
65+	503	12.4	94	3	4	10	15	24	31	53
B. *Operated*										
0-19 YRS										
20-34	58	12.0	67	2	4	10	16	26	38	99+
35-49	229	14.9	139	2	3	13	21	28	35	67
50-64	334	14.3	164	2	2	11	18	30	43	72
65+	209	17.5	221	2	3	14	23	38	51	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	7.8	44	2	2	7	9	14	16	45
B. *Operated*	67	5.8	45	1	1	2	9	13	19	36
2. MULTIPLE DX										
A. *Not Operated*	2701	10.7	72	3	4	8	13	21	27	45
B. *Operated*	830	15.1	167	2	2	12	20	31	42	78
1. SINGLE DX	233	7.2	45	1	2	6	9	13	17	43
2. MULTIPLE DX	3531	11.7	98	3	4	8	15	24	31	54
A. NOT OPERATED	2867	10.5	71	3	4	8	13	21	27	45
B. OPERATED	897	14.4	164	2	2	11	19	30	41	77
TOTAL 0-19 YRS	8	9.1	50	2	3	6	13	21	22	22
20-34	458	8.8	50	3	4	6	10	17	26	44
35-49	1215	10.5	72	2	3	7	13	21	27	43
50-64	1338	12.0	107	2	3	9	15	25	32	56
65+	745	13.6	133	2	4	10	18	27	36	69
GRAND TOTAL	**3764**	**11.4**	**96**	**2**	**3**	**8**	**14**	**23**	**31**	**53**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.1	4	1	1	1	3	5	7	7
20-34	17	4.6	14	1	1	3	6	9	14	16
35-49	20	5.4	22	1	1	4	8	12	15	18
50-64	43	7.9	66	1	1	5	11	17	22	44
65+	37	7.5	61	1	1	6	10	18	23	36
B. *Operated*										
0-19 YRS	15	2.6	4	<1	1	2	3	5	7	8
20-34	105	3.0	14	1	1	2	2	8	10	21
35-49	108	2.5	7	<1	1	2	2	5	8	15
50-64	136	3.4	19	1	1	2	4	8	11	25
65+	70	5.1	65	1	1	2	4	14	19	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	6.0	25	<1	1	4	10	14	15	16
20-34	58	6.3	21	1	1	5	8	12	15	25
35-49	148	10.4	75	2	3	9	13	18	22	43
50-64	393	10.1	67	2	3	8	13	20	28	52
65+	543	13.3	130	2	4	10	17	26	36	63
B. *Operated*										
0-19 YRS	20	3.2	3	1	1	3	4	6	7	7
20-34	111	7.0	69	1	1	3	10	21	27	36
35-49	195	9.2	140	1	1	6	12	21	28	59
50-64	442	9.7	124	1	1	5	13	24	31	49
65+	443	14.5	230	1	2	11	19	31	42	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	6.4	48	1	1	4	9	15	19	38
B. *Operated*	434	3.3	22	1	1	2	3	8	12	25
2. MULTIPLE DX										
A. *Not Operated*	1166	11.3	98	2	3	9	14	22	31	58
B. *Operated*	1211	11.0	166	1	1	7	15	27	36	70
1. SINGLE DX	563	4.0	30	1	1	2	4	10	14	26
2. MULTIPLE DX	2377	11.2	133	1	2	8	15	24	34	65
A. NOT OPERATED	1295	10.8	95	1	2	8	14	21	30	57
B. OPERATED	1645	9.0	140	1	1	4	12	23	31	64
TOTAL 0-19 YRS	71	3.8	13	1	1	2	5	9	14	16
20-34	291	5.3	39	1	1	2	7	12	20	31
35-49	471	7.9	93	1	1	5	10	17	24	44
50-64	1014	8.9	90	1	1	6	12	21	29	47
65+	1093	13.1	170	1	2	10	17	28	39	80
GRAND TOTAL	**2940**	**9.8**	**121**	**1**	**1**	**7**	**13**	**22**	**31**	**62**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	5.1	15	<1	2	4	6	10	14	18
20-34	140	5.6	16	1	2	5	7	10	13	19
35-49	52	5.4	10	2	2	5	7	10	11	17
50-64	40	6.2	25	2	2	6	8	9	11	32
65+	41	5.7	15	1	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	9	3.1	10	1	1	2	4	9	10	10
20-34	35	4.4	27	1	1	2	5	11	13	28
35-49	32	6.4	182	1	1	2	6	14	18	76
50-64	39	5.1	36	<1	1	2	7	15	17	28
65+	22	6.6	48	1	1	4	8	16	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	4.9	9	1	2	4	7	8	9	17
20-34	148	6.0	17	1	2	5	8	12	13	23
35-49	217	9.4	85	1	2	6	12	18	26	50
50-64	462	11.0	114	2	3	8	13	22	29	53
65+	572	11.2	89	3	4	8	14	22	32	45
B. *Operated*										
0-19 YRS	17	13.5	187	1	1	6	25	37	39	39
20-34	44	13.2	182	1	2	9	14	34	44	65
35-49	89	14.9	210	2	2	10	21	34	53	87
50-64	191	12.7	133	1	2	10	18	30	36	49
65+	240	18.3	274	2	2	13	26	44	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	5.6	16	1	2	5	7	10	12	19
B. *Operated*	137	5.3	68	1	1	2	7	13	17	35
2. MULTIPLE DX										
A. *Not Operated*	1448	10.1	89	2	3	7	12	20	27	50
B. *Operated*	581	15.4	213	2	2	11	22	36	48	79
1. SINGLE DX	440	5.5	32	1	1	4	7	11	14	28
2. MULTIPLE DX	2029	11.6	130	2	3	8	14	25	36	61
A. NOT OPERATED	1751	9.3	79	2	3	7	11	18	25	45
B. OPERATED	718	13.5	201	1	2	9	19	34	45	75
TOTAL 0-19 YRS	105	6.2	49	1	1	4	7	12	19	39
20-34	367	6.5	43	1	2	5	8	12	15	36
35-49	390	9.9	120	1	2	6	12	21	29	65
50-64	732	10.9	113	2	2	8	13	24	32	51
65+	875	12.7	148	2	3	9	16	28	40	67
GRAND TOTAL	**2469**	**10.5**	**118**	**2**	**2**	**7**	**13**	**23**	**33**	**57**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.0	3	1	1	2	4	6	6	7
20-34	291	3.0	4	1	1	3	4	6	8	11
35-49	299	3.2	7	1	1	3	4	6	7	14
50-64	312	3.7	7	1	1	3	5	6	8	11
65+	236	4.8	8	1	2	4	6	9	10	14
B. *Operated*										
0-19 YRS	200	6.4	6	3	4	6	7	9	11	16
20-34	2551	6.6	6	4	4	6	7	9	11	15
35-49	2486	6.9	6	4	5	6	8	10	11	15
50-64	2295	7.5	7	4	5	7	9	11	12	17
65+	1160	9.1	19	5	6	8	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.7	7	<1	1	3	5	7	9	11
20-34	299	3.7	9	1	1	3	5	6	8	14
35-49	405	4.3	10	1	1	3	6	8	11	16
50-64	897	5.3	20	1	2	4	6	10	12	20
65+	2014	7.8	42	2	3	6	10	14	18	35
B. *Operated*										
0-19 YRS	155	8.8	19	4	5	8	11	14	18	26
20-34	1953	8.3	18	4	5	7	10	13	16	27
35-49	2899	8.8	25	5	5	8	10	14	17	27
50-64	4597	10.0	29	5	5	9	12	16	20	31
65+	5789	13.9	84	6	7	11	17	24	30	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1179	3.6	7	1	1	3	5	7	8	12
B. *Operated*	8692	7.3	9	4	5	7	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	3652	6.4	32	1	2	5	8	12	15	29
B. *Operated*	15393	11.0	53	5	5	9	13	19	24	42
1. SINGLE DX	9871	6.8	10	2	4	6	8	10	12	18
2. MULTIPLE DX	19045	10.1	52	3	4	8	12	18	23	40
A. NOT OPERATED	4831	5.7	28	1	2	5	7	11	14	26
B. OPERATED	24085	9.7	40	5	5	8	11	16	21	35
TOTAL 0-19 YRS	433	6.7	14	2	3	6	8	11	14	20
20-34	5094	6.9	13	2	4	6	8	11	13	20
35-49	6089	7.4	18	3	4	7	9	11	14	22
50-64	8101	8.6	25	3	4	7	10	14	17	27
65+	9199	11.8	73	3	5	10	14	21	27	50
GRAND TOTAL	**28916**	**9.0**	**40**	**3**	**4**	**7**	**11**	**15**	**20**	**34**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.8	5	<1	1	4	6	7	8	10
20-34	221	3.3	4	1	1	3	4	6	7	9
35-49	233	3.9	10	1	1	3	5	6	8	14
50-64	157	4.1	10	1	1	3	5	7	10	18
65+	125	5.6	20	1	2	5	7	10	12	24
B. *Operated*										
0-19 YRS	19	7.6	30	4	5	6	7	13	22	27
20-34	196	7.3	10	4	4	6	8	11	14	18
35-49	226	7.7	12	3	5	7	9	13	14	21
50-64	160	8.1	13	3	5	7	10	12	14	21
65+	117	10.1	19	4	6	9	12	15	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.6	12	1	2	3	6	10	12	15
20-34	212	4.4	9	1	1	4	6	8	9	16
35-49	263	5.1	13	1	2	4	7	9	12	15
50-64	380	6.1	17	1	2	5	8	11	14	18
65+	700	8.8	69	2	3	7	11	15	20	56
B. *Operated*										
0-19 YRS	21	9.4	14	5	5	9	11	16	16	16
20-34	227	9.0	23	4	5	8	11	16	19	23
35-49	378	9.7	29	4	5	8	12	16	21	32
50-64	480	11.6	55	5	6	10	14	19	24	37
65+	652	15.8	120	5	7	13	19	28	35	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	775	4.1	10	1	1	3	5	7	9	15
B. *Operated*	718	8.0	14	4	5	7	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	1578	6.9	41	1	2	6	9	13	15	28
B. *Operated*	1758	12.4	77	5	6	10	15	22	29	47
1. SINGLE DX	1493	6.0	16	1	2	5	8	11	13	20
2. MULTIPLE DX	3336	9.8	68	2	3	8	12	18	23	41
A. NOT OPERATED	2353	5.9	33	1	2	5	7	11	14	24
B. OPERATED	2476	11.1	62	4	5	9	13	19	25	40
TOTAL 0-19 YRS	102	5.8	18	1	2	5	7	10	15	22
20-34	856	6.0	17	1	2	5	8	11	14	21
35-49	1100	7.0	23	1	2	6	9	13	15	27
50-64	1177	8.3	39	2	2	7	11	15	18	31
65+	1594	11.5	96	2	3	9	14	22	29	60
GRAND TOTAL	**4829**	**8.6**	**55**	**2**	**2**	**7**	**11**	**16**	**21**	**36**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	16	3.3	6	<1	<1	2	4	8	8	8
35-49	20	4.8	9	1	1	4	7	9	10	11
50-64	27	4.1	5	1	1	4	6	7	8	9
65+	57	4.5	20	1	1	4	6	8	10	30
B. *Operated*										
0-19 YRS	9	8.4	29	4	4	6	13	17	18	18
20-34	92	8.1	22	1	3	8	10	12	16	27
35-49	107	8.3	21	1	2	8	11	14	17	23
50-64	121	9.1	41	1	2	8	12	16	20	35
65+	157	10.9	57	1	2	10	14	20	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	1	4	4	5	5	6	6	6
20-34	28	4.8	12	1	2	4	6	9	11	16
35-49	40	5.2	11	2	2	4	7	10	13	15
50-64	70	6.8	20	2	2	6	8	11	14	29
65+	245	8.8	78	2	2	7	11	17	21	55
B. *Operated*										
0-19 YRS	7	10.9	44	5	5	9	11	22	25	25
20-34	86	10.4	21	4	6	9	14	17	19	23
35-49	125	12.1	60	2	4	11	14	26	29	37
50-64	282	14.7	151	3	5	11	17	27	36	88
65+	847	16.6	131	3	6	14	21	28	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	4.3	13	1	1	4	6	8	9	17
B. *Operated*	486	9.3	39	1	2	8	12	17	20	31
2. MULTIPLE DX										
A. *Not Operated*	388	7.8	57	2	2	6	9	15	19	45
B. *Operated*	1347	15.3	125	3	5	13	19	27	34	70
1. SINGLE DX	609	8.3	38	1	2	7	11	16	19	30
2. MULTIPLE DX	1735	13.7	120	2	4	11	17	25	31	59
A. NOT OPERATED	511	6.9	49	1	2	5	8	13	17	35
B. OPERATED	1833	13.7	109	2	4	11	17	25	31	57
TOTAL 0-19 YRS	24	7.6	30	2	3	6	9	15	20	25
20-34	222	8.2	24	1	2	8	11	15	18	24
35-49	292	9.3	43	1	2	8	12	17	25	33
50-64	500	11.7	111	2	3	9	14	22	30	59
65+	1306	13.9	122	2	3	12	18	25	32	59
GRAND TOTAL	**2344**	**12.3**	**104**	**2**	**3**	**10**	**16**	**23**	**29**	**55**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	23	3.7	6	<1	1	3	5	7	9	11
35-49	21	4.3	7	1	1	4	6	9	10	10
50-64	33	6.0	14	2	2	5	9	11	12	13
65+	38	7.2	32	1	2	6	9	14	21	27
B. *Operated*										
0-19 YRS	3	8.0	28	2	2	10	11	12	12	12
20-34	14	5.5	24	<1	1	3	9	12	15	16
35-49	28	6.1	44	1	1	3	8	18	23	24
50-64	27	7.6	59	1	1	4	12	20	25	26
65+	32	7.5	109	<1	1	3	9	19	27	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	10.7	54	2	2	10	13	22	27	27
20-34	30	5.0	8	1	2	5	7	9	10	11
35-49	63	5.6	15	1	2	4	8	11	14	16
50-64	110	7.9	30	1	2	7	10	14	16	33
65+	340	10.3	99	2	3	8	12	19	26	74
B. *Operated*										
0-19 YRS	4	13.3	49	5	5	13	18	22	22	22
20-34	26	9.6	79	1	2	8	12	25	27	32
35-49	69	14.2	126	2	2	11	20	32	37	51
50-64	120	14.1	101	2	3	13	18	26	29	56
65+	355	17.0	148	3	5	14	23	32	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	5.6	19	1	1	5	8	11	13	24
B. *Operated*	104	6.9	63	<1	1	3	9	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	554	9.0	73	2	2	7	11	16	22	42
B. *Operated*	574	15.7	135	2	3	13	21	30	39	89
1. SINGLE DX	221	6.2	40	1	1	4	9	13	19	27
2. MULTIPLE DX	1128	12.4	116	2	3	10	16	25	33	67
A. NOT OPERATED	671	8.4	65	2	2	7	11	15	21	41
B. OPERATED	678	14.3	134	2	2	12	20	29	37	73
TOTAL 0-19 YRS	20	10.5	44	2	2	10	13	20	24	27
20-34	93	6.0	34	1	1	4	8	11	19	29
35-49	181	8.8	78	1	2	6	11	21	25	43
50-64	290	10.2	71	2	2	9	14	20	26	46
65+	765	13.1	132	2	3	10	17	27	35	92
GRAND TOTAL	**1349**	**11.4**	**108**	**2**	**2**	**9**	**15**	**24**	**30**	**61**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	5.6	10	2	2	5	7	10	12	15
20-34	443	5.8	13	2	2	5	7	10	12	19
35-49	447	6.4	20	2	3	5	8	11	15	21
50-64	233	6.3	20	1	2	5	8	11	13	18
65+	156	7.5	23	2	3	6	9	14	17	24
B. *Operated*										
0-19 YRS	4	10.3	47	2	2	10	15	18	18	18
20-34	32	11.4	131	1	2	8	13	23	37	55
35-49	70	9.9	105	<1	1	8	12	21	31	52
50-64	52	8.7	79	1	1	7	11	17	22	54
65+	30	12.7	298	1	2	7	16	29	41	87
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	5.8	19	1	2	4	8	12	14	24
20-34	823	7.6	33	2	3	6	9	14	17	31
35-49	1472	8.4	46	3	3	7	10	14	19	38
50-64	1048	8.1	47	2	3	6	10	15	19	35
65+	1171	9.8	58	3	4	8	12	18	24	48
B. *Operated*										
0-19 YRS	19	15.3	169	2	3	10	22	28	43	55
20-34	179	17.6	196	4	5	13	24	40	48	99+
35-49	377	18.9	207	4	6	15	24	38	52	95
50-64	379	19.6	308	3	5	14	25	48	62	99+
65+	449	19.4	235	3	5	16	24	37	54	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1337	6.3	18	2	2	5	8	11	14	21
B. *Operated*	188	10.3	131	1	2	8	12	21	31	55
2. MULTIPLE DX										
A. *Not Operated*	4584	8.5	47	2	3	7	10	15	20	38
B. *Operated*	1403	19.0	241	3	5	15	24	40	53	99+
1. SINGLE DX	1525	6.8	33	2	2	5	8	12	15	30
2. MULTIPLE DX	5987	11.0	112	3	3	8	13	22	31	63
A. NOT OPERATED	5921	8.0	41	2	3	6	10	14	18	34
B. OPERATED	1591	18.0	236	2	4	14	23	38	52	98
TOTAL 0-19 YRS	151	7.0	44	2	2	5	8	13	18	28
20-34	1477	8.3	61	2	3	6	10	16	23	44
35-49	2366	9.7	85	2	3	7	11	18	27	52
50-64	1712	10.4	126	2	3	7	12	21	31	65
65+	1806	12.0	121	3	4	9	15	24	33	70
GRAND TOTAL	**7512**	**10.1**	**99**	**2**	**3**	**7**	**12**	**20**	**29**	**56**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.9	3	1	1	2	4	5	6	10
20-34	99	3.2	6	<1	1	3	4	6	8	14
35-49	99	4.1	7	1	1	4	5	8	9	15
50-64	124	4.3	17	1	1	4	5	7	8	25
65+	249	5.4	24	1	1	5	7	10	11	23
B. *Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	9	4.6	7	2	2	4	6	9	10	10
35-49	11	5.8	11	1	1	7	9	10	10	10
50-64	17	5.4	10	1	1	5	8	9	10	10
65+	26	7.3	34	1	2	7	8	12	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	4.2	12	1	1	4	5	8	10	14
20-34	317	5.0	18	1	2	4	6	9	12	25
35-49	401	5.5	23	1	2	5	6	9	13	25
50-64	968	6.0	24	2	2	5	7	11	13	22
65+	3448	8.2	47	2	3	7	10	15	20	41
B. *Operated*										
0-19 YRS	16	7.1	50	2	3	5	8	11	26	32
20-34	47	8.3	39	2	3	7	10	16	24	31
35-49	93	10.7	86	3	4	7	12	22	33	48
50-64	276	10.5	98	2	3	8	12	20	28	56
65+	949	13.0	153	3	4	9	15	24	37	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	4.4	16	1	1	4	6	8	10	16
B. *Operated*	66	6.0	20	1	2	5	8	10	12	28
2. MULTIPLE DX										
A. *Not Operated*	5281	7.3	40	2	2	6	9	13	18	36
B. *Operated*	1381	12.1	134	3	4	9	14	23	35	71
1. SINGLE DX	703	4.5	16	1	1	4	6	8	10	17
2. MULTIPLE DX	6662	8.3	63	2	3	6	10	16	21	47
A. NOT OPERATED	5918	7.0	38	1	2	5	8	13	17	35
B. OPERATED	1447	11.8	131	2	3	9	14	22	34	70
TOTAL 0-19 YRS	232	4.0	13	1	1	3	5	7	9	16
20-34	472	4.9	19	1	1	4	6	10	13	24
35-49	604	6.1	34	1	2	5	7	10	16	34
50-64	1385	6.7	41	1	2	5	8	12	16	36
65+	4672	9.0	71	2	3	7	11	17	23	53
GRAND TOTAL	**7365**	**7.9**	**60**	**2**	**2**	**6**	**9**	**15**	**20**	**45**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	3.7	6	1	1	3	5	7	9	11
20-34	4	4.5	12	1	1	4	7	9	9	9
35-49	9	5.6	8	2	2	4	8	10	10	10
50-64	10	8.5	50	<1	<1	6	14	19	20	20
65+	7	7.4	7	5	5	7	9	12	12	12
B. Operated										
0-19 YRS	7	15.7	1168	<1	<1	1	7	76	93	93
20-34	8	7.8	72	<1	1	5	9	22	27	27
35-49	8	5.1	10	<1	1	6	9	64	99+	99+
50-64	9	6.3	54	1	1	3	8	19	20	20
65+	6	8.2	13	2	2	8	10	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	5.8	25	1	2	4	7	15	17	22
20-34	17	7.0	38	2	3	5	7	13	23	28
35-49	30	7.5	22	2	3	6	10	15	19	19
50-64	50	10.6	96	3	4	7	12	19	29	59
65+	101	13.7	177	3	4	10	15	28	36	77
B. Operated										
0-19 YRS	10	23.0	676	2	2	9	61	79	98	99+
20-34	28	10.9	102	2	2	8	14	21	31	49
35-49	33	13.6	133	2	3	10	18	29	39	53
50-64	56	16.7	264	4	5	12	20	34	61	99+
65+	65	25.0	466	4	8	17	35	64	80	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	5.0	15	1	1	4	7	10	12	19
B. Operated	38	8.4	232	<1	<1	5	9	19	63	99+
2. MULTIPLE DX										
A. Not Operated	276	9.8	104	2	3	7	12	19	28	58
B. Operated	192	18.4	329	2	4	13	21	51	65	99+
1. SINGLE DX	113	6.1	89	<1	1	4	7	11	18	96
2. MULTIPLE DX	468	13.4	214	2	3	9	16	28	51	93
A. NOT OPERATED	351	8.8	89	1	2	6	11	17	24	56
B. OPERATED	230	16.8	326	2	3	11	19	45	65	99+
TOTAL 0-19 YRS	140	6.9	136	1	1	4	7	14	20	94
20-34	57	8.8	74	1	2	6	11	19	28	48
35-49	80	9.6	76	2	3	7	11	19	31	85
50-64	125	12.9	175	2	3	9	17	24	38	95
65+	179	17.3	303	3	4	12	19	38	63	93
GRAND TOTAL	**581**	**11.9**	**198**	**1**	**2**	**8**	**15**	**24**	**44**	**94**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	7.6	58	2	2	5	10	15	18	46
20-34	14	5.3	11	2	2	5	8	10	12	12
35-49	5	5.2	5	2	2	5	6	8	8	8
50-64	9	7.3	38	1	1	5	10	18	20	20
65+	7	6.3	22	2	2	4	7	14	16	16
B. Operated										
0-19 YRS	40	4.3	18	2	2	3	4	9	16	19
20-34	40	3.9	9	2	2	3	4	7	12	14
35-49	25	3.0	4	1	2	2	3	5	8	9
50-64	26	5.8	34	1	2	3	8	17	19	21
65+	14	3.6	3	2	2	3	4	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	7.6	63	1	2	5	10	16	24	83
20-34	38	6.2	28	1	2	4	8	12	15	29
35-49	38	7.5	45	2	2	5	11	15	17	36
50-64	77	7.9	27	2	3	7	11	17	19	22
65+	117	13.3	141	2	4	11	16	26	34	67
B. Operated										
0-19 YRS	34	11.8	171	2	2	5	14	29	45	49
20-34	66	7.8	69	1	2	5	11	15	20	52
35-49	59	9.0	59	2	2	7	13	21	24	33
50-64	79	12.1	204	2	2	7	15	32	54	92
65+	95	15.3	175	2	2	11	22	35	51	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	7.1	46	2	2	5	8	14	17	44
B. Operated	145	4.2	15	2	2	3	4	8	14	19
2. MULTIPLE DX										
A. Not Operated	355	9.4	83	2	2	7	13	19	25	61
B. Operated	333	11.6	146	2	2	8	15	28	39	61
1. SINGLE DX	257	5.4	30	2	2	3	6	12	16	21
2. MULTIPLE DX	688	10.5	114	2	2	7	14	22	32	60
A. NOT OPERATED	467	8.8	75	2	2	6	12	17	22	53
B. OPERATED	478	9.3	118	2	2	5	12	22	32	58
TOTAL 0-19 YRS	236	7.6	73	2	2	5	9	16	25	50
20-34	158	6.2	41	2	2	4	8	13	15	30
35-49	127	7.2	47	2	2	5	9	17	21	34
50-64	191	9.3	107	2	2	6	12	19	26	68
65+	233	13.3	151	2	2	10	17	30	39	66
GRAND TOTAL	**945**	**9.1**	**97**	**2**	**2**	**6**	**12**	**20**	**28**	**57**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	5.9	12	3	3	5	7	10	12	17
20-34	7	4.1	7	1	1	3	6	8	8	8
35-49	3	5.0	7	3	3	4	7	8	8	8
50-64										
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	7	3.6	6	1	1	3	5	8	8	8
20-34	4	4.5	11	2	2	4	7	9	9	9
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	5.7	21	1	3	4	5	12	13	26
20-34	15	5.3	5	1	1	5	7	7	9	9
35-49	9	6.2	9	2	2	6	9	10	10	10
50-64	10	11.9	182	2	2	8	9	36	44	44
65+	20	10.1	42	3	4	9	13	24	60	99+
B. *Operated*										
0-19 YRS	6	9.3	77	2	2	6	11	24	26	26
20-34	11	11.2	55	2	2	8	18	20	21	21
35-49	9	9.9	80	1	2	8	12	24	31	31
50-64	15	13.2	136	1	1	12	17	27	41	46
65+	19	20.8	263	1	3	17	28	48	55	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	5.6	10	2	3	5	7	9	11	17
B. *Operated*	14	4.2	10	1	2	3	6	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	89	7.3	44	2	3	5	9	13	26	78
B. *Operated*	60	14.4	160	1	2	11	19	30	43	56
1. SINGLE DX	54	5.2	10	1	2	4	7	9	11	17
2. MULTIPLE DX	149	10.2	102	1	2	7	13	24	31	57
A. NOT OPERATED	129	6.8	34	2	3	5	9	12	18	55
B. OPERATED	74	12.4	147	1	2	8	17	27	40	56
TOTAL 0-19 YRS	77	5.8	21	1	2	4	7	11	13	26
20-34	37	6.7	28	1	2	5	7	17	19	21
35-49	21	7.6	41	2	2	7	9	13	22	31
50-64	26	12.3	147	1	2	8	17	28	44	46
65+	42	14.8	168	2	3	11	20	38	54	99+
GRAND TOTAL	**203**	**8.9**	**82**	**1**	**2**	**6**	**10**	**19**	**28**	**54**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	39	<1	<1	1	1	2	13	31
20-34	12	1.3	1	<1	<1	1	1	3	3	3
35-49	12	3.1	12	<1	<1	2	3	9	12	12
50-64	22	2.4	2	1	1	2	2	4	6	7
65+	12	6.3	62	1	1	2	10	19	22	23
B. *Operated*										
0-19 YRS	6	5.5	13	2	2	4	7	11	12	12
20-34	29	4.6	17	1	1	3	7	10	14	17
35-49	21	5.6	35	1	1	3	6	15	20	24
50-64	53	6.0	56	1	2	4	7	12	17	46
65+	55	6.9	44	1	2	4	10	19	24	96
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.9	8	<1	<1	2	5	6	10	11
20-34	103	2.7	7	1	1	2	3	6	8	14
35-49	145	4.6	26	1	1	2	5	10	15	24
50-64	276	7.0	88	1	2	3	9	16	23	67
65+	380	12.1	152	2	3	9	14	28	36	83
B. *Operated*										
0-19 YRS	58	12.6	105	3	4	9	18	26	31	48
20-34	199	11.1	156	1	2	7	14	29	39	67
35-49	213	11.6	177	2	2	7	14	26	42	72
50-64	411	13.3	192	2	2	9	17	31	42	74
65+	565	16.2	235	2	3	12	22	40	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.9	24	<1	1	2	2	5	14	29
B. *Operated*	164	6.0	41	1	2	4	7	14	19	44
2. MULTIPLE DX										
A. *Not Operated*	928	8.2	106	1	1	5	10	18	28	67
B. *Operated*	1446	13.9	202	2	2	9	19	33	46	80
1. SINGLE DX	245	5.0	37	1	1	3	5	13	17	32
2. MULTIPLE DX	2374	11.6	172	1	2	7	15	28	41	78
A. NOT OPERATED	1009	7.7	102	1	1	4	10	18	27	64
B. OPERATED	1610	13.1	191	2	2	8	18	32	45	80
TOTAL 0-19 YRS	111	8.0	88	<1	1	5	10	22	27	46
20-34	343	7.7	111	1	1	4	9	19	31	64
35-49	391	8.4	120	1	2	4	10	18	28	57
50-64	762	10.2	151	1	2	6	13	25	37	72
65+	1012	14.1	198	2	2	10	19	33	47	99+
GRAND TOTAL	**2619**	**11.0**	**163**	**1**	**2**	**7**	**14**	**27**	**39**	**77**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	4	4.8	10	2	2	4	7	9	9	9
50-64	12	6.0	26	2	2	4	8	13	18	19
65+	13	11.4	226	1	2	7	15	28	52	57
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	5.3	13	2	2	4	8	10	10	10
50-64	7	7.4	94	<1	<1	4	9	25	28	28
65+	11	7.3	53	<1	1	5	10	18	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.6	14	<1	<1	5	7	10	11	11
20-34	19	9.6	98	1	2	7	12	20	33	43
35-49	35	8.9	49	1	3	6	11	22	23	25
50-64	123	10.2	55	1	3	9	14	19	24	35
65+	600	13.0	109	2	4	11	17	25	31	89
B. *Operated*										
0-19 YRS	7	15.1	89	4	4	14	21	29	31	31
20-34	33	16.2	150	2	4	15	22	44	90	99+
35-49	54	15.0	92	3	4	13	22	26	31	44
50-64	139	19.5	206	3	5	16	30	40	47	80
65+	342	23.3	324	4	7	18	30	50	65	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	7.2	102	1	1	4	8	17	20	57
B. *Operated*	23	6.7	54	<1	1	4	10	16	26	28
2. MULTIPLE DX										
A. *Not Operated*	786	12.2	99	2	3	10	16	23	30	73
B. *Operated*	575	21.1	269	4	6	16	28	45	57	98
1. SINGLE DX	58	7.0	81	1	1	4	9	16	23	55
2. MULTIPLE DX	1361	15.9	190	2	4	12	20	33	46	94
A. NOT OPERATED	821	12.0	100	2	3	10	16	23	30	71
B. OPERATED	598	20.5	268	3	5	16	28	44	56	97
TOTAL 0-19 YRS	19	8.1	67	<1	<1	6	12	20	27	31
20-34	56	12.9	139	1	2	11	20	29	55	99+
35-49	97	12.0	82	2	3	9	18	25	27	43
50-64	281	14.6	154	2	3	11	19	32	42	64
65+	966	16.5	211	3	4	13	20	35	50	95
GRAND TOTAL	**1419**	**15.6**	**189**	**2**	**4**	**12**	**20**	**32**	**45**	**93**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	200	4.4	5	1	2	4	5	7	8	11
20-34	399	4.4	4	2	2	4	6	7	8	11
35-49	78	4.8	5	2	2	4	6	7	8	14
50-64	65	5.6	9	2	2	5	7	9	11	19
65+	38	7.3	45	3	3	6	8	11	17	42
B. *Operated*										
0-19 YRS	13	3.9	2	2	2	4	5	6	6	6
20-34	21	6.5	13	2	3	6	8	12	14	15
35-49	8	4.5	14	<1	<1	4	7	10	11	11
50-64	5	3.2	3	1	1	3	5	5	5	5
65+	1	39.0		39	39	39	39	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	5.0	6	2	3	5	6	8	9	14
20-34	524	5.3	8	2	2	5	6	9	11	14
35-49	290	7.3	45	2	3	6	9	12	15	26
50-64	317	7.6	18	3	3	6	9	12	16	23
65+	607	9.8	63	3	4	8	12	16	22	41
B. *Operated*										
0-19 YRS	40	7.5	26	2	3	6	9	14	19	25
20-34	77	8.4	34	2	3	7	9	18	22	27
35-49	57	11.8	49	4	5	10	17	21	24	37
50-64	71	11.8	95	3	5	10	14	17	19	70
65+	155	17.8	258	5	6	12	19	41	62	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	780	4.7	7	2	2	4	6	7	8	12
B. *Operated*	48	5.8	34	1	2	5	6	11	13	39
2. MULTIPLE DX										
A. *Not Operated*	2011	7.3	35	2	3	6	9	13	16	29
B. *Operated*	400	13.0	149	3	4	9	15	24	34	74
1. SINGLE DX	828	4.7	9	2	2	4	6	8	9	13
2. MULTIPLE DX	2411	8.2	58	2	3	6	10	15	19	41
A. NOT OPERATED	2791	6.5	29	2	3	5	8	11	14	25
B. OPERATED	448	12.3	141	3	4	9	15	22	32	74
TOTAL 0-19 YRS	526	5.0	8	2	2	5	6	8	10	15
20-34	1021	5.2	10	2	2	5	6	8	11	17
35-49	433	7.4	42	2	3	6	9	13	17	25
50-64	458	7.9	32	2	3	7	10	14	17	24
65+	801	11.2	111	3	4	8	13	20	30	69
GRAND TOTAL	**3239**	**7.3**	**48**	**2**	**3**	**6**	**8**	**13**	**17**	**35**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	4.6	[illegible]	2	2	4	6	8	10	16
20-34	285	4.5	5	2	2	4	6	7	8	11
35-49	95	4.8	8	2	2	4	6	8	10	16
50-64	39	5.1	6	2	2	5	6	9	10	11
65+	33	6.7	13	2	3	6	8	11	14	18
B. *Operated*										
0-19 YRS	16	5.3	11	<1	<1	4	7	11	12	12
20-34	29	6.0	35	<1	1	4	7	15	18	26
35-49	14	6.5	38	<1	1	5	8	12	22	25
50-64	13	5.3	17	1	1	4	8	12	14	14
65+	10	10.4	29	2	3	11	13	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	5.2	10	2	2	4	6	9	11	18
20-34	409	5.5	9	2	2	5	7	9	11	15
35-49	181	6.5	11	2	3	6	8	11	12	16
50-64	238	7.7	25	2	3	7	10	13	16	36
65+	374	9.1	41	3	4	7	11	16	23	41
B. *Operated*										
0-19 YRS	39	7.8	29	1	2	7	10	16	19	22
20-34	108	10.1	90	2	2	8	12	19	23	53
35-49	73	10.3	52	2	3	9	15	19	27	32
50-64	131	13.1	105	2	3	10	17	26	34	52
65+	189	15.4	140	3	5	12	20	29	36	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	4.7	7	2	2	4	6	8	10	14
B. *Operated*	82	6.4	29	<1	1	5	10	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	1409	6.9	23	2	3	6	8	12	15	29
B. *Operated*	540	12.6	107	2	3	10	17	25	31	57
1. SINGLE DX	735	4.9	10	2	2	4	6	8	11	17
2. MULTIPLE DX	1949	8.5	53	2	3	7	10	16	22	40
A. NOT OPERATED	2062	6.2	19	2	2	5	8	11	14	24
B. OPERATED	622	11.7	101	2	3	9	15	24	29	55
TOTAL 0-19 YRS	463	5.1	12	2	2	4	6	9	12	20
20-34	831	5.7	22	2	2	5	7	10	12	22
35-49	363	6.8	23	2	2	6	8	12	16	27
50-64	421	9.1	56	2	3	7	11	17	23	44
65+	606	11.0	79	3	4	8	13	22	28	55
GRAND TOTAL	**2684**	**7.5**	**43**	**2**	**2**	**6**	**9**	**14**	**20**	**35**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.7	2	<1	1	2	3	5	5	6
20-34	369	2.2	2	<1	1	2	3	4	5	6
35-49	501	2.4	4	<1	1	2	3	4	5	8
50-64	301	2.5	2	1	1	2	3	5	6	8
65+	133	3.1	4	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	17	8.2	24	2	2	8	11	15	17	18
20-34	149	8.0	24	2	3	7	10	14	17	25
35-49	277	7.3	20	1	2	7	10	12	15	23
50-64	230	8.0	25	2	2	8	10	13	16	20
65+	120	8.0	22	2	2	8	11	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.7	2	1	1	2	4	5	5	7
20-34	350	3.2	7	1	1	3	4	6	7	11
35-49	492	3.1	5	1	1	2	4	7	8	10
50-64	553	3.9	10	1	1	3	5	8	9	15
65+	414	5.8	35	1	2	4	7	12	16	32
B. *Operated*										
0-19 YRS	20	9.8	59	1	2	7	14	22	25	26
20-34	196	9.3	53	2	3	8	11	19	25	41
35-49	346	9.4	53	1	2	8	12	17	21	41
50-64	560	9.9	54	2	3	9	12	19	25	38
65+	494	12.5	101	2	3	10	16	23	34	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1348	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	793	7.7	23	2	2	8	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	1860	4.0	15	1	1	3	5	8	10	19
B. *Operated*	1616	10.5	70	2	3	9	13	20	26	46
1. SINGLE DX	2141	4.4	17	1	1	3	6	10	12	18
2. MULTIPLE DX	3476	7.0	51	1	1	5	9	15	20	39
A. NOT OPERATED	3208	3.3	10	1	1	2	4	6	8	15
B. OPERATED	2409	9.6	56	2	2	8	12	18	23	42
TOTAL 0-19 YRS	132	4.5	21	1	1	3	5	10	15	24
20-34	1064	4.7	24	1	1	3	6	10	14	25
35-49	1616	5.0	26	1	1	3	7	10	14	25
50-64	1644	6.2	35	1	1	4	9	13	17	29
65+	1161	8.6	71	1	2	6	11	18	23	45
GRAND TOTAL	**5617**	**6.0**	**40**	**1**	**1**	**4**	**8**	**13**	**17**	**33**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	2.2	3	1	1	2	3	4	5	9
20-34	1193	2.1	2	<1	1	2	3	4	5	7
35-49	1557	2.2	2	1	1	2	3	4	5	8
50-64	917	2.3	3	1	1	2	3	4	6	8
65+	279	2.5	2	1	1	2	3	4	6	8
B. *Operated*										
0-19 YRS	46	5.0	7	2	2	4	7	8	10	14
20-34	563	5.5	11	2	2	5	7	10	12	16
35-49	879	5.5	12	1	2	5	7	10	12	16
50-64	629	5.9	15	2	2	5	8	11	14	18
65+	251	6.5	17	2	2	6	9	11	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.1	3	1	1	3	4	5	6	7
20-34	601	2.7	4	1	1	2	3	5	6	9
35-49	875	2.6	3	1	1	2	3	5	6	8
50-64	862	3.2	5	1	1	3	4	6	7	11
65+	463	3.9	15	1	1	3	5	7	9	17
B. *Operated*										
0-19 YRS	28	6.9	9	3	3	7	9	12	13	13
20-34	371	7.6	23	2	2	7	10	14	17	23
35-49	635	7.2	22	2	2	6	10	14	17	21
50-64	840	8.3	31	2	3	7	11	15	19	28
65+	730	10.4	68	2	3	9	14	20	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4056	2.2	2	1	1	2	3	4	5	7
B. *Operated*	2368	5.7	13	1	2	5	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	2856	3.0	6	1	1	2	4	6	7	11
B. *Operated*	2604	8.5	40	2	3	7	11	16	20	29
1. SINGLE DX	6424	3.5	9	1	1	2	4	8	10	14
2. MULTIPLE DX	5460	5.7	29	1	1	4	7	12	16	27
A. NOT OPERATED	6912	2.6	4	1	1	2	3	5	6	9
B. OPERATED	4972	7.2	29	2	2	6	9	14	17	27
TOTAL 0-19 YRS	239	3.5	7	1	1	3	5	7	9	13
20-34	2728	3.7	11	1	1	3	5	8	10	16
35-49	3946	3.8	12	1	1	3	5	8	11	17
50-64	3248	4.8	19	1	1	3	6	10	13	20
65+	1723	6.8	46	1	2	5	9	15	19	31
GRAND TOTAL	**11884**	**4.5**	**20**	**1**	**1**	**3**	**6**	**10**	**13**	**21**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.0	29	<1	1	3	4	6	9	32
20-34	32	3.1	3	1	1	3	4	7	7	7
35-49	29	2.6	4	<1	1	2	3	5	7	10
50-64	41	3.8	8	1	1	3	5	8	10	13
65+	31	4.6	18	1	1	3	5	11	16	17
B. *Operated*										
0-19 YRS	270	6.7	19	<1	1	7	9	11	13	19
20-34	140	6.6	23	1	2	6	9	12	15	23
35-49	106	5.6	19	1	1	4	9	12	15	18
50-64	118	5.0	21	<1	1	3	7	11	15	22
65+	95	5.4	20	1	1	3	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.9	49	<1	1	3	6	9	11	48
20-34	98	4.8	19	1	1	4	6	8	16	24
35-49	133	5.1	19	1	1	4	7	10	14	23
50-64	147	6.2	37	1	1	4	8	12	18	34
65+	479	10.5	89	2	3	8	14	21	27	45
B. *Operated*										
0-19 YRS	284	8.7	50	<1	1	8	11	16	21	35
20-34	259	9.5	66	1	2	8	12	17	22	35
35-49	276	8.9	52	1	2	7	11	19	26	32
50-64	479	10.3	109	2	2	8	13	21	30	52
65+	705	11.8	117	2	2	9	16	26	34	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	3.6	13	1	1	3	4	7	9	17
B *Operated*	729	6.1	21	<1	1	6	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	928	8.0	67	1	2	6	10	17	23	42
B. *Operated*	2003	10.3	92	1	2	8	13	21	28	51
1. SINGLE DX	895	5.6	20	1	1	5	8	11	14	21
2. MULTIPLE DX	2931	9.6	85	1	2	7	12	20	27	47
A. NOT OPERATED	1094	7.3	61	1	1	5	9	16	22	37
B. OPERATED	2732	9.2	76	1	2	7	12	19	26	45
TOTAL 0-19 YRS	658	7.2	38	<1	1	7	9	13	17	29
20-34	529	7.5	47	<1	2	6	10	15	19	27
35-49	544	7.0	39	1	1	5	9	14	20	30
50-64	785	8.4	83	1	2	6	11	17	24	44
65+	1310	10.6	101	2	2	8	14	23	31	52
GRAND TOTAL	**3826**	**8.6**	**72**	**1**	**2**	**7**	**11**	**18**	**24**	**44**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.0	1	1	1	2	3	3	3	3
20-34	65	2.4	2	<1	1	2	3	4	5	9
35-49	83	2.2	3	<1	1	2	3	5	6	8
50-64	68	2.6	4	<1	1	2	3	4	6	13
65+	24	3.0	2	1	2	3	3	5	6	7
B. *Operated*										
0-19 YRS	8	4.0	9	1	1	3	6	8	9	9
20-34	32	5.3	20	1	1	4	7	12	15	20
35-49	55	5.3	15	1	2	4	7	10	14	19
50-64	72	4.9	14	1	1	3	8	10	13	14
65+	82	5.2	25	1	1	3	7	10	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	8	1	1	2	3	7	10	10
20-34	53	2.9	5	1	1	2	4	6	7	14
35-49	70	3.6	7	1	1	3	5	7	10	13
50-64	89	3.4	8	1	1	3	4	7	9	16
65+	55	4.8	20	1	2	3	6	11	17	19
B. *Operated*										
0-19 YRS	9	3.8	2	2	2	4	5	6	6	6
20-34	49	6.5	42	1	2	5	7	12	20	35
35-49	79	7.2	31	1	2	6	9	14	20	25
50-64	192	6.4	39	2	2	4	8	12	15	31
65+	433	8.8	44	2	2	7	12	17	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	2.5	3	1	1	2	3	4	6	9
B. *Operated*	249	5.1	18	1	1	4	7	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	276	3.6	10	1	1	3	4	7	10	18
B. *Operated*	762	7.8	42	2	2	6	10	16	20	30
1. SINGLE DX	500	3.8	12	1	1	3	4	8	10	19
2. MULTIPLE DX	1038	6.7	37	1	2	5	9	14	18	28
A. NOT OPERATED	527	3.1	7	1	1	2	3	6	8	15
B. OPERATED	1011	7.1	38	1	2	6	9	15	19	29
TOTAL 0-19 YRS	37	3.1	5	1	1	2	4	6	8	10
20-34	199	4.0	18	1	1	3	5	7	11	25
35-49	287	4.5	18	1	1	3	6	10	13	22
50-64	421	4.9	25	1	1	3	6	10	13	22
65+	594	7.7	41	2	2	6	10	16	21	29
GRAND TOTAL	**1538**	**5.7**	**31**	**1**	**1**	**4**	**8**	**13**	**17**	**26**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.1	4	1	1	3	4	6	7	12
20-34	57	2.8	2	1	1	3	4	4	5	8
35-49	29	2.7	2	1	1	2	4	5	5	5
50-64	23	3.9	10	<1	1	3	5	7	10	16
65+	28	5.3	19	2	2	4	6	11	16	20
B. *Operated*										
0-19 YRS	55	2.0	6	<1	<1	1	2	3	7	14
20-34	126	3.1	9	<1	<1	2	4	7	7	17
35-49	143	2.5	5	<1	<1	2	3	5	8	11
50-64	188	3.1	7	<1	1	2	4	6	8	14
65+	241	3.5	8	1	1	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.0	2	1	1	2	4	5	6	7
20-34	91	4.3	10	1	1	3	5	9	12	14
35-49	74	4.3	6	1	1	4	6	8	9	12
50-64	123	5.9	26	1	2	5	7	11	13	34
65+	448	8.8	42	3	3	7	11	17	21	40
B. *Operated*										
0-19 YRS	80	2.6	8	<1	<1	2	3	6	8	75
20-34	240	4.0	18	<1	<1	2	5	9	12	20
35-49	314	5.0	34	<1	1	3	6	10	15	36
50-64	567	5.0	34	1	1	3	6	11	15	24
65+	1323	7.3	69	1	2	5	9	15	20	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.4	7	1	1	3	4	6	7	16
B. *Oporated*	753	3.0	7	<1	<1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	811	6.9	34	1	2	5	9	14	19	34
B. *Operated*	2524	6.0	52	1	1	4	8	13	18	35
1. SINGLE DX	934	3.1	7	<1	1	2	4	6	8	14
2. MULTIPLE DX	3335	6.2	48	1	1	4	8	13	18	35
A. NOT OPERATED	992	6.3	31	1	2	5	8	13	17	31
B. OPERATED	3277	5.3	43	<1	1	3	7	12	16	31
TOTAL 0-19 YRS	254	2.7	6	<1	<1	2	3	5	7	14
20-34	514	3.7	13	<1	1	2	5	8	11	16
35-49	560	4.2	22	<1	1	3	5	9	11	23
50-64	901	4.7	27	1	1	3	5	10	14	24
65+	2040	7.2	58	1	2	5	9	15	20	40
GRAND TOTAL	**4269**	**5.6**	**41**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	4	3.3	2	2	2	3	4	5	5	5
65+	10	3.4	4	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	388	1.6	4	<1	<1	<1	1	2	4	10
20-34	234	3.0	5	<1	<1	2	4	5	8	10
35-49	153	2.9	5	<1	<1	2	3	6	8	11
50-64	166	3.3	11	<1	1	2	4	6	8	16
65+	233	3.8	12	1	1	3	4	7	9	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	3	<1	<1	3	4	5	6	6
20-34	6	1.8	2	<1	<1	1	3	4	4	4
35-49	7	4.9	36	<1	<1	2	5	15	18	18
50-64	15	5.3	44	<1	1	4	6	8	23	28
65+	65	5.2	14	1	1	5	6	10	14	16
B. *Operated*										
0-19 YRS	279	1.9	6	<1	<1	1	2	3	6	15
20-34	271	3.7	14	<1	1	2	4	8	11	19
35-49	258	4.3	18	<1	1	3	5	10	13	21
50-64	452	4.6	21	1	1	3	6	10	14	23
65+	988	6.5	46	1	2	4	8	13	18	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.8	3	<1	1	2	3	5	6	8
B. *Operated*	1174	2.7	8	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	105	4.7	18	<1	<1	4	6	9	14	22
B. *Operated*	2248	4.9	31	<1	1	3	6	11	14	28
1. SINGLE DX	1197	2.7	7	<1	<1	2	3	5	7	13
2. MULTIPLE DX	2353	4.9	31	<1	1	3	6	11	14	28
A. NOT OPERATED	128	4.4	16	<1	1	3	5	8	14	20
B. OPERATED	3422	4.2	24	<1	<1	3	5	9	12	24
TOTAL 0-19 YRS	681	1.7	5	<1	<1	1	2	3	4	12
20-34	515	3.3	10	<1	1	2	4	7	9	18
35-49	421	3.8	14	<1	<1	2	4	8	12	19
50-64	637	4.3	19	<1	1	3	5	8	13	24
65+	1296	5.9	39	1	2	4	7	12	16	34
GRAND TOTAL	**3550**	**4.2**	**24**	**<1**	**<1**	**3**	**5**	**9**	**12**	**24**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	438	3.3	5	1	1	3	4	6	7	11
20-34	201	3.4	4	1	1	3	4	6	7	10
35-49	98	3.3	4	1	1	3	4	6	7	10
50-64	128	3.8	5	1	1	3	5	7	9	12
65+	220	5.7	25	1	2	4	7	11	13	33
B. *Operated*										
0-19 YRS	239	2.3	5	<1	<1	1	3	5	7	11
20-34	270	2.7	6	<1	<1	2	3	6	8	12
35-49	292	2.7	6	<1	<1	2	3	6	8	12
50-64	287	3.1	11	<1	<1	2	4	6	8	16
65+	357	4.2	12	<1	1	3	5	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	854	4.4	9	1	2	4	5	8	10	15
20-34	667	4.9	14	1	2	4	6	9	12	20
35-49	537	5.9	18	1	2	5	8	11	13	20
50-64	1089	7.2	35	2	2	6	9	13	17	27
65+	5165	10.3	88	2	3	8	12	19	26	83
B. *Operated*										
0-19 YRS	325	5.0	60	<1	<1	3	6	11	15	37
20-34	422	5.1	43	<1	1	3	7	11	14	42
35-49	521	5.9	44	<1	1	4	8	13	19	37
50-64	1055	7.3	90	1	1	4	9	16	23	64
65+	2958	10.9	141	2	2	8	14	23	34	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1085	3.9	9	1	1	3	5	7	9	14
B. *Operated*	1445	3.1	9	<1	<1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	8312	8.6	68	2	2	7	11	16	22	54
B. *Operated*	5281	8.9	114	1	1	6	11	19	28	71
1. SINGLE DX	2530	3.4	9	<1	1	3	4	7	9	14
2. MULTIPLE DX	13593	8.7	86	1	2	6	11	17	24	64
A. NOT OPERATED	9397	8.1	64	2	2	6	10	15	20	50
B. OPERATED	6726	7.6	97	<1	1	5	10	17	25	63
TOTAL 0-19 YRS	1856	4.0	17	<1	1	3	5	8	10	18
20-34	1560	4.4	20	<1	1	3	5	9	12	21
35-49	1448	5.1	26	<1	1	4	7	11	14	26
50-64	2559	6.6	56	1	1	5	8	14	18	37
65+	8700	10.2	104	2	2	8	12	19	29	82
GRAND TOTAL	**16123**	**7.9**	**78**	**1**	**2**	**6**	**10**	**16**	**22**	**57**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64	17	4.0	22	<1	1	3	4	7	16	21
65+	33	3.6	10	<1	1	2	4	8	10	15
B. *Operated*										
0-19 YRS	4	7.3	2	6	6	7	8	9	9	9
20-34	7	4.6	24	<1	<1	2	7	13	14	14
35-49	86	3.6	8	<1	<1	2	6	7	9	12
50-64	1606	5.4	9	1	2	5	7	9	11	14
65+	2831	6.6	13	2	3	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	17	4.9	9	1	1	5	6	9	11	11
50-64	169	4.0	10	1	1	3	5	8	9	15
65+	537	6.5	66	1	1	5	8	13	19	55
B. *Operated*										
0-19 YRS	7	10.1	20	5	5	9	13	17	18	18
20-34	11	6.0	56	<1	<1	2	8	19	24	24
35-49	168	6.2	44	1	1	5	8	13	15	52
50-64	3659	7.5	27	2	2	6	9	13	16	25
65+	10863	9.6	55	2	4	8	11	17	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.8	14	<1	1	3	4	8	10	21
B. *Operated*	4534	6.1	12	1	2	6	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	727	5.9	52	1	1	4	7	12	15	38
B. *Operated*	14708	9.0	49	2	3	7	11	16	21	37
1. SINGLE DX	4587	6.1	12	1	2	6	7	10	12	17
2. MULTIPLE DX	15435	8.9	50	2	3	7	11	16	20	37
A. NOT OPERATED	780	5.8	50	1	1	4	7	12	15	36
B. OPERATED	19242	8.4	42	2	3	7	10	15	19	34
TOTAL 0-19 YRS	13	7.8	21	1	1	7	9	15	17	18
20-34	22	5.5	37	<1	<1	3	8	14	19	24
35-49	272	5.3	31	<1	1	4	7	11	13	39
50-64	5451	6.7	22	1	2	6	8	12	15	23
65+	14264	8.9	49	2	3	7	11	16	20	37
GRAND TOTAL	**20022**	**8.3**	**42**	**2**	**3**	**7**	**10**	**15**	**19**	**34**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.1	3	1	1	3	4	6	7	7
20-34	35	3.0	2	1	2	3	4	5	5	6
35-49	34	6.3	123	1	1	4	7	10	11	67
50-64	45	4.6	5	2	2	4	6	8	9	12
65+	26	4.2	5	1	2	4	5	7	9	9
B. *Operated*										
0-19 YRS	10	2.1	3	<1	<1	1	2	5	6	6
20-34	66	2.2	10	<1	<1	1	2	5	7	21
35-49	110	2.2	3	<1	<1	1	2	4	7	9
50-64	85	2.4	4	<1	<1	2	3	5	7	10
65+	54	4.1	41	1	1	3	4	6	9	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	59	4.1	6	1	2	3	5	8	10	11
35-49	82	4.8	15	1	2	4	6	7	9	26
50-64	172	5.1	8	1	2	5	6	8	10	15
65+	169	6.2	14	2	2	5	8	11	14	19
B. *Operated*										
0-19 YRS	9	3.0	5	<1	<1	2	5	6	6	6
20-34	100	3.0	8	<1	<1	2	4	6	9	14
35-49	215	3.8	13	<1	1	2	5	8	10	17
50-64	300	4.9	17	1	1	4	7	9	13	20
65+	276	7.3	36	2	2	6	9	14	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	4.5	32	1	2	4	5	7	9	12
B. *Operated*	325	2.6	11	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	484	5.3	12	2	2	5	7	9	11	19
B. *Operated*	900	5.1	23	<1	1	4	7	11	14	24
1. SINGLE DX	474	3.2	19	<1	<1	2	4	6	8	11
2. MULTIPLE DX	1384	5.2	19	1	1	4	7	10	13	22
A. NOT OPERATED	633	5.1	16	1	2	4	6	8	11	18
B. OPERATED	1225	4.5	21	<1	1	3	6	9	13	23
TOTAL 0-19 YRS	30	3.0	5	<1	<1	2	4	6	7	10
20-34	260	3.0	7	<1	<1	2	4	6	8	13
35-49	441	3.8	21	<1	<1	3	5	7	9	17
50-64	602	4.6	12	1	1	4	6	9	11	17
65+	525	6.5	29	2	2	5	8	12	17	28
GRAND TOTAL	**1858**	**4.7**	**20**	**<1**	**1**	**3**	**6**	**9**	**12**	**21**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.3	1	<1	<1	1	1	3	3	3
20-34	4	3.5	10	<1	<1	2	5	8	8	8
35-49										
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	253	2.0	1	<1	<1	2	2	3	5	6
20-34	144	2.8	2	1	1	3	3	4	5	7
35-49	162	2.8	2	1	1	3	3	5	5	8
50-64	254	2.8	1	1	1	3	3	4	5	7
65+	144	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	1.2	1	<1	<1	1	1	2	3	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	14	3.9	13	<1	<1	3	5	11	11	11
65+	11	4.3	10	1	1	5	7	8	9	9
B. *Operated*										
0-19 YRS	221	1.9	1	<1	<1	2	2	3	4	7
20-34	64	4.1	32	1	1	3	4	6	12	40
35-49	102	3.4	4	1	1	3	4	6	7	12
50-64	274	4.3	14	1	2	3	5	7	10	26
65+	257	4.6	13	1	2	4	5	8	10	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.4	4	<1	<1	1	3	6	7	8
B. *Operated*	957	2.6	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	51	2.6	8	<1	<1	1	3	7	9	11
B. *Operated*	918	3.7	12	<1	1	3	4	7	9	22
1. SINGLE DX	972	2.6	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	969	3.6	12	<1	1	3	4	7	9	22
A. NOT OPERATED	66	2.6	7	<1	<1	1	3	7	8	11
B. OPERATED	1875	3.2	7	<1	1	3	4	5	7	12
TOTAL 0-19 YRS	504	1.9	1	<1	<1	2	2	3	4	6
20-34	214	3.1	11	1	1	3	4	4	6	13
35-49	265	3.0	3	1	1	3	4	5	6	9
50-64	545	3.6	8	1	2	3	4	5	7	14
65+	413	4.1	10	1	2	3	5	7	9	22
GRAND TOTAL	**1941**	**3.1**	**7**	**<1**	**1**	**3**	**4**	**5**	**7**	**12**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	3.4	8	<1	1	3	4	7	9	14
20-34	193	4.6	6	1	2	4	6	8	9	12
35-49	93	5.0	9	1	2	5	6	8	10	18
50-64	91	5.6	6	2	2	6	7	9	10	12
65+	50	6.1	6	3	3	5	8	10	11	12
B. *Operated*										
0-19 YRS	46	2.6	2	1	1	2	3	4	6	8
20-34	49	5.1	21	<1	1	4	6	9	12	29
35-49	42	4.8	16	1	1	3	6	10	15	18
50-64	29	5.1	13	<1	1	4	7	11	12	12
65+	26	4.4	10	1	2	4	5		10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	4.2	13	1	1	3	5	9	13	15
20-34	111	5.2	29	1	2	4	6	10	11	31
35-49	98	5.9	9	1	3	5	7	10	13	15
50-64	148	6.4	10	2	3	6	8	11	12	17
65+	188	7.3	12	3	4	7	9	12	14	18
B. *Operated*										
0-19 YRS	20	4.0	8	1	1	3	6	8	10	11
20-34	43	5.4	20	1	2	4	6	13	17	18
35-49	48	8.3	60	2	2	6	10	18	28	33
50-64	82	8.2	76	2	2	6	11	17	20	54
65+	135	9.6	76	2	2	8	13	19	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	4.7	8	1	2	4	6	8	10	12
B. *Operated*	192	4.3	14	1	1	3	5	8	12	18
2. MULTIPLE DX										
A. *Not Operated*	577	6.2	15	2	2	6	8	11	13	17
B. *Operated*	328	8.2	65	2	2	6	11	17	21	32
1. SINGLE DX	739	4.6	9	1	1	4	6	8	10	15
2. MULTIPLE DX	905	6.9	34	2	2	6	9	13	17	26
A. NOT OPERATED	1124	5.5	12	1	2	5	7	10	11	16
B. OPERATED	520	6.8	49	1	2	4	9	15	19	29
TOTAL 0-19 YRS	218	3.4	8	1	1	3	4	8	9	14
20-34	396	4.9	16	1	2	4	6	8	11	18
35-49	281	5.8	20	1	2	5	7	10	14	27
50-64	350	6.5	26	2	2	6	8	11	14	20
65+	399	7.7	35	2	3	6	10	14	17	25
GRAND TOTAL	**1644**	**5.9**	**24**	**1**	**2**	**5**	**7**	**11**	**14**	**22**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	745	1.4		<1	<1	1	2	2	2	4
20-34	149	1.8	1	<1	<1	2	2	2	3	4
35-49	96	1.8	1	<1	<1	2	2	2	3	7
50-64	68	1.9	1	<1	1	2	2	3	3	4
65+	35	1.9		<1	1	2	2	2	4	4
B. *Operated*										
0-19 YRS	276	1.3	1	<1	<1	1	2	2	2	4
20-34	81	1.5		<1	<1	1	2	2	3	3
35-49	52	1.7	1	<1	<1	2	2	2	3	5
50-64	61	1.8	1	<1	<1	2	2	3	4	6
65+	30	2.3	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	1.3		<1	<1	1	1	2	3	4
20-34	59	2.4	4	<1	<1	2	2	5	7	11
35-49	73	2.4	4	<1	1	2	3	4	7	11
50-64	98	2.7	4	1	1	2	3	4	7	13
65+	83	2.7	5	1	1	2	3	5	8	13
B. *Operated*										
0-19 YRS	95	1.8	4	<1	<1	1	2	3	4	13
20-34	64	2.2	2	<1	<1	2	2	4	5	9
35-49	100	2.0	2	<1	1	2	2	3	4	8
50-64	136	3.0	38	<1	1	2	3	4	6	23
65+	156	5.2	82	<1	1	2	5	11	17	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1093	1.5	1	<1	<1	1	2	2	2	4
B. *Operated*	500	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	482	2.1	3	<1	<1	2	2	3	5	11
B. *Operated*	551	3.1	35	<1	<1	2	3	5	9	24
1. SINGLE DX	1593	1.5	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX	1033	2.7	21	<1	<1	2	2	4	8	16
A. NOT OPERATED	1575	1.7	1	<1	<1	1	2	2	3	8
B. OPERATED	1051	2.4	20	<1	<1	2	2	3	6	16
TOTAL 0-19 YRS	1285	1.4	1	<1	<1	1	2	2	2	4
20-34	353	1.9	2	<1	<1	2	2	3	4	9
35-49	321	2.0	2	<1	<1	2	2	3	4	9
50-64	363	2.5	16	<1	1	2	2	4	5	13
65+	304	3.8	45	<1	1	2	3	8	11	29
GRAND TOTAL	**2626**	**2.0**	**9**	**<1**	**<1**	**2**	**2**	**3**	**4**	**11**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	3.7	132	<1	<1	1	3	5	10	81
20-34	64	2.4	2	<1	<1	2	3	5	5	6
35-49	40	2.4	3	<1	<1	2	4	5	5	7
50-64	15	1.7	1	<1	<1	2	2	3	4	4
65+	10	1.8	1	1	1	2	2	3	4	4
B. *Operated*										
0-19 YRS	601	2.0	2	<1	1	2	2	3	4	7
20-34	406	2.4	2	<1	1	2	3	4	5	9
35-49	259	2.7	4	<1	1	2	3	5	6	15
50-64	248	3.3	4	1	1	3	4	6	6	11
65+	100	3.7	6	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.5	25	<1	<1	2	4	8	13	31
20-34	40	3.8	19	<1	1	2	5	8	11	25
35-49	60	3.6	8	<1	1	2	5	9	10	13
50-64	55	3.6	6	<1	1	2	5	8	9	9
65+	65	6.8	43	<1	1	6	9	13	16	37
B. *Operated*										
0-19 YRS	226	2.5	4	1	1	2	3	5	5	12
20-34	258	3.7	15	1	1	3	4	8	10	18
35-49	281	4.9	31	1	1	3	6	9	12	34
50-64	467	5.4	49	1	2	4	6	9	12	36
65+	305	7.2	105	1	2	4	7	14	19	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	2.8	46	<1	<1	2	3	5	5	10
B. *Operated*	1614	2.5	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	268	4.4	23	<1	1	2	6	9	12	27
B. *Operated*	1537	4.9	47	1	1	3	6	9	12	37
1. SINGLE DX	1809	2.5	8	<1	1	2	3	4	6	10
2. MULTIPLE DX	1805	4.9	43	1	1	3	6	9	12	34
A. NOT OPERATED	463	3.7	33	<1	1	2	4	8	10	24
B. OPERATED	3151	3.7	26	1	1	2	4	7	9	21
TOTAL 0-19 YRS	941	2.3	13	<1	1	2	3	4	5	10
20-34	768	2.9	8	<1	1	2	3	5	7	15
35-49	640	3.7	17	<1	1	3	4	7	10	21
50-64	785	4.5	32	1	1	3	5	8	10	24
65+	480	6.3	76	1	2	4	7	12	17	49
GRAND TOTAL	**3614**	**3.7**	**27**	**<1**	**1**	**2**	**4**	**7**	**9**	**21**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	8	1.3	1	<1	<1	1	1	3	3	3
50-64	7	1.4		<1	<1	1	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	81	1.9	1	<1	<1	2	2	3	4	4
20-34	643	1.9	1	<1	<1	2	2	3	4	6
35-49	1605	2.0	1	<1	<1	2	2	3	3	6
50-64	889	2.1	1	<1	<1	2	2	3	4	6
65+	330	2.3	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.2	6	1	1	3	5	7	7	7
35-49	15	1.9	4	<1	<1	1	2	6	7	7
50-64	8	2.4	6	<1	<1	1	3	7	8	8
65+	12	3.4	14	<1	<1	2	5	10	12	12
B. *Operated*										
0-19 YRS	23	2.4	1	<1	1	2	3	4	5	5
20-34	328	2.6	3	<1	<1	2	3	4	6	9
35-49	873	2.6	4	<1	1	2	3	5	6	9
50-64	793	3.0	5	1	1	2	3	5	7	13
65+	536	3.4	9	1	2	2	4	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	3548	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	40	2.6	8	<1	<1	1	3	7	8	12
B. *Operated*	2553	2.9	5	<1	1	2	3	5	7	12
1. SINGLE DX	3566	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	2593	2.9	5	<1	1	2	3	5	7	12
A. NOT OPERATED	58	2.3	6	<1	<1	1	2	6	8	12
B. OPERATED	6101	2.4	3	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	104	2.0	1	<1	<1	2	2	4	4	5
20-34	978	2.2	2	<1	<1	2	3	4	5	8
35-49	2501	2.2	2	<1	<1	2	2	3	4	8
50-64	1697	2.5	3	<1	1	2	3	4	6	10
65+	879	3.0	6	1	1	2	3	5	7	13
GRAND TOTAL	**6159**	**2.4**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.7	6	1	1	3	5	8	9	9
20-34	45	3.4	3	1	1	3	5	6	6	9
35-49	24	3.8	6	<1	1	3	5	8	8	9
50-64	9	4.4	9	1	1	5	6	9	10	10
65+	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-19 YRS	343	2.8	2	<1	1	3	4	4	5	7
20-34	701	2.8	2	<1	1	3	3	4	5	8
35-49	455	2.8	3	<1	1	2	3	5	6	9
50-64	286	2.7	3	<1	1	2	3	5	5	9
65+	122	2.3	3	<1	<1	2	3	4	4	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.4	12	<1	<1	1	6	8	11	12
20-34	50	3.6	9	<1	<1	3	5	7	9	14
35-49	43	3.1	7	<1	<1	1	5	8	8	11
50-64	50	4.2	20	<1	<1	2	5	10	13	20
65+	37	4.3	16	<1	1	4	6	9	10	21
B. *Operated*										
0-19 YRS	85	2.8	2	<1	1	3	4	4	5	6
20-34	353	3.3	8	<1	1	3	4	5	7	16
35-49	404	3.7	9	1	1	3	4	7	9	15
50-64	323	3.8	8	1	2	3	4	7	9	17
65+	225	4.7	34	1	2	3	5	9	13	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	3.6	5	1	1	3	5	7	8	10
B. *Operated*	1907	2.7	2	<1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	199	3.8	13	<1	<1	3	5	9	10	19
B. *Operated*	1390	3.7	12	1	1	3	4	6	9	18
1. SINGLE DX	2010	2.8	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	1589	3.7	12	1	1	3	4	7	10	18
A. NOT OPERATED	302	3.7	10	<1	<1	3	5	8	10	16
B. OPERATED	3297	3.2	7	1	1	3	4	5	7	13
TOTAL 0-19 YRS	469	2.9	2	<1	1	3	4	5	6	8
20-34	1149	3.0	4	<1	1	3	4	5	6	10
35-49	926	3.2	6	<1	1	3	4	6	8	12
50-64	668	3.4	7	1	1	3	4	6	8	16
65+	387	3.9	23	<1	1	2	4	8	10	31
GRAND TOTAL	**3599**	**3.2**	**7**	**<1**	**1**	**3**	**4**	**5**	**7**	**13**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	434	2.5	3	1	1	2	3	4	5	7
20-34	744	2.3	2	1	1	2	3	4	5	7
35-49	148	2.6	3	1	1	2	3	5	6	8
50-64	11	2.5	2	1	1	2	3	5	6	6
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	393	4.0	5	1	1	4	6	7	8	11
20-34	1297	4.1	7	1	1	4	6	7	8	13
35-49	362	4.8	7	<1	1	5	6	8	8	13
50-64	74	6.1	9	1	1	7	8	9	9	17
65+	26	8.2	17	2	4	8	9	14	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	3.0	5	1	1	2	4	5	7	11
20-34	477	3.0	5	1	1	2	4	6	7	10
35-49	144	3.3	5	<1	1	3	4	7	8	11
50-64	14	4.7	10	<1	1	4	7	8	11	12
65+	10	4.5	10	1	1	4	4	10	12	12
B. *Operated*										
0-19 YRS	379	4.8	7	1	1	5	6	8	9	13
20-34	2500	5.1	8	1	2	5	7	8	10	15
35-49	1241	6.5	15	1	2	6	8	10	13	21
50-64	227	7.1	18	2	2	7	8	11	13	21
65+	124	9.7	30	5	6	8	11	16	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1339	2.4	2	1	1	2	3	4	5	7
B. *Operated*	2152	4.3	7	1	1	4	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	861	3.1	5	1	1	2	4	6	7	11
B. *Operated*	4471	5.7	12	1	2	6	7	9	11	18
1. SINGLE DX	3491	3.6	6	1	1	3	5	7	8	11
2. MULTIPLE DX	5332	5.3	12	1	1	5	7	9	11	17
A. NOT OPERATED	2200	2.7	4	1	1	2	3	5	6	9
B. OPERATED	6623	5.3	11	1	1	5	7	8	10	17
TOTAL 0-19 YRS	1422	3.6	6	1	1	3	5	7	8	11
20-34	5018	4.2	8	1	1	4	6	7	9	13
35-49	1895	5.7	14	1	1	6	7	9	11	19
50-64	326	6.6	16	1	2	7	8	10	12	18
65+	162	9.0	28	3	4	8	10	15	19	34
GRAND TOTAL	**8823**	**4.6**	**10**	**1**	**1**	**4**	**6**	**8**	**10**	**15**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	672	4.4	6	1	2	4	5	7	9	12
20-34	1834	4.6	7	2	2	4	6	7	9	14
35-49	278	5.2	8	1	2	5	7	9	11	14
50-64	10	6.8	22	1	1	5	12	13	14	14
65+	5	5.8	47	2	2	3	7	18	18	18
B. *Operated*										
0-19 YRS	149	4.8	10	1	1	4	6	9	11	15
20-34	920	3.7	8	<1	<1	3	6	7	8	13
35-49	278	4.6	13	<1	<1	4	7	9	12	16
50-64	31	5.9	30	<1	<1	3	8	15	18	20
65+	8	7.3	68	<1	<1	4	11	21	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	391	5.1	9	2	2	4	7	8	11	16
20-34	1155	5.0	8	2	2	4	6	9	11	14
35-49	289	6.4	16	2	2	6	8	12	14	21
50-64	33	7.0	8	4	4	7	9	12	13	99+
65+	16	10.9	36	2	4	10	15	21	22	22
B. *Operated*										
0-19 YRS	253	6.1	16	1	2	6	8	11	14	22
20-34	2703	5.0	13	<1	1	5	7	9	11	18
35-49	1109	7.1	37	<1	1	6	9	13	16	31
50-64	108	9.4	59	1	2	8	11	18	25	43
65+	65	14.6	119	4	5	12	20	25	32	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2799	4.6	7	2	2	4	6	8	9	14
B. *Operated*	1386	4.1	10	<1	<1	3	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1884	5.4	10	2	2	5	7	9	11	17
B. *Operated*	4238	5.8	24	<1	1	5	7	10	14	25
1. SINGLE DX	4185	4.4	8	1	1	4	6	8	10	14
2. MULTIPLE DX	6122	5.7	20	<1	1	5	7	10	13	22
A. NOT OPERATED	4683	4.9	8	2	2	4	6	8	10	15
B. OPERATED	5624	5.4	21	<1	1	5	7	10	13	23
TOTAL 0-19 YRS	1465	4.9	9	1	2	4	6	8	10	15
20-34	6612	4.7	10	<1	1	4	6	8	10	16
35-49	1954	6.4	27	1	1	6	8	12	15	26
50-64	182	8.2	44	1	2	7	10	16	21	44
65+	94	12.9	103	2	3	10	18	24	29	58
GRAND TOTAL	**10307**	**5.2**	**16**	**1**	**1**	**5**	**7**	**9**	**12**	**20**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.6	4	1	1	4	5	6	7	7
20-34	41	3.0	5	<1	1	2	4	6	7	9
35-49	13	2.5	4	<1	1	2	3	5	7	8
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	47	2.4	3	<1	<1	2	4	6	6	7
20-34	814	3.3	6	<1	<1	2	5	7	7	9
35-49	437	4.8	7	<1	1	5	7	8	8	11
50-64	29	5.7	7	1	1	7	7	8	9	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.6	16	<1	1	4	5	11	14	14
20-34	61	3.2	7	<1	<1	2	4	7	9	14
35-49	38	3.4	8	<1	<1	2	5	8	9	13
50-64	3	3.7	1	3	3	3	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	50	3.1	5	1	1	2	5	7	8	9
20-34	2328	4.8	9	<1	1	5	6	8	9	14
35-49	2699	6.4	10	1	2	6	8	9	11	16
50-64	277	7.1	11	2	5	7	8	9	11	21
65+	32	10.2	40	6	6	8	11	16	26	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.1	4	1	1	2	4	6	7	9
B. *Operated*	1327	3.8	7	<1	<1	3	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	110	3.4	8	<1	<1	3	5	7	9	14
B. *Operated*	5386	5.7	11	<1	1	6	7	8	10	15
1. SINGLE DX	1395	3.7	7	<1	<1	3	6	7	8	10
2. MULTIPLE DX	5496	5.7	11	<1	1	6	7	8	10	15
A. NOT OPERATED	178	3.2	7	<1	1	2	5	7	8	14
B. OPERATED	6713	5.3	11	<1	1	6	7	8	10	15
TOTAL 0-19 YRS	116	3.0	5	<1	1	2	4	6	7	11
20-34	3244	4.4	9	<1	<1	5	6	8	8	12
35-49	3187	6.1	10	1	2	6	7	9	10	16
50-64	311	6.9	10	1	4	7	8	9	11	20
65+	33	10.0	40	4	6	8	11	16	26	33
GRAND TOTAL	**6891**	**5.3**	**11**	**<1**	**1**	**6**	**7**	**8**	**9**	**15**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	82	1.9	2	<1	<1	2	2	3	5	8
35-49	97	2.0	2	<1	<1	2	2	3	5	8
50-64	32	1.9	2	<1	<1	2	2	2	6	7
65+	12	1.9	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	9	4.6	8	1	1	4	7	8	9	9
35-49	4	4.0	5	2	2	3	5	7	7	7
50-64	1	11.0		11	11	11	11	11	11	11
65+										
B. *Operated*										
0-19 YRS	10	1.9	1	<1	<1	2	2	4	5	5
20-34	271	2.7	6	<1	<1	2	4	6	7	10
35-49	462	3.3	12	<1	<1	2	5	7	9	18
50-64	196	2.8	7	<1	1	2	3	7	8	15
65+	62	4.5	22	1	2	2	6	9	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	227	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	16	4.6	9	1	1	4	7	9	10	11
B. *Operated*	1001	3.1	10	<1	<1	2	4	7	8	15
1. SINGLE DX	229	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	1017	3.1	10	<1	<1	2	4	7	8	15
A. NOT OPERATED	18	4.2	9	1	1	3	7	8	10	11
B. OPERATED	1228	2.9	9	<1	<1	2	3	7	8	14
TOTAL 0-19 YRS	17	1.8	1	<1	<1	2	2	3	4	5
20-34	363	2.6	5	<1	<1	2	3	6	7	9
35-49	563	3.1	10	<1	<1	2	4	7	8	14
50-64	229	2.8	7	<1	1	2	2	7	8	14
65+	74	4.1	19	1	2	2	5	9	11	25
GRAND TOTAL	**1246**	**2.9**	**9**	**<1**	**<1**	**2**	**3**	**7**	**8**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.8	3	1	1	3	4	5	6	8
20-34	103	3.6	6	<1	1	3	5	7	8	12
35-49	28	4.1	6	1	2	4	5	8	10	10
50-64	4	3.3	10	1	1	2	5	8	8	8
65+	3	7.3	5	6	6	6	9	10	10	10
B. *Operated*										
0-19 YRS	99	1.9	1	<1	1	2	3	3	4	5
20-34	718	2.0	2	<1	<1	2	2	3	4	7
35-49	330	2.0	2	<1	<1	2	2	3	5	8
50-64	96	2.1	2	<1	1	2	2	4	5	8
65+	22	2.8	5	<1	1	2	3	5	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	4.0	13	1	1	3	4	6	9	24
20-34	113	4.4	10	1	1	4	6	8	9	17
35-49	50	5.7	34	1	2	5	7	10	11	40
50-64	23	6.1	15	1	2	5	8	10	13	18
65+	37	6.9	12	2	2	7	9	12	14	15
B. *Operated*										
0-19 YRS	38	3.1	5	1	1	2	5	6	8	10
20-34	286	3.2	12	<1	<1	2	4	7	8	14
35-49	243	3.3	25	<1	<1	2	4	7	10	22
50-64	110	4.1	59	<1	1	2	3	8	11	49
65+	78	6.8	64	1	1	4	9	16	21	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	3.5	5	1	1	3	4	7	8	10
B. *Operated*	1265	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	276	5.0	16	1	2	4	6	9	11	22
B. *Operated*	755	3.7	29	<1	<1	2	4	8	10	33
1. SINGLE DX	1456	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	1031	4.1	26	<1	1	2	5	8	11	25
A. NOT OPERATED	467	4.4	12	1	1	4	6	8	10	15
B. OPERATED	2020	2.7	13	<1	<1	2	3	5	7	15
TOTAL 0-19 YRS	243	2.8	5	<1	1	2	4	5	6	10
20-34	1220	2.6	6	<1	1	2	3	5	7	11
35-49	651	2.9	14	<1	<1	2	3	6	8	14
50-64	233	3.5	32	<1	1	2	3	7	10	35
65+	140	6.2	42	1	1	4	9	12	16	51
GRAND TOTAL	**2487**	**3.0**	**13**	**<1**	**1**	**2**	**3**	**6**	**8**	**15**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65+	5	3.6	10	1	1	3	5	9	9	9
B. *Operated*										
0-19 YRS	3	6.3	16	2	2	7	9	10	10	10
20-34	166	5.4	4	2	3	5	6	8	9	11
35-49	395	6.1	5	3	4	6	7	9	10	12
50-64	718	7.0	6	4	4	7	8	10	11	16
65+	692	7.2	6	4	5	7	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	1.4	1	<1	<1	1	2	3	3	3
35-49	33	2.3	6	<1	<1	1	2	6	7	12
50-64	36	2.6	6	<1	1	1	4	6	8	11
65+	96	5.1	36	<1	<1	3	7	14	16	33
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	639	5.7	7	<1	1	6	7	8	10	13
35-49	1947	7.1	8	3	4	7	8	10	13	17
50-64	2046	7.7	10	4	5	7	9	11	13	19
65+	2186	8.4	20	4	5	7	10	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.8	5	<1	<1	2	3	6	9	9
B. *Operated*	1974	6.8	6	3	4	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	173	3.9	24	<1	<1	2	5	9	14	27
B. *Operated*	6819	7.6	13	4	5	7	9	11	13	20
1. SINGLE DX	1985	6.7	6	3	4	7	8	10	11	15
2. MULTIPLE DX	6992	7.5	13	3	4	7	9	11	13	20
A. NOT OPERATED	184	3.8	23	<1	<1	2	5	9	14	26
B. OPERATED	8793	7.4	11	4	4	7	8	11	13	19
TOTAL 0-19 YRS	4	8.0	22	2	2	8	11	13	13	13
20-34	813	5.6	7	<1	2	6	7	8	10	13
35-49	2378	6.9	8	2	4	7	8	10	12	17
50-64	2803	7.4	9	4	5	7	8	11	13	18
65+	2979	8.1	18	4	5	7	9	12	14	23
GRAND TOTAL	**8977**	**7.3**	**12**	**3**	**4**	**7**	**8**	**11**	**13**	**19**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.2	3	<1	<1	1	3	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	94	1.7	1	<1	<1	1	2	3	5	6
35-49	165	1.4	1	<1	<1	1	2	2	2	5
50-64	20	2.0	1	<1	<1	2	2	4	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.0	1	1	1	2	3	3	3	3
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.8	5	1	1	2	4	6	6	6
20-34	98	2.2	3	<1	<1	2	2	5	6	8
35-49	256	2.8	11	<1	<1	2	3	6	8	16
50-64	23	3.0	10	<1	1	2	2	9	11	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	3	<1	<1	1	3	5	5	5
B. *Operated*	282	1.6	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	12	1.8	1	1	1	2	2	3	3	3
B. *Operated*	381	2.6	9	<1	<1	2	3	6	7	13
1. SINGLE DX	287	1.6	1	<1	<1	1	2	2	4	6
2. MULTIPLE DX	393	2.6	9	<1	<1	2	3	6	7	13
A. NOT OPERATED	17	1.9	1	<1	<1	1	3	3	4	5
B. OPERATED	663	2.2	6	<1	<1	1	2	5	6	11
TOTAL 0-19 YRS	8	2.0	3	<1	<1	1	2	5	6	6
20-34	203	2.0	2	<1	<1	1	2	4	5	7
35-49	426	2.2	7	<1	<1	1	2	5	7	12
50-64	43	2.5	6	<1	1	2	2	5	9	12
65+										
GRAND TOTAL	**680**	**2.2**	**6**	**<1**	**<1**	**1**	**2**	**5**	**6**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.2	5	<1	<1	1	3	4	5	14
20-34	198	1.6	1	<1	<1	1	2	3	3	6
35-49	75	1.7	2	<1	<1	1	2	3	3	10
50-64	9	1.1		<1	<1	1	1	2	2	2
65+										
B. *Operated*										
0-19 YRS	146	1.6	1	<1	<1	1	2	3	4	5
20-34	2108	1.6	1	<1	<1	1	2	2	4	7
35-49	3222	1.6	2	<1	<1	1	2	2	4	7
50-64	420	1.5	1	<1	<1	1	2	2	2	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.8	4	1	1	2	4	5	7	9
20-34	203	2.5	5	<1	1	2	3	5	7	11
35-49	153	2.3	3	<1	<1	2	3	5	6	10
50-64	20	2.9	6	<1	<1	2	4	6	8	10
65+										
B. *Operated*										
0-19 YRS	110	2.5	4	<1	<1	2	3	5	6	11
20-34	2385	2.6	6	<1	<1	2	3	6	7	10
35-49	4814	3.0	8	<1	<1	2	5	7	8	12
50-64	643	2.7	7	<1	<1	2	3	7	8	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	1.7	2	<1	<1	1	2	3	4	7
B. *Operated*	5896	1.6	1	<1	<1	1	2	2	4	7
2. MULTIPLE DX										
A. *Not Operated*	455	2.5	4	<1	<1	2	3	5	7	10
B. *Operated*	7952	2.9	7	<1	<1	2	4	7	8	11
1. SINGLE DX	6256	1.6	2	<1	<1	1	2	2	4	7
2. MULTIPLE DX	8407	2.8	7	<1	<1	2	4	7	8	11
A. NOT OPERATED	815	2.2	3	<1	<1	2	3	4	5	9
B. OPERATED	13848	2.3	5	<1	<1	2	2	6	7	10
TOTAL 0-19 YRS	413	2.2	3	<1	<1	2	3	4	5	9
20-34	4894	2.1	4	<1	<1	1	2	5	6	9
35-49	8264	2.4	6	<1	<1	2	2	6	7	10
50-64	1092	2.3	5	<1	<1	2	2	6	7	11
65+										
GRAND TOTAL	**14663**	**2.3**	**5**	**<1**	**<1**	**2**	**2**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	7	2.0	1	1	1	2	3	4	4	4
65+	6	2.3	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS										
20-34	5	3.0	9	<1	<1	2	4	8	8	8
35-49	330	1.5	1	<1	<1	1	2	2	2	6
50-64	1240	1.5		<1	<1	1	2	2	2	3
65+	313	1.9	1	<1	1	2	2	3	3	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	14	2.2	3	<1	<1	2	3	5	6	7
50-64	53	3.3	14	<1	<1	2	4	8	12	20
65+	61	6.3	40	<1	1	4	8	15	20	92
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	310	2.1	3	<1	<1	2	2	4	6	9
50-64	1474	2.4	6	<1	<1	2	2	5	8	13
65+	728	3.5	27	1	1	2	3	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.9	1	<1	<1	2	2	4	5	5
B. *Operated*	1888	1.6	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	129	4.7	27	<1	1	3	6	12	16	48
B. *Operated*	2514	2.7	12	<1	<1	2	2	6	8	15
1. SINGLE DX	1905	1.6	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX	2643	2.8	13	<1	<1	2	2	6	8	16
A. NOT OPERATED	146	4.3	25	<1	1	2	6	11	15	37
B. OPERATED	4402	2.2	8	<1	<1	2	2	3	7	11
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	3.3	7	<1	<1	2	5	8	8	8
35-49	656	1.8	2	<1	<1	1	2	2	5	8
50-64	2774	2.0	4	<1	<1	2	2	3	6	10
65+	1108	3.2	22	1	1	2	3	7	9	19
GRAND TOTAL	**4548**	**2.3**	**8**	**<1**	**<1**	**2**	**2**	**4**	**7**	**13**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.3	4	<1	<1	1	3	5	6	10
20-34	94	2.8	5	<1	1	2	3	5	7	13
35-49	35	2.7	3	1	1	2	4	5	6	9
50-64	8	3.6	4	1	1	3	5	6	7	7
65+	10	7.4	90	1	1	4	6	24	31	31
B. *Operated*										
0-19 YRS	99	2.5	5	<1	<1	2	4	5	6	12
20-34	1165	2.4	4	<1	<1	2	3	5	6	9
35-49	1001	2.5	5	<1	<1	2	2	6	7	12
50-64	569	2.4	5	<1	<1	2	2	6	8	11
65+	174	3.0	11	<1	1	2	3	7	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	3.1	4	1	1	2	4	7	7	8
20-34	78	2.2	5	<1	<1	1	3	4	6	14
35-49	72	3.0	8	<1	<1	2	4	6	9	17
50-64	35	5.9	135	<1	1	4	5	10	17	69
65+	76	8.0	66	1	2	6	9	17	23	48
B. *Operated*										
0-19 YRS	117	3.6	8	<1	<1	3	5	7	9	15
20-34	1474	3.2	8	<1	<1	2	5	7	8	13
35-49	2774	3.7	11	<1	<1	2	6	8	9	16
50-64	1667	3.8	19	<1	<1	2	6	8	10	20
65+	801	6.0	61	1	1	3	7	14	19	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	3.0	10	<1	1	2	4	5	7	16
B. *Operated*	3008	2.5	5	<1	<1	2	3	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	296	4.4	42	<1	1	3	5	9	13	29
B. *Operated*	6833	3.9	19	<1	<1	2	6	8	10	20
1. SINGLE DX	3196	2.5	5	<1	<1	2	3	6	7	11
2. MULTIPLE DX	7129	3.9	20	<1	<1	2	6	8	10	20
A. NOT OPERATED	484	3.9	30	<1	1	2	4	7	11	27
B. OPERATED	9841	3.4	15	<1	<1	2	5	7	9	18
TOTAL 0-19 YRS	292	3.0	6	<1	<1	2	4	6	7	12
20-34	2811	2.8	6	<1	<1	2	4	6	7	11
35-49	3882	3.4	10	<1	<1	2	5	7	8	15
50-64	2279	3.5	18	<1	<1	2	5	8	9	18
65+	1061	5.7	55	1	1	3	7	13	19	38
GRAND TOTAL	**10325**	**3.5**	**16**	**<1**	**<1**	**2**	**5**	**7**	**9**	**18**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	1.9	1	<1	1	2	2	3	4	6
20-34	255	2.1	3	<1	<1	2	2	4	5	10
35-49	56	2.6	5	<1	1	2	3	5	9	12
50-64	6	3.3	7	<1	<1	2	5	8	8	8
65+	3	6.7	65	2	2	2	13	16	16	16
B. *Operated*										
0-19 YRS	94	2.1	2	<1	<1	2	3	4	5	7
20-34	1001	2.4	4	<1	<1	2	3	6	7	9
35-49	429	4.8	12	<1	1	5	7	9	10	13
50-64	204	7.0	8	2	3	7	9	10	12	15
65+	72	9.2	16	4	5	9	11	13	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	2.0	1	<1	1	2	3	4	4	6
20-34	218	2.2	4	<1	<1	1	3	5	7	11
35-49	82	2.9	16	<1	<1	2	3	6	8	26
50-64	26	4.1	16	<1	<1	2	7	11	28	99+
65+	20	5.5	25	<1	<1	3	9	14	17	17
B. *Operated*										
0-19 YRS	69	2.8	6	<1	<1	2	3	5	8	13
20-34	1789	3.6	8	<1	<1	2	6	7	8	12
35-49	893	5.3	13	<1	1	6	7	9	10	16
50-64	328	8.2	16	2	4	8	10	12	14	21
65+	214	9.6	41	2	4	8	11	16	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	2.1	3	<1	<1	2	3	4	5	10
B. *Operated*	1800	3.8	10	<1	<1	2	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	461	2.5	8	<1	<1	2	3	5	8	15
B. *Operated*	3293	4.9	16	<1	1	5	7	9	11	18
1. SINGLE DX	2315	3.4	9	<1	<1	2	5	8	9	13
2. MULTIPLE DX	3754	4.6	15	<1	1	4	7	9	11	17
A. NOT OPERATED	976	2.3	5	<1	<1	2	3	4	6	12
B. OPERATED	5093	4.5	14	<1	<1	4	7	9	10	16
TOTAL 0-19 YRS	473	2.1	2	<1	<1	2	3	4	5	8
20-34	3263	3.0	6	<1	<1	2	5	6	7	10
35-49	1460	4.9	13	<1	1	5	7	9	10	14
50-64	564	7.5	14	1	2	7	9	12	13	20
65+	309	9.2	35	2	3	8	11	16	20	35
GRAND TOTAL	**6069**	**4.2**	**13**	**<1**	**<1**	**3**	**6**	**8**	**10**	**15**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	2	<1	<1	1	3	4	4	4
20-34	33	2.0	1	<1	<1	2	3	4	5	5
35-49	4	2.3	4	1	1	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	91	4.8	4	1	2	5	6	6	7	13
20-34	1594	5.1	2	3	3	5	6	7	8	9
35-49	225	5.4	4	3	3	5	6	7	8	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	16	2.3	3	<1	1	2	3	5	6	7
35-49	7	3.0	7	<1	<1	2	4	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	97	5.5	3	3	4	5	6	8	8	11
20-34	1401	5.5	4	3	4	5	6	8	8	12
35-49	281	5.8	3	3	4	6	7	8	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.0	2	<1	<1	2	3	4	5	5
B. *Operated*	1910	5.2	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	25	2.5	4	<1	1	2	3	5	7	8
B. *Operated*	1779	5.6	4	3	4	5	6	8	8	12
1. SINGLE DX	1954	5.1	3	2	3	5	6	7	8	9
2. MULTIPLE DX	1804	5.5	4	3	4	5	6	8	8	12
A. NOT OPERATED	69	2.2	2	<1	<1	2	3	5	5	8
B. OPERATED	3689	5.3	3	3	3	5	6	7	8	11
TOTAL 0-19 YRS	197	5.0	4	2	3	5	6	7	8	11
20-34	3044	5.3	3	3	3	5	6	7	8	11
35-49	517	5.6	4	3	3	5	7	8	8	11
50-64										
65+										
GRAND TOTAL	**3758**	**5.3**	**3**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.3		<1	<1	1	2	2	2	4
20-34	88	1.4	1	<1	1	1	2	2	3	5
35-49	19	1.7	4	<1	<1	1	2	2	7	10
50-64										
65+										
B. *Operated*										
0-19 YRS	3177	1.3	1	<1	<1	<1	1	2	2	4
20-34	9192	1.1		<1	<1	<1	1	2	2	3
35-49	1105	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	1.1		<1	<1	<1	<1	1	2	3
20-34	165	1.2	1	<1	<1	<1	1	2	2	5
35-49	34	1.2		<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	866	1.2	1	<1	<1	<1	<1	2	3	6
20-34	3069	1.5	2	<1	<1	<1	1	3	4	8
35-49	723	1.8	2	<1	<1	1	2	3	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	1.4	1	<1	1	1	2	2	2	5
B. *Operated*	13474	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	260	1.2	1	<1	<1	<1	1	2	2	4
B. *Operated*	4658	1.5	2	<1	<1	<1	1	3	4	8
1. SINGLE DX	13631	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	4918	1.5	2	<1	<1	<1	1	3	4	8
A. NOT OPERATED	417	1.3	1	<1	<1	1	1	2	2	5
B. OPERATED	18132	1.3	1	<1	<1	<1	1	2	2	5
TOTAL 0-19 YRS	4154	1.3	1	<1	<1	<1	1	2	2	4
20-34	12514	1.2	1	<1	<1	<1	1	2	2	5
35-49	1881	1.4	1	<1	<1	<1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**18549**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

256: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	4	5.0	21	1	1	4	8	11	11	11
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	5.2	16	1	1	6	7	11	11	11
1. SINGLE DX	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX	5	5.2	16	1	1	6	7	11	11	11
A. NOT OPERATED										
B. OPERATED	7	4.0	15	<1	<1	2	6	10	11	11
TOTAL 0-19 YRS										
20-34	5	4.2	19	1	1	2	7	11	11	11
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64										
65+										
GRAND TOTAL	**7**	**4.0**	**15**	**<1**	**<1**	**2**	**6**	**10**	**11**	**11**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	1.5	1	<1	<1	1	2	3	4	6
20-34	630	1.5	1	<1	<1	1	2	2	3	5
35-49	98	1.5	1	<1	<1	1	2	2	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1466	1.4	1	<1	<1	1	2	2	3	5
20-34	10221	1.3	1	<1	<1	1	1	2	2	4
35-49	1811	1.3	1	<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	1.9	3	<1	<1	1	2	4	5	8
20-34	139	2.6	5	<1	1	2	3	5	7	13
35-49	24	3.0	6	<1	1	2	4	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	161	1.9	3	<1	1	1	2	3	5	10
20-34	1469	2.1	4	<1	1	1	2	4	6	11
35-49	429	2.0	4	<1	<1	1	2	4	5	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	891	1.5	1	<1	<1	1	2	2	3	6
B. *Operated*	13498	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	190	2.5	5	<1	1	2	3	5	7	11
B. *Operated*	2059	2.1	4	<1	<1	1	2	4	6	11
1. SINGLE DX	14389	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	2249	2.1	4	<1	1	1	2	4	6	11
A. NOT OPERATED	1081	1.7	2	<1	<1	1	2	3	4	7
B. OPERATED	15557	1.4	1	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	1817	1.5	1	<1	<1	1	2	2	3	6
20-34	12459	1.4	1	<1	<1	1	1	2	3	6
35-49	2362	1.4	1	<1	<1	1	1	2	3	7
50-64										
65+										
GRAND TOTAL	**16638**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	3.1	4	1	1	3	4	5	7	11
20-34	262	2.4	4	<1	1	2	3	5	6	11
35-49	27	2.1	1	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	162	2.0	3	<1	<1	1	2	4	6	10
20-34	1791	1.4	1	<1	<1	1	2	2	3	6
35-49	286	1.5	1	<1	<1	1	2	2	3	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.3	5	1	1	3	6	6	7	9
20-34	87	3.9	11	1	1	3	5	8	12	15
35-49	14	3.6	12	<1	<1	2	7	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	46	3.2	7	<1	1	2	4	7	8	14
20-34	420	2.7	13	<1	<1	2	3	6	7	15
35-49	110	2.3	5	<1	<1	2	2	5	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	2.5	4	<1	1	2	3	5	6	11
B. *Operated*	2239	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	123	3.7	10	1	1	3	5	8	11	14
B. *Operated*	576	2.6	11	<1	<1	2	3	6	7	13
1. SINGLE DX	2602	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	699	2.8	11	<1	1	2	3	6	8	14
A. NOT OPERATED	486	2.8	6	<1	1	2	4	6	7	12
B. OPERATED	2815	1.7	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	304	2.5	4	<1	<1	2	3	5	7	11
20-34	2560	1.8	4	<1	<1	1	2	3	5	9
35-49	437	1.8	2	<1	<1	1	2	3	5	9
50-64										
65+										
GRAND TOTAL	**3301**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	1.8	1	<1	<1	2	2	3	4	5
20-34	1053	2.1	2	<1	1	2	3	4	5	7
35-49	116	2.3	3	<1	1	2	3	4	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	21	2.7	4	<1	<1	2	3	6	8	8
35-49	4	1.3		1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.5	4	1	1	2	3	6	7	8
20-34	244	3.0	19	<1	1	2	3	5	7	14
35-49	29	2.4	2	<1	1	2	3	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.0	5	1	1	2	4	6	6	6
20-34	15	2.9	9	1	1	2	3	7	11	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1314	2.0	2	<1	1	2	3	4	4	7
B. *Operated*	27	2.8	8	<1	1	2	3	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	306	2.9	15	<1	1	2	3	5	7	12
B. *Operated*	20	3.0	7	1	1	2	4	6	9	12
1. SINGLE DX	1341	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	326	2.9	15	1	1	2	3	5	7	12
A. NOT OPERATED	1620	2.2	5	<1	1	2	3	4	5	8
B. OPERATED	47	2.9	7	<1	1	2	3	7	9	13
TOTAL 0-19 YRS	184	2.0	2	<1	1	2	2	4	4	8
20-34	1333	2.2	5	<1	1	2	3	4	5	9
35-49	150	2.3	3	<1	1	2	3	4	5	7
50-64										
65+										
GRAND TOTAL	**1667**	**2.2**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.6	1	<1	<1	1	2	3	3	3
20-34	40	2.0	2	<1	1	2	2	4	5	6
35-49	5	1.4		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	17	2.8	4	1	1	2	3	5	8	9
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	1.9	1	<1	<1	2	2	4	5	6
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	20	2.6	4	1	1	2	3	5	7	9
B. *Operated*	1	5.0		5	5	5	5	5	5	5
1. SINGLE DX	55	1.9	1	<1	<1	2	2	4	5	6
2. MULTIPLE DX	21	2.7	4	1	1	2	3	5	7	9
A. NOT OPERATED	73	2.1	2	<1	1	2	2	4	5	8
B. OPERATED	3	2.7	4	1	1	2	4	5	5	5
TOTAL 0-19 YRS	10	1.7	1	<1	<1	1	2	3	3	3
20-34	59	2.3	3	<1	1	2	3	5	5	9
35-49	7	1.4		<1	<1	1	2	2	2	2
50-64										
65+										
GRAND TOTAL	**76**	**2.1**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	3.3	7	<1	1	3	4	6	9	15
20-34	1051	3.2	5	1	1	3	4	6	7	11
35-49	103	3.7	6	1	1	3	5	7	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	39	3.8	20	<1	<1	3	5	6	8	28
20-34	135	3.6	6	1	1	3	4	6	9	13
35-49	9	4.1	5	2	2	3	5	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	3.8	7	1	1	3	5	6	9	15
20-34	289	3.5	5	<1	1	3	5	7	9	10
35-49	51	5.0	13	1	1	4	7	10	13	17
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.5	7	<1	<1	<1	4	7	8	8
20-34	92	3.4	10	<1	<1	2	5	8	11	15
35-49	17	3.5	13	<1	<1	2	4	11	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1353	3.3	5	1	1	3	4	6	7	11
B. *Operated*	183	3.7	9	<1	1	3	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*	387	3.7	7	1	1	3	5	7	9	14
B. *Operated*	121	3.4	10	<1	<1	2	5	8	11	15
1. SINGLE DX	1536	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX	508	3.7	8	<1	<1	3	5	7	9	14
A. NOT OPERATED	1740	3.4	6	1	1	3	4	6	8	12
B. OPERATED	304	3.5	9	<1	<1	3	5	7	9	14
TOTAL 0-19 YRS	297	3.4	9	<1	1	3	4	6	8	16
20-34	1567	3.3	5	1	1	3	4	6	8	12
35-49	180	4.1	9	1	1	3	5	8	10	14
50-64										
65+										
GRAND TOTAL	**2044**	**3.4**	**6**	**<1**	**1**	**3**	**4**	**6**	**8**	**13**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	3.1	6	1	1	3	4	5	7	11
20-34	1660	4.1	9	1	2	3	5	7	9	16
35-49	76	4.0	6	1	2	4	5	7	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.3	10	<1	<1	2	5	8	8	8
20-34	7	3.0	2	2	2	2	4	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	3.2	6	1	1	2	4	6	8	14
20-34	566	4.4	16	1	2	3	5	9	11	23
35-49	32	5.1	6	2	3	4	7	8	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	24	5.0	23	1	2	4	6	10	14	24
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1991	3.9	9	1	2	3	5	7	8	16
B. *Operated*	11	3.1	5	<1	1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	702	4.3	14	1	2	3	5	8	11	18
B. *Operated*	28	4.6	21	1	2	3	6	9	12	24
1. SINGLE DX	2002	3.9	9	1	2	3	5	7	8	16
2. MULTIPLE DX	730	4.3	15	1	2	3	5	8	11	20
A. NOT OPERATED	2693	4.0	10	1	2	3	5	7	9	17
B. OPERATED	39	4.2	16	1	2	3	5	8	10	24
TOTAL 0-19 YRS	365	3.1	6	1	1	3	4	5	8	14
20-34	2257	4.2	11	1	2	3	5	7	10	18
35-49	110	4.3	6	1	2	4	6	8	9	13
50-64										
65+										
GRAND TOTAL	**2732**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1090	1.1		<1	<1	<1	1	1	2	3
20-34	4380	1.1		<1	<1	<1	1	1	2	3
35-49	291	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	124	1.2	1	<1	<1	<1	1	1	2	7
20-34	595	1.1		<1	<1	<1	1	1	1	3
35-49	52	1.1		<1	<1	1	1	1	1	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	1.5	2	<1	<1	1	1	3	4	9
20-34	377	1.6	2	<1	<1	1	2	3	5	7
35-49	43	1.2		<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	22	2.0	5	<1	<1	1	2	4	7	11
20-34	85	1.7	4	<1	<1	1	1	3	4	13
35-49	9	1.3	1	<1	<1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5761	1.1		<1	<1	<1	1	1	2	3
B. *Operated*	771	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	508	1.6	2	<1	<1	1	1	3	5	7
B. *Operated*	116	1.7	4	<1	<1	1	1	3	4	12
1. SINGLE DX	6532	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX	624	1.6	2	<1	<1	1	1	3	4	8
A. NOT OPERATED	6269	1.1		<1	<1	<1	1	1	2	4
B. OPERATED	887	1.2	1	<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	1324	1.1		<1	<1	<1	1	1	2	4
20-34	5437	1.1	1	<1	<1	<1	1	1	2	4
35-49	395	1.1		<1	<1	1	1	1	2	4
50-64										
65+										
GRAND TOTAL	**7156**	**1.1**		**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	3.1	7	<1	<1	2	4	7	7	12
20-34	434	3.5	21	1	1	2	4	6	9	24
35-49	54	4.5	41	1	1	3	5	7	10	45
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	40	3.4	10	<1	1	2	4	8	12	13
35-49	4	5.0	19	1	1	4	8	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	8	<1	<1	2	4	8	10	10
20-34	90	4.2	11	1	1	3	6	8	11	18
35-49	18	8.3	101	<1	1	4	10	22	34	40
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	10	6.4	54	1	1	4	8	17	26	26
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	518	3.5	22	1	1	2	4	6	9	24
B. *Operated*	44	3.5	11	<1	1	2	4	9	12	13
2. MULTIPLE DX										
A. *Not Operated*	119	4.7	26	<1	1	3	6	10	12	30
B. *Operated*	11	6.0	50	1	1	4	7	16	25	26
1. SINGLE DX	562	3.5	21	1	1	2	4	7	10	24
2. MULTIPLE DX	130	4.8	28	1	1	3	6	10	12	29
A. NOT OPERATED	637	3.8	23	1	1	3	4	7	10	25
B. OPERATED	55	4.0	19	1	1	3	5	9	12	25
TOTAL 0-19 YRS	41	3.1	7	<1	<1	2	4	7	9	12
20-34	574	3.6	19	1	1	2	4	7	10	23
35-49	77	5.4	54	1	1	3	6	10	16	44
50-64										
65+										
GRAND TOTAL	**692**	**3.8**	**23**	**1**	**1**	**3**	**4**	**7**	**10**	**25**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.0	3	<1	<1	1	3	4	5	9
20-34	547	2.2	4	<1	<1	2	3	4	5	9
35-49	53	2.4	4	<1	<1	1	3	6	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	12	1.2		<1	<1	1	1	2	3	3
20-34	66	2.3	5	<1	<1	2	2	5	8	13
35-49	5	2.8	2	<1	<1	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.1	2	<1	<1	2	3	4	5	8
20-34	162	2.8	7	<1	<1	2	3	5	7	14
35-49	17	3.5	20	<1	1	2	4	8	15	19
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	26	4.3	38	<1	<1	3	4	8	14	32
35-49	5	4.0	38	<1	<1	1	5	15	15	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	700	2.2	4	<1	<1	2	3	4	6	9
B. *Operated*	83	2.2	4	<1	<1	1	2	4	7	12
2. MULTIPLE DX										
A. *Not Operated*	218	2.7	7	<1	<1	2	3	5	7	15
B. *Operated*	34	4.2	34	<1	<1	3	4	8	14	32
1. SINGLE DX	783	2.2	4	<1	<1	1	3	4	6	9
2. MULTIPLE DX	252	2.9	11	<1	<1	2	3	6	8	18
A. NOT OPERATED	918	2.3	5	<1	<1	2	3	5	6	12
B. OPERATED	117	2.8	14	<1	<1	2	3	5	8	21
TOTAL 0-19 YRS	154	2.0	3	<1	<1	1	3	4	5	8
20-34	801	2.4	6	<1	<1	2	3	5	6	13
35-49	80	2.7	9	<1	<1	2	3	6	8	18
50-64										
65+										
GRAND TOTAL	**1035**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	254	3.2	3	<1	1	3	4	6	6	8
20-34	550	3.2	4	<1	1	3	4	6	7	10
35-49	26	3.4	3	<1	1	3	5	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	71	1.4	2	<1	<1	<1	1	2	5	8
20-34	139	1.9	4	<1	<1	<1	2	5	6	10
35-49	3	4.3	12	<1	<1	4	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	4.0	8	<1	1	4	5	7	8	15
20-34	502	3.6	6	<1	1	3	5	7	8	12
35-49	40	3.9	5	<1	1	4	5	6	7	13
50-64										
65+										
B. *Operated*										
0-19 YRS	39	3.2	17	<1	<1	1	4	8	13	19
20-34	86	2.9	8	<1	<1	2	4	7	9	13
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	830	3.2	4	<1	1	3	4	6	7	9
B. *Operated*	213	1.8	3	<1	<1	<1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	742	3.7	7	<1	1	3	5	7	8	13
B. *Operated*	129	3.0	10	<1	<1	1	4	7	9	17
1. SINGLE DX	1043	2.9	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX	871	3.6	7	<1	<1	3	5	7	8	13
A. NOT OPERATED	1572	3.5	5	<1	1	3	4	6	7	11
B. OPERATED	342	2.2	6	<1	<1	1	2	5	7	14
TOTAL 0-19 YRS	564	3.2	6	<1	<1	3	4	6	7	11
20-34	1277	3.2	5	<1	<1	3	4	6	7	12
35-49	73	3.6	5	<1	1	3	5	6	7	12
50-64										
65+										
GRAND TOTAL	**1914**	**3.2**	**6**	**<1**	**<1**	**3**	**4**	**6**	**7**	**12**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	2.9	7	<1	<1	2	3	6	8	13
20-34	756	4.0	14	1	1	3	5	8	11	19
35-49	112	4.3	10	1	1	4	5	9	12	16
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.7	6	<1	<1	4	4	7	9	9
20-34	58	4.1	17	<1	<1	2	5	10	12	21
35-49	13	5.5	20	<1	<1	6	7	12	16	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	256	3.2	8	<1	1	2	4	6	10	14
20-34	1454	3.8	15	1	1	3	5	7	10	18
35-49	168	4.5	14	1	1	4	5	9	12	18
50-64										
65+										
B. *Operated*										
0-19 YRS	44	2.7	4	<1	<1	2	4	6	7	9
20-34	241	4.0	13	<1	<1	3	6	9	10	15
35-49	21	4.8	8	<1	1	5	6	9	10	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	986	3.9	13	1	1	3	5	7	10	18
B. *Operated*	80	4.3	16	<1	<1	3	6	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	1878	3.8	14	1	1	3	5	7	10	17
B. *Operated*	306	3.9	11	<1	<1	3	6	8	10	14
1. SINGLE DX	1066	3.9	13	1	1	3	5	8	11	19
2. MULTIPLE DX	2184	3.8	14	<1	1	3	5	7	10	17
A. NOT OPERATED	2864	3.8	14	1	1	3	5	7	10	18
B. OPERATED	386	3.9	12	<1	<1	3	6	9	11	16
TOTAL 0-19 YRS	427	3.1	8	<1	1	2	4	6	8	13
20-34	2509	3.9	14	<1	1	3	5	8	10	19
35-49	314	4.5	12	1	1	4	6	9	12	17
50-64										
65+										
GRAND TOTAL	**3250**	**3.8**	**13**	**<1**	**1**	**3**	**5**	**7**	**10**	**18**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	649	2.1	4	<1	<1	1	3	5	6	10
20-34	2639	2.6	20	<1	<1	1	3	5	8	17
35-49	180	2.8	9	<1	<1	2	4	6	8	13
50-64										
65+										
B. *Operated*										
0-19 YRS	158	2.6	12	<1	<1	1	3	5	9	15
20-34	1225	2.6	5	<1	<1	2	3	5	6	11
35-49	146	2.4	5	<1	<1	2	3	5	6	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	2.9	11	<1	<1	2	3	6	9	22
20-34	1337	3.4	21	<1	<1	2	4	7	11	21
35-49	114	3.9	27	<1	<1	2	5	7	12	33
50-64										
65+										
B. *Operated*										
0-19 YRS	87	3.0	13	<1	<1	1	4	7	9	20
20-34	879	3.1	20	<1	<1	1	3	7	10	25
35-49	444	1.6	9	<1	<1	<1	<1	2	4	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3468	2.5	17	<1	<1	1	3	5	7	15
B. *Operated*	1529	2.6	6	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	1676	3.4	20	<1	<1	2	4	7	10	22
B. *Operated*	1410	2.6	17	<1	<1	<1	3	5	8	20
1. SINGLE DX	4997	2.5	13	<1	<1	1	3	5	7	14
2. MULTIPLE DX	3086	3.0	18	<1	<1	1	3	6	9	22
A. NOT OPERATED	5144	2.8	18	<1	<1	2	3	6	8	17
B. OPERATED	2939	2.6	11	<1	<1	1	3	5	7	16
TOTAL 0-19 YRS	1119	2.4	7	<1	<1	1	3	5	6	13
20-34	6080	2.9	17	<1	<1	2	3	6	8	18
35-49	884	2.2	11	<1	<1	<1	2	5	7	14
50-64										
65+										
GRAND TOTAL	**8083**	**2.7**	**15**	**<1**	**<1**	**1**	**3**	**5**	**8**	**17**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.2	1	2	2	3	4	4	5	6
20-34	674	3.2	2	2	2	3	3	4	5	11
35-49	56	3.0	1	2	2	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	48	4.4	11	2	2	3	5	7	9	21
20-34	300	4.4	11	2	2	3	5	7	8	18
35-49	36	5.3	36	1	2	3	6	7	18	33
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	3.4	3	2	2	3	4	5	7	11
20-34	632	3.6	7	2	2	3	4	5	6	15
35-49	75	3.7	1	2	3	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	107	4.7	10	2	2	4	6	7	8	21
20-34	1250	5.9	38	2	3	4	6	9	15	31
35-49	227	6.4	35	2	3	5	7	12	16	28
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	834	3.2	2	2	2	3	3	4	5	9
B. *Operated*	384	4.5	13	2	2	3	5	7	8	22
2. MULTIPLE DX										
A. *Not Operated*	795	3.6	6	2	2	3	4	5	6	14
B. *Operated*	1584	5.9	36	2	3	4	6	9	15	31
1. SINGLE DX	1218	3.6	6	2	2	3	4	5	6	14
2. MULTIPLE DX	2379	5.1	27	2	2	4	5	8	12	28
A. NOT OPERATED	1629	3.4	4	2	2	3	4	4	5	11
B. OPERATED	1968	5.6	32	2	3	4	6	9	14	30
TOTAL 0-19 YRS	347	3.9	6	2	2	3	4	6	7	16
20-34	2856	4.6	21	2	2	3	5	7	10	23
35-49	394	5.3	26	2	3	4	6	8	13	26
50-64										
65+										
GRAND TOTAL	**3597**	**4.6**	**20**	**2**	**2**	**3**	**5**	**7**	**10**	**23**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5735	3.0	1	2	2	3	3	4	4	5
20-34	39867	2.9	1	2	2	3	3	4	4	5
35-49	2757	3.0	1	2	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	893	2.9		2	2	3	3	4	4	5
20-34	7879	3.0	2	2	2	3	3	4	4	5
35-49	578	3.0	1	2	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	3.0	1	2	2	3	3	4	5	6
20-34	973	3.1	1	2	2	3	4	4	5	7
35-49	67	3.2	2	2	2	3	4	4	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	71	3.2	1	2	2	3	3	4	5	6
20-34	3750	3.6	1	2	3	3	4	5	5	6
35-49	573	3.7	2	2	3	4	4	5	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48359	2.9	1	2	2	3	3	4	4	5
B. *Operated*	9350	3.0	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1214	3.1	1	2	2	3	4	4	5	7
B. *Operated*	4394	3.6	1	2	3	3	4	5	5	6
1. SINGLE DX	57709	2.9	1	2	2	3	3	4	4	5
2. MULTIPLE DX	5608	3.5	1	2	2	3	4	5	5	6
A. NOT OPERATED	49573	2.9	1	2	2	3	3	4	4	5
B. OPERATED	13744	3.2	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	6873	3.0	1	2	2	3	3	4	4	5
20-34	52469	3.0	1	2	2	3	3	4	4	5
35-49	3975	3.1	1	2	2	3	4	4	4	5
50-64										
65+										
GRAND TOTAL	**63317**	**3.0**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	10	1	1	3	6	8	8	8
20-34	32	3.6	2	2	2	3	4	4	5	11
35-49	2	7.5	61	2	2	7	13	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	9	5.3	3	3	3	5	6	8	8	8
20-34	163	7.2	47	3	4	6	7	8	15	48
35-49	29	8.6	52	3	4	6	7	20	24	33
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	21	3.5	2	2	2	3	4	5	6	8
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	15	9.0	67	1	2	6	12	19	29	33
20-34	358	9.5	113	3	3	6	8	20	34	64
35-49	90	9.2	110	3	4	6	8	17	34	63
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	3.8	5	2	2	3	4	5	10	13
B. *Operated*	201	7.3	45	3	4	6	7	9	18	45
2. MULTIPLE DX										
A. *Not Operated*	26	3.5	2	2	2	3	4	5	6	8
B. *Operated*	463	9.4	110	3	3	6	8	19	34	64
1. SINGLE DX	239	6.8	41	3	3	6	7	8	17	43
2. MULTIPLE DX	489	9.1	106	3	3	6	8	18	33	62
A. NOT OPERATED	64	3.7	4	2	2	3	4	5	8	13
B. OPERATED	664	8.8	92	3	4	6	8	17	29	58
TOTAL 0-19 YRS	30	6.8	39	1	2	5	7	13	19	33
20-34	574	8.3	87	3	3	6	7	14	28	58
35-49	124	8.9	93	3	3	6	8	17	27	52
50-64										
65+										
GRAND TOTAL	**728**	**8.3**	**86**	**3**	**3**	**6**	**7**	**15**	**28**	**57**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.7	2	1	1	3	4	5	5	5
20-34	189	2.9	2	1	1	3	3	4	6	8
35-49	7	3.6	1	2	2	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	38	4.1	3	1	2	4	5	7	7	8
20-34	190	4.7	3	2	2	5	6	7	7	9
35-49	14	5.6	16	3	3	5	6	8	16	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.9	2	1	1	3	3	5	6	6
20-34	169	3.4	14	1	1	3	4	5	6	20
35-49	16	3.3	3	1	2	3	4	5	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	75	4.6	4	1	2	5	6	7	8	10
20-34	585	5.4	21	2	3	5	6	7	9	24
35-49	79	5.5	10	2	2	5	6	8	9	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	2.9	2	1	1	3	3	4	5	8
B. *Operated*	242	4.6	4	2	2	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	203	3.3	12	1	1	3	4	5	6	17
B. *Operated*	739	5.4	18	2	2	5	6	7	9	21
1. SINGLE DX	468	3.8	4	1	1	3	5	6	7	8
2. MULTIPLE DX	942	4.9	18	2	2	4	6	7	9	21
A. NOT OPERATED	429	3.1	7	1	1	3	3	5	6	11
B. OPERATED	981	5.2	15	2	2	5	6	7	8	19
TOTAL 0-19 YRS	161	3.9	4	1	1	4	5	7	7	10
20-34	1133	4.6	15	1	2	4	6	7	8	18
35-49	116	5.1	10	2	2	5	6	8	9	21
50-64										
65+										
GRAND TOTAL	**1410**	**4.5**	**13**	**1**	**2**	**4**	**6**	**7**	**8**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5		3	3	3	4	4	4	4
20-34	37	2.8	1	1	1	3	3	4	4	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	44	2.8	1	1	2	3	3	4	5	6
20-34	386	2.9	1	1	2	3	3	4	4	7
35-49	34	3.0	1	2	2	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	6	2.7	1	<1	<1	3	3	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	26	3.3	1	2	2	3	4	5	6	6
20-34	220	3.2	2	1	2	3	4	4	6	9
35-49	27	3.6	5	2	2	3	4	5	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.9	1	1	2	3	3	4	4	5
B. *Operated*	464	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	9	2.9	1	<1	1	3	4	5	5	5
B. *Operated*	273	3.3	2	1	2	3	4	5	6	9
1. SINGLE DX	506	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX	282	3.3	2	1	2	3	4	5	6	9
A. NOT OPERATED	51	2.9	1	1	1	3	3	4	4	5
B. OPERATED	737	3.0	2	1	2	3	3	4	5	8
TOTAL 0-19 YRS	77	3.0	1	2	2	3	3	5	5	6
20-34	649	3.0	1	1	2	3	3	4	4	8
35-49	62	3.3	3	2	2	3	3	5	5	13
50-64										
65+										
GRAND TOTAL	**788**	**3.0**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.0	1	2	2	3	3	4	4	5
20-34	172	3.1	1	1	2	3	4	4	5	5
35-49	9	3.7		3	3	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.9	1	1	2	3	3	4	4	4
20-34	78	3.4	2	1	2	3	4	5	6	8
35-49	4	3.3	1	2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.7	2	1	2	4	5	5	6	7
20-34	104	3.3	1	2	2	3	4	4	5	6
35-49	9	3.8	6	2	2	3	4	8	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.7	2	2	3	3	4	5	7	8
20-34	134	3.9	5	1	2	4	4	5	6	17
35-49	13	3.8	1	3	3	4	4	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	3.1	1	1	2	3	4	4	5	5
B. *Operated*	92	3.4	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	129	3.4	1	2	2	3	4	5	5	8
B. *Operated*	166	3.9	4	2	3	4	4	5	6	16
1. SINGLE DX	305	3.2	1	1	2	3	4	4	5	7
2. MULTIPLE DX	295	3.7	3	2	2	3	4	5	6	10
A. NOT OPERATED	342	3.2	1	2	2	3	4	4	5	6
B. OPERATED	258	3.7	3	2	2	3	4	5	6	10
TOTAL 0-19 YRS	77	3.3	1	2	2	3	4	5	5	8
20-34	488	3.4	2	1	2	3	4	5	5	8
35-49	35	3.7	2	2	3	3	4	4	6	10
50-64										
65+										
GRAND TOTAL	**600**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.1	1	2	2	3	4	4	4	4
20-34	125	3.7	2	2	3	3	4	5	6	10
35-49	10	4.4	4	3	3	4	4	7	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	6	4.2	2	3	3	4	5	6	6	6
20-34	78	4.7	4	2	3	5	6	7	8	13
35-49	12	4.7	2	3	3	4	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	3	3	3	3	5	7	7	7
20-34	93	3.8	4	1	2	4	4	5	6	14
35-49	12	3.6	1	2	2	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	43	7.0	20	2	3	6	8	11	17	24
20-34	590	5.9	25	3	3	5	7	8	10	26
35-49	61	5.4	5	3	3	5	6	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	3.7	2	2	3	3	4	5	5	10
B. *Operated*	96	4.7	3	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	110	3.8	3	1	2	4	4	5	6	13
B. *Operated*	694	5.9	23	3	3	5	7	8	10	23
1. SINGLE DX	242	4.1	3	2	3	4	5	6	7	10
2. MULTIPLE DX	804	5.6	21	3	3	5	6	8	10	21
A. NOT OPERATED	256	3.7	2	2	3	3	4	5	6	10
B. OPERATED	790	5.8	21	3	3	5	6	8	10	21
TOTAL 0-19 YRS	65	5.9	16	2	3	5	7	10	13	23
20-34	886	5.3	18	3	3	5	6	7	9	17
35-49	95	5.0	4	3	3	4	6	7	9	13
50-64										
65+										
GRAND TOTAL	**1046**	**5.3**	**17**	**3**	**3**	**5**	**6**	**8**	**9**	**17**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.0	1	2	2	3	3	4	5	5
20-34	122	2.9	1	1	1	3	3	4	5	7
35-49	11	2.8	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	156	5.0	2	3	3	5	6	6	7	10
20-34	1407	5.0	2	3	3	5	6	7	7	8
35-49	110	5.0	2	2	3	5	6	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.6	1	2	2	4	4	5	5	5
20-34	67	3.0	2	<1	1	3	4	5	5	7
35-49	7	2.4	1	<1	<1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	161	5.7	7	2	3	5	7	8	10	15
20-34	1817	5.4	5	3	3	5	6	7	8	12
35-49	222	5.8	5	3	3	6	7	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	2.9	1	1	2	3	3	4	5	7
B. *Operated*	1673	5.0	2	3	3	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	85	3.1	2	<1	1	3	4	5	5	7
B. *Operated*	2200	5.5	5	3	3	5	6	7	8	13
1. SINGLE DX	1819	4.8	2	2	3	5	6	7	7	8
2. MULTIPLE DX	2285	5.4	5	3	3	5	6	7	8	12
A. NOT OPERATED	231	2.9	1	1	1	3	3	4	5	7
B. OPERATED	3873	5.3	4	3	3	5	6	7	8	11
TOTAL 0-19 YRS	341	5.2	5	2	3	5	6	7	9	11
20-34	3413	5.1	4	2	3	5	6	7	8	11
35-49	350	5.4	4	2	3	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**4104**	**5.2**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.9	1	1	2	3	3	4	4	4
20-34	292	2.9	1	2	2	3	3	4	4	5
35-49	27	3.3	2	1	2	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	92	4.4	2	3	3	4	5	6	7	10
20-34	731	4.5	2	2	3	4	6	6	7	9
35-49	55	5.0	3	2	3	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.4	1	2	2	3	4	5	6	7
20-34	186	3.0	2	1	2	3	3	4	5	7
35-49	20	3.6	3	1	2	4	4	5	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	254	5.1	5	3	3	5	6	7	9	12
20-34	2353	5.0	7	3	3	5	6	7	8	11
35-49	285	5.7	7	3	3	5	6	8	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	2.9	1	2	2	3	3	4	4	5
B. *Operated*	878	4.5	3	2	3	4	6	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	223	3.1	2	1	2	3	4	4	5	8
B. *Operated*	2892	5.1	7	3	3	5	6	7	8	12
1. SINGLE DX	1230	4.1	3	2	2	4	5	6	7	8
2. MULTIPLE DX	3115	5.0	6	2	3	5	6	7	8	11
A. NOT OPERATED	575	3.0	1	1	2	3	3	4	4	6
B. OPERATED	3770	5.0	6	3	3	5	6	7	8	11
TOTAL 0-19 YRS	396	4.7	4	2	3	4	6	7	8	11
20-34	3562	4.6	6	2	3	4	6	7	7	10
35-49	387	5.3	6	2	3	5	6	7	9	15
50-64										
65+										
GRAND TOTAL	**4345**	**4.7**	**6**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	9	1	1	4	7	9	9	9
20-34	26	3.5	2	2	2	3	4	6	7	7
35-49	4	3.8	4	1	1	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	302	5.8	2	4	4	6	7	8	8	10
20-34	2166	5.6	1	4	4	6	6	7	7	9
35-49	129	5.8	2	4	4	6	7	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	4.1	1	2	3	4	5	6	6	7
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	669	6.4	6	4	4	6	7	9	11	15
20-34	4698	5.9	3	4	4	6	7	8	8	12
35-49	399	6.4	5	4	5	6	7	8	10	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.7	3	1	2	3	4	7	7	9
B. *Operated*	2597	5.6	1	4	4	6	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	25	4.1	1	2	3	4	5	6	6	7
B. *Operated*	5766	6.0	3	4	4	6	7	8	9	13
1. SINGLE DX	2632	5.6	2	4	4	6	6	7	8	9
2. MULTIPLE DX	5791	6.0	3	4	4	6	7	8	9	13
A. NOT OPERATED	60	3.9	2	2	2	4	4	6	7	9
B. OPERATED	8363	5.9	3	4	4	6	6	7	8	12
TOTAL 0-19 YRS	976	6.2	5	4	4	6	7	8	10	14
20-34	6912	5.8	2	4	4	6	6	7	8	11
35-49	535	6.2	4	4	5	6	7	8	9	15
50-64										
65+										
GRAND TOTAL	**8423**	**5.9**	**3**	**4**	**4**	**6**	**6**	**7**	**8**	**12**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	3.0	1	1	2	3	4	4	5	5
20-34	655	3.2	1	2	2	3	4	4	5	6
35-49	39	3.1	1	2	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	141	4.3	2	2	3	4	5	6	7	8
20-34	1304	4.5	2	2	3	4	6	6	7	8
35-49	97	4.3	3	2	3	4	6	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.4	1	2	2	3	4	4	6	8
20-34	514	3.3	1	2	2	3	4	4	5	7
35-49	32	3.2	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	293	4.5	4	2	3	4	6	7	8	13
20-34	2596	4.5	4	2	3	4	6	7	7	10
35-49	240	4.9	4	2	3	5	6	7	8	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	809	3.1	1	2	2	3	4	4	5	6
B. *Operated*	1542	4.4	2	2	3	4	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	632	3.3	1	2	2	3	4	4	5	7
B. *Operated*	3129	4.5	4	2	3	4	6	7	7	10
1. SINGLE DX	2351	4.0	2	2	2	4	5	6	7	8
2. MULTIPLE DX	3761	4.3	4	2	3	4	5	7	7	10
A. NOT OPERATED	1441	3.2	1	2	2	3	4	4	5	7
B. OPERATED	4671	4.5	3	2	3	4	6	7	7	10
TOTAL 0-19 YRS	635	4.0	3	2	2	4	5	6	7	9
20-34	5069	4.2	3	2	2	4	5	6	7	9
35-49	408	4.5	3	2	3	4	6	7	7	8
50-64										
65+										
GRAND TOTAL	**6112**	**4.2**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	1	1	1	3	3	4	4	4
20-34	116	3.2	1	2	2	3	4	4	4	6
35-49	24	3.0	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	29	4.7	3	2	2	5	6	6	8	9
20-34	432	4.8	3	2	3	5	6	7	8	8
35-49	45	5.1	3	2	3	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.5	10	<1	<1	3	4	9	11	11
20-34	81	3.3	2	1	2	3	4	5	6	7
35-49	15	3.6	3	1	2	3	4	6	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	66	5.0	4	2	3	5	6	7	8	10
20-34	887	5.6	19	3	3	5	6	8	9	18
35-49	111	5.5	8	2	3	6	7	7	9	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	3.1	1	2	2	3	4	4	4	6
B. *Operated*	506	4.9	3	2	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	104	3.4	2	1	2	3	4	5	6	10
B. *Operated*	1064	5.6	17	2	3	5	7	8	9	19
1. SINGLE DX	664	4.4	3	2	3	4	6	7	7	8
2. MULTIPLE DX	1168	5.4	16	2	3	5	6	8	9	16
A. NOT OPERATED	262	3.2	1	1	2	3	4	4	5	8
B. OPERATED	1570	5.3	13	2	3	5	6	7	8	13
TOTAL 0-19 YRS	121	4.5	4	2	2	4	6	7	8	10
20-34	1516	5.1	13	2	3	5	6	7	8	13
35-49	195	5.0	6	2	3	5	6	7	8	16
50-64										
65+										
GRAND TOTAL	**1832**	**5.0**	**12**	**2**	**3**	**5**	**6**	**7**	**8**	**13**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	6	3	3	4	6	8	8	8
20-34	112	3.2	2	1	2	3	4	5	6	8
35-49	13	3.1	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	259	5.6	1	4	4	6	6	7	8	8
20-34	6598	5.8	2	4	4	6	6	7	8	8
35-49	564	6.1	7	4	5	6	7	8	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	64	3.6	2	2	2	3	4	5	6	9
35-49	7	3.6	2	2	2	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	165	5.7	4	3	4	6	6	7	8	16
20-34	7144	5.9	3	4	4	6	7	8	8	11
35-49	1122	6.4	4	4	5	6	7	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	3.2	2	1	2	3	4	5	6	8
B. *Operated*	7421	5.8	2	4	4	6	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	76	3.5	2	2	2	3	4	5	6	8
B. *Operated*	8431	6.0	3	4	4	6	7	8	8	12
1. SINGLE DX	7550	5.7	2	4	4	6	6	7	8	8
2. MULTIPLE DX	8507	6.0	3	4	4	6	7	8	8	12
A. NOT OPERATED	205	3.3	2	1	2	3	4	5	6	8
B. OPERATED	15852	5.9	3	4	4	6	7	7	8	10
TOTAL 0-19 YRS	433	5.6	2	4	4	6	6	7	8	10
20-34	13918	5.8	3	4	4	6	7	7	8	10
35-49	1706	6.3	5	4	5	6	7	8	8	11
50-64										
65+										
GRAND TOTAL	**16057**	**5.9**	**3**	**4**	**4**	**6**	**7**	**7**	**8**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	3.4	1	2	3	3	4	4	5	7
20-34	1547	3.3	1	2	2	3	4	4	5	6
35-49	116	3.3	1	2	2	3	4	5	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	123	3.8	3	2	2	3	4	7	8	9
20-34	969	3.7	2	2	2	3	4	6	7	8
35-49	74	4.0	3	2	3	3	5	7	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	4.0	8	2	2	3	4	6	8	19
20-34	1001	3.7	5	2	2	3	4	5	6	11
35-49	98	4.0	4	2	2	4	4	6	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	367	5.1	8	2	3	4	6	8	10	17
20-34	3392	4.8	9	2	3	4	6	7	8	15
35-49	420	5.3	12	2	3	5	6	8	10	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1888	3.3	1	2	2	3	4	4	5	6
B. *Operated*	1166	3.7	2	2	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	1249	3.7	5	2	2	3	4	5	6	12
B. *Operated*	4179	4.9	9	2	3	4	6	7	8	16
1. SINGLE DX	3054	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	5428	4.6	9	2	3	4	6	7	8	15
A. NOT OPERATED	3137	3.5	3	2	2	3	4	5	6	9
B. OPFRATED	5345	4.6	8	2	3	4	6	7	8	14
TOTAL 0-19 YRS	865	4.3	6	2	3	4	5	7	9	16
20-34	6909	4.1	6	2	2	4	5	6	7	11
35-49	708	4.6	9	2	2	4	6	7	9	15
50-64										
65+										
GRAND TOTAL	**8482**	**4.2**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	423	2.9	1	2	2	3	3	4	4	5
20-34	3791	2.9	1	2	2	3	3	4	4	5
35-49	268	3.1	1	2	2	3	4	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	178	3.1	1	2	2	3	3	4	5	6
20-34	1756	3.1	1	2	2	3	3	4	5	6
35-49	124	3.4	1	2	2	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	3.1	1	2	2	3	3	4	4	6
20-34	961	3.0	1	2	2	3	3	4	4	6
35-49	86	3.1	2	1	2	3	3	4	5	12
50-64										
65+										
B. *Operated*										
0-19 YRS	182	3.4	2	2	2	3	4	5	6	9
20-34	2099	3.5	2	2	2	3	4	5	6	8
35-49	210	4.0	4	2	2	4	5	6	7	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4482	2.9	1	2	2	3	3	4	4	5
B. *Operated*	2058	3.1	1	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	1178	3.1	1	2	2	3	3	4	4	6
B. *Operated*	2491	3.5	2	2	2	3	4	5	6	8
1. SINGLE DX	6540	3.0	1	2	2	3	3	4	4	5
2. MULTIPLE DX	3669	3.4	2	2	2	3	4	5	6	8
A. NOT OPERATED	5660	2.9	1	2	2	3	3	4	4	5
B. OPERATED	4549	3.3	1	2	2	3	4	5	5	7
TOTAL 0-19 YRS	914	3.1	1	2	2	3	3	4	4	6
20-34	8607	3.1	1	2	2	3	3	4	5	6
35-49	688	3.4	2	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**10209**	**3.1**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.6	1	1	2	3	3	3	4	4
20-34	509	2.7	1	1	2	3	3	4	4	5
35-49	53	2.7	1	<1	1	3	3	4	4	9
50-64										
65+										
B. *Operated*										
0-19 YRS	831	2.9	1	2	2	3	3	4	4	5
20-34	8009	2.8	1	1	2	3	3	4	4	5
35-49	769	2.9	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.2	2	2	2	3	3	5	7	8
20-34	155	3.0	1	1	2	3	3	4	4	9
35-49	18	2.9	1	1	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	332	3.1	1	2	2	3	3	4	5	7
20-34	4331	3.2	2	2	2	3	4	4	5	7
35-49	556	3.4	1	2	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	636	2.7	1	1	2	3	3	4	4	5
B. *Operated*	9609	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	196	3.0	1	1	2	3	3	4	5	9
B. *Operated*	5219	3.2	2	2	2	3	4	4	5	7
1. SINGLE DX	10245	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX	5415	3.2	2	2	2	3	4	4	5	7
A. NOT OPERATED	832	2.8	1	1	2	3	3	4	4	7
B. OPERATED	14828	2.9	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	1260	2.9	1	2	2	3	3	4	4	6
20-34	13004	2.9	1	1	2	3	3	4	4	6
35-49	1396	3.1	1	1	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**15660**	**2.9**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.6	1	1	2	3	3	4	4	4
20-34	268	2.7	2	1	1	3	3	4	4	7
35-49	4	3.0	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	608	3.1	1	2	2	3	4	4	4	5
20-34	3382	3.1	1	2	2	3	3	4	4	5
35-49	143	3.1	1	2	2	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	2	1	1	3	4	5	6	6
20-34	65	3.7	9	1	2	3	4	7	8	21
35-49	4	3.8	5	2	2	3	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	328	3.4	2	2	2	3	4	5	5	9
20-34	2273	3.4	1	2	2	3	4	5	5	8
35-49	135	3.6	3	2	2	3	4	5	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	2.7	2	1	1	3	3	4	4	6
B. *Operated*	4133	3.1	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	81	3.7	8	1	2	3	4	6	8	19
B. *Operated*	2736	3.4	1	2	2	3	4	5	5	8
1. SINGLE DX	4455	3.1	1	2	2	3	3	4	4	5
2. MULTIPLE DX	2817	3.4	2	2	2	3	4	5	5	8
A. NOT OPERATED	403	2.9	3	1	2	3	3	4	5	8
B. OPERATED	6869	3.2	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	998	3.2	1	2	2	3	4	4	5	6
20-34	5988	3.2	1	2	2	3	4	4	5	7
35-49	286	3.4	2	2	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**7272**	**3.2**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.7		2	2	3	3	3	4	4
20-34	223	2.8	2	1	2	3	3	4	5	8
35-49	11	2.8	2	1	1	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	197	2.9	1	2	2	3	3	4	4	5
20-34	1108	2.9	1	2	2	3	3	4	4	6
35-49	52	3.0	1	2	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	1	2	2	3	3	4	6	6
20-34	79	3.2	3	1	2	3	4	5	7	9
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	153	3.2	2	2	2	3	3	4	5	11
20-34	996	3.3	2	2	2	3	4	5	5	9
35-49	66	3.6	3	1	2	3	4	5	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	2.8	2	1	2	3	3	4	4	8
B. *Operated*	1357	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	94	3.2	2	2	2	3	4	5	6	9
B. *Operated*	1215	3.3	2	2	2	3	4	4	5	9
1. SINGLE DX	1623	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX	1309	3.3	2	2	2	3	4	5	5	9
A. NOT OPERATED	360	2.9	2	1	2	3	3	4	5	8
B. OPERATED	2572	3.1	1	2	2	3	4	4	5	8
TOTAL 0-19 YRS	396	3.0	1	2	2	3	3	4	4	9
20-34	2406	3.1	2	2	2	3	3	4	5	8
35-49	130	3.3	2	2	2	3	4	4	5	11
50-64										
65+										
GRAND TOTAL	**2932**	**3.1**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**8**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	847	3.4	4	1	2	3	4	5	6	10
20-34	4832	3.1	2	1	2	3	4	4	5	8
35-49	428	3.3	4	1	2	3	4	5	6	8
50-64										
65+										
B. Operated										
0-19 YRS	1132	3.9	6	2	2	3	4	6	8	14
20-34	8010	3.7	3	2	2	3	4	6	7	9
35-49	654	4.0	3	2	2	3	5	6	8	12
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	541	3.3	4	1	2	3	4	5	6	11
20-34	3128	3.3	4	1	2	3	4	5	6	12
35-49	302	3.7	24	1	2	3	4	5	7	16
50-64										
65+										
B. Operated										
0-19 YRS	1896	4.6	9	2	2	4	6	8	10	17
20-34	13831	4.7	10	2	2	4	6	7	9	17
35-49	1620	5.3	15	2	3	5	6	8	11	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6107	3.2	2	1	2	3	4	4	5	8
B. Operated	9796	3.7	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	3971	3.3	5	1	2	3	4	5	6	12
B. Operated	17347	4.7	11	2	2	4	6	7	9	17
1. SINGLE DX	15903	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX	21318	4.5	10	2	2	4	5	7	9	17
A. NOT OPERATED	10078	3.2	4	1	2	3	4	4	5	9
B. OPERATED	27143	4.4	8	2	2	4	5	7	8	15
TOTAL 0-19 YRS	4416	4.0	7	2	2	3	5	7	8	14
20-34	29801	4.0	7	2	2	3	5	6	8	14
35-49	3004	4.6	12	2	2	4	5	7	9	17
50-64										
65+										
GRAND TOTAL	**37221**	**4.0**	**7**	**2**	**2**	**3**	**5**	**6**	**8**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	3.7	4	1	2	3	5	6	8	8
20-34	115	3.7	2	2	2	3	4	6	6	9
35-49	11	4.1	5	1	1	4	5	7	8	8
50-64										
65+										
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	10	5.8	24	1	1	5	7	13	17	17
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	4.3	6	1	1	5	6	8	8	8
20-34	65	4.7	7	2	2	4	5	9	10	13
35-49	5	4.6	3	2	2	5	6	7	7	7
50-64										
65+										
B. Operated										
0-19 YRS	3	10.3	44	6	6	7	15	18	18	18
20-34	20	6.9	41	<1	<1	5	9	17	22	25
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	151	3.7	3	2	2	3	5	6	7	8
B. Operated	13	5.1	20	1	1	4	7	11	16	17
2. MULTIPLE DX										
A. Not Operated	79	4.6	6	2	2	4	5	8	10	13
B. Operated	25	7.1	39	<1	1	6	9	18	20	25
1. SINGLE DX	164	3.8	4	1	2	4	5	6	7	9
2. MULTIPLE DX	104	5.2	15	1	2	4	6	9	12	22
A. NOT OPERATED	230	4.0	4	2	2	4	5	7	8	12
B. OPERATED	38	6.4	33	<1	1	5	7	17	19	25
TOTAL 0-19 YRS	39	4.3	9	1	2	4	6	7	8	18
20-34	210	4.4	9	2	2	4	5	7	9	18
35-49	19	4.3	4	1	2	4	5	7	8	8
50-64										
65+										
GRAND TOTAL	**268**	**4.4**	**9**	**1**	**2**	**4**	**5**	**7**	**9**	**18**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.5	1	1	1	1	2	3	4	4
20-34	58	1.8	1	<1	<1	1	2	4	4	6
35-49	6	2.2	2	<1	<1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	23	1.7	1	<1	<1	1	2	3	4	4
20-34	278	1.5	1	<1	<1	1	2	3	4	6
35-49	16	1.8	2	<1	<1	1	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	40	2.3	3	<1	1	2	3	5	6	7
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.0	9	1	1	2	3	8	11	11
20-34	148	2.3	3	<1	1	2	3	4	5	7
35-49	11	2.6	3	<1	<1	2	4	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	1.8	1	<1	1	1	2	4	4	6
B. *Operated*	317	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	46	2.2	2	<1	1	2	3	5	5	7
B. *Operated*	171	2.4	4	<1	1	2	3	4	5	10
1. SINGLE DX	392	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	217	2.4	3	<1	1	2	3	5	5	9
A. NOT OPERATED	121	2.0	2	<1	1	1	2	4	5	6
B. OPERATED	488	1.9	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	50	1.9	3	<1	1	1	2	4	4	11
20-34	524	1.9	2	<1	<1	1	2	4	4	6
35-49	35	2.2	2	<1	<1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	**609**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**4**	**4**	**7**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.7	5	1	1	3	5	7	9	9
20-34	90	4.7	16	1	1	3	6	12	13	17
35-49	13	5.8	17	1	2	5	10	12	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	37	3.4	24	1	2	3	3	3	4	32
20-34	190	3.4	10	<1	1	3	3	6	9	19
35-49	16	2.4	1	1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.6	66	1	1	2	16	17	17	17
20-34	60	4.1	10	<1	1	3	5	9	12	14
35-49	10	7.7	83	1	1	4	8	24	28	28
50-64										
65+										
B. *Operated*										
0-19 YRS	18	4.4	11	2	2	3	4	9	13	15
20-34	111	4.7	26	1	1	3	5	10	16	28
35-49	13	8.6	126	1	2	4	9	26	38	41
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	4.7	14	1	1	3	6	12	13	16
B. *Operated*	243	3.4	11	1	1	3	3	5	9	19
2. MULTIPLE DX										
A. *Not Operated*	75	4.8	24	1	1	3	5	12	15	26
B. *Operated*	142	5.0	34	1	1	3	5	11	16	36
1. SINGLE DX	367	3.8	13	1	1	3	4	8	12	19
2. MULTIPLE DX	217	4.9	30	1	1	3	5	11	16	31
A. NOT OPERATED	199	4.7	18	1	1	3	6	12	13	20
B. OPERATED	385	4.0	20	1	1	3	4	8	11	23
TOTAL 0-19 YRS	81	4.0	19	1	2	3	4	6	13	27
20-34	451	4.1	15	1	1	3	4	9	12	19
35-49	52	5.8	55	1	1	3	5	12	22	41
50-64										
65+										
GRAND TOTAL	**584**	**4.2**	**19**	**1**	**1**	**3**	**4**	**9**	**12**	**22**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	764	4.1	5	2	2	4	5	7	8	12
20-34	726	4.4	6	1	2	4	6	8	9	12
35-49	567	5.2	10	2	2	4	7	9	11	17
50-64	416	6.1	19	2	2	5	7	11	13	23
65+	406	7.5	33	2	3	6	9	13	17	35
B. *Operated*										
0-19 YRS	297	4.7	13	1	1	4	6	8	12	19
20-34	428	5.4	21	1	1	4	7	11	13	25
35-49	265	6.1	26	1	2	5	8	12	15	27
50-64	147	6.5	38	1	2	5	9	13	15	24
65+	116	8.4	72	1	2	6	10	17	26	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	646	4.9	11	2	2	4	6	9	11	17
20-34	914	5.9	18	2	2	5	7	11	14	23
35-49	1113	7.2	29	2	3	6	9	13	17	28
50-64	1874	8.4	37	3	3	7	10	15	19	33
65+	3339	10.9	79	3	4	9	13	20	27	66
B. *Operated*										
0-19 YRS	253	6.4	32	1	2	5	7	11	18	28
20-34	584	9.1	68	2	3	6	11	19	25	50
35-49	638	11.9	131	2	3	9	14	28	36	67
50-64	855	14.4	165	3	4	11	18	30	42	82
65+	1295	18.0	244	4	5	14	23	41	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2879	5.2	14	2	2	4	6	9	11	18
B. *Operated*	1253	5.8	28	1	1	4	7	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	7886	8.7	54	2	3	7	11	16	21	41
B. *Operated*	3625	13.8	177	2	3	10	17	30	43	93
1. SINGLE DX	4132	5.4	18	1	2	4	7	10	12	21
2. MULTIPLE DX	11511	10.3	98	2	3	8	12	20	29	66
A. NOT OPERATED	10765	7.8	46	2	3	6	9	14	19	36
B. OPERATED	4878	11.7	151	2	2	8	15	26	38	81
TOTAL 0-19 YRS	1960	4.8	12	1	2	4	6	8	11	19
20-34	2652	6.1	29	1	2	5	7	12	15	28
35-49	2583	7.8	56	2	2	6	9	15	21	42
50-64	3292	9.6	77	2	3	7	11	18	25	51
65+	5156	12.4	128	3	4	9	15	24	35	86
GRAND TOTAL	**15643**	**9.0**	**82**	**2**	**3**	**7**	**11**	**18**	**25**	**56**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	307	4.3	9	2	2	4	5	7	9	16
20-34	140	4.1	7	1	2	3	5	8	9	15
35-49	76	4.3	6	2	2	3	5	7	9	15
50-64	48	5.2	7	2	3	5	6	9	11	14
65+	41	5.8	24	1	2	4	6	12	15	26
B. *Operated*										
0-19 YRS	204	3.2	6	<1	<1	2	5	7	8	10
20-34	151	4.1	13	<1	1	3	5	9	10	19
35-49	116	3.7	11	<1	<1	3	5	7	9	18
50-64	71	5.6	45	<1	<1	4	6	12	16	37
65+	48	5.9	43	<1	1	3	7	13	17	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	333	4.7	9	1	2	4	6	8	9	19
20-34	151	5.8	25	1	2	4	7	10	15	29
35-49	153	6.3	23	2	2	5	8	11	14	37
50-64	210	8.2	49	2	3	7	9	14	19	31
65+	332	9.2	45	3	3	8	11	16	21	50
B. *Operated*										
0-19 YRS	124	6.4	43	1	1	5	8	14	16	32
20-34	166	8.9	107	1	2	5	11	21	29	42
35-49	157	9.0	65	1	2	6	12	20	27	37
50-64	238	12.4	163	2	2	8	16	27	37	70
65+	275	12.7	125	2	3	10	15	24	39	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	4.4	9	2	2	4	5	7	10	16
B. *Operated*	590	4.0	17	<1	<1	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	1179	6.9	33	2	2	6	8	13	17	31
B. *Operated*	960	10.6	116	1	2	7	14	22	32	56
1. SINGLE DX	1202	4.2	13	<1	1	3	5	8	10	18
2. MULTIPLE DX	2139	8.6	74	2	2	6	10	17	25	49
A. NOT OPERATED	1791	6.1	26	2	2	5	7	11	15	28
B. OPERATED	1550	8.1	89	<1	1	5	10	18	26	49
TOTAL 0-19 YRS	968	4.5	13	1	1	4	6	8	10	19
20-34	608	5.9	44	1	1	4	7	11	18	31
35-49	502	6.2	36	<1	1	5	7	13	18	34
50-64	567	9.4	100	2	2	6	11	19	29	53
65+	696	10.2	80	2	3	8	13	19	26	55
GRAND TOTAL	**3341**	**7.0**	**56**	**1**	**2**	**5**	**8**	**14**	**20**	**40**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	15	<1	<1	2	2	8	14	14
20-34	20	3.4	6	<1	<1	3	4	7	9	11
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1103	3.4	10	1	1	3	4	5	6	10
20-34	1970	3.4	3	1	2	3	4	5	6	9
35-49	250	3.3	3	1	1	3	4	5	6	9
50-64	43	3.7	4	2	2	3	4	7	9	9
65+	11	3.2	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	4	<1	<1	1	3	5	6	6
20-34	19	3.2	11	<1	<1	1	4	9	11	12
35-49	2	6.0	50	<1	<1	5	11	11	11	11
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	7.5	41	3	3	7	12	12	12	12
B. *Operated*										
0-19 YRS	123	4.1	15	1	2	3	4	6	9	27
20-34	293	4.4	12	1	2	4	5	7	9	15
35-49	106	4.4	23	1	1	3	5	7	10	30
50-64	42	7.2	37	1	2	5	10	15	21	30
65+	27	6.8	35	2	3	5	8	15	21	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.2	8	<1	1	2	3	7	10	14
B. *Operated*	3377	3.4	5	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	31	3.6	14	<1	<1	1	5	10	12	12
B. *Operated*	591	4.7	18	1	2	4	5	8	11	24
1. SINGLE DX	3410	3.4	5	1	2	3	4	5	6	9
2. MULTIPLE DX	622	4.6	18	1	2	4	5	8	11	24
A. NOT OPERATED	64	3.4	11	<1	<1	2	4	9	11	14
B. OPERATED	3968	3.6	7	1	2	3	4	6	7	11
TOTAL 0-19 YRS	1243	3.4	10	1	1	3	4	6	7	10
20-34	2302	3.5	4	1	2	3	4	6	7	11
35-49	361	3.6	9	1	1	3	4	6	7	12
50-64	86	5.5	23	2	2	4	7	11	15	27
65+	40	5.8	27	1	2	4	6	12	18	26
GRAND TOTAL	**4032**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	2	<1	<1	1	1	4	5	5
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS	167	1.5	1	<1	<1	1	2	2	3	6
20-34	293	1.5	1	<1	<1	1	2	2	4	7
35-49	241	1.5	3	<1	<1	<1	2	2	3	5
50-64	233	1.4	1	<1	<1	<1	2	2	3	4
65+	114	1.9	4	<1	<1	1	2	3	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	3	<1	<1	1	2	5	5	5
20-34	5	3.6	3	<1	<1	4	5	5	5	5
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	6	1.8	2	<1	<1	1	3	4	4	4
65+	4	5.3	12	2	2	4	7	10	10	10
B. *Operated*										
0-19 YRS	22	2.3	4	<1	1	2	2	5	7	8
20-34	70	1.9	2	<1	<1	1	2	3	5	9
35-49	100	2.5	4	<1	<1	2	3	5	6	11
50-64	113	2.8	7	<1	<1	2	3	5	9	14
65+	85	4.5	34	<1	<1	3	4	11	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	1.6	2	<1	<1	1	2	4	5	5
B. *Operated*	1048	1.5	2	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	24	2.8	5	<1	<1	2	4	5	7	10
B. *Operated*	390	2.9	12	<1	<1	2	3	6	9	20
1. SINGLE DX	1061	1.5	2	<1	<1	1	2	2	3	6
2. MULTIPLE DX	414	2.9	12	<1	<1	2	3	5	9	19
A. NOT OPERATED	37	2.4	4	<1	<1	1	3	5	5	10
B. OPERATED	1438	1.9	5	<1	<1	1	2	3	5	12
TOTAL 0-19 YRS	201	1.6	1	<1	<1	1	2	2	4	7
20-34	370	1.6	1	<1	<1	1	2	3	4	7
35-49	346	1.8	3	<1	<1	1	2	3	5	9
50-64	353	1.8	3	<1	<1	1	2	3	5	10
65+	205	3.1	18	<1	<1	2	3	7	11	26
GRAND TOTAL	**1475**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	353	3.7	9	1	1	3	4	6	10	16
20-34	157	5.6	31	1	1	4	7	13	19	25
35-49	124	5.4	29	1	1	3	7	12	19	25
50-64	140	7.0	50	1	1	4	9	18	22	33
65+	118	8.9	84	1	2	6	11	20	29	74
B. *Operated*										
0-19 YRS	507	2.6	22	<1	<1	2	2	4	7	16
20-34	757	3.5	27	<1	<1	2	3	8	11	27
35-49	562	4.2	46	<1	<1	2	4	9	14	36
50-64	459	4.2	42	<1	<1	2	4	10	15	34
65+	351	7.0	124	<1	<1	2	9	17	35	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	403	5.3	48	1	1	4	6	10	16	38
20-34	303	7.8	65	1	1	5	10	17	25	37
35-49	415	9.5	85	1	2	7	13	22	27	48
50-64	672	10.5	91	2	3	7	14	24	28	46
65+	1704	13.7	168	3	4	10	17	29	43	99+
B. *Operated*										
0-19 YRS	388	7.1	136	<1	1	3	7	18	33	69
20-34	687	9.9	222	<1	1	4	11	29	46	91
35-49	757	11.8	262	1	1	5	15	34	57	99+
50-64	1071	13.9	304	1	1	7	20	40	64	99+
65+	1941	19.9	350	2	3	15	28	52	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	892	5.5	35	1	1	4	6	12	18	30
B. *Operated*	2636	4.0	47	<1	<1	2	4	9	15	37
2. MULTIPLE DX										
A. *Not Operated*	3497	11.1	129	1	2	8	14	24	33	74
B. *Operated*	4844	14.9	311	1	2	9	21	42	65	99+
1. SINGLE DX	3528	4.4	44	<1	<1	2	4	10	16	36
2. MULTIPLE DX	8341	13.3	238	1	2	8	18	34	52	99+
A. NOT OPERATED	4389	10.0	115	1	2	7	13	22	30	71
B. OPERATED	7480	11.1	245	<1	1	4	15	32	52	99+
TOTAL 0-19 YRS	1651	4.5	55	<1	<1	2	4	9	15	40
20-34	1904	6.7	112	<1	<1	3	7	17	27	62
35-49	1858	8.6	152	<1	1	4	10	22	34	81
50-64	2342	10.6	190	1	1	5	13	27	41	94
65+	4114	15.9	266	1	2	11	21	40	63	99+
GRAND TOTAL	**11869**	**10.7**	**197**	**<1**	**1**	**5**	**14**	**28**	**43**	**99+**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	6.3	20	1	1	5	10	11	14	19
20-34	57	7.0	34	1	2	6	8	14	23	28
35-49	39	9.0	211	1	2	6	10	12	23	92
50-64	19	6.6	24	1	2	5	8	15	19	19
65+	10	14.0	133	1	2	11	19	31	40	40
B. *Operated*										
0-19 YRS	13	5.9	46	2	2	2	7	16	22	24
20-34	27	6.9	34	2	2	4	9	16	20	21
35-49	27	6.3	43	1	2	4	9	14	17	31
50-64	13	8.2	52	1	2	6	11	15	26	29
65+	11	9.5	40	2	3	8	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	11.1	183	2	2	8	12	22	35	74
20-34	138	8.5	47	1	2	7	11	17	21	33
35-49	153	10.6	67	2	3	8	14	22	28	40
50-64	169	9.9	58	2	3	8	13	19	23	34
65+	156	12.1	92	3	4	10	15	26	33	66
B. *Operated*										
0-19 YRS	17	10.4	69	1	2	9	14	25	28	29
20-34	80	14.1	152	2	3	11	19	30	37	59
35-49	87	15.6	201	2	4	12	21	35	42	98
50-64	96	18.0	244	2	4	14	22	40	47	83
65+	86	17.9	157	3	4	15	23	37	43	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	7.9	85	1	2	6	9	15	22	41
B. *Operated*	91	7.1	41	2	2	4	11	15	20	30
2. MULTIPLE DX										
A. *Not Operated*	652	10.4	74	2	3	8	13	20	28	43
B. *Operated*	366	16.2	188	2	4	13	21	34	44	72
1. SINGLE DX	239	7.6	68	1	2	5	10	15	21	32
2. MULTIPLE DX	1018	12.5	123	2	3	9	16	26	35	56
A. NOT OPERATED	800	9.9	77	2	3	7	12	20	26	42
B. OPERATED	457	14.4	172	2	3	11	19	32	42	64
TOTAL 0-19 YRS	89	9.0	102	2	2	6	11	19	26	60
20-34	302	9.6	79	2	2	7	12	21	27	50
35-49	306	11.5	128	2	3	8	15	24	32	70
50-64	297	12.2	132	2	3	9	16	26	34	56
65+	263	13.9	120	3	4	11	18	29	38	62
GRAND TOTAL	**1257**	**11.5**	**116**	**2**	**3**	**8**	**15**	**24**	**32**	**54**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	6.5	37	1	1	5	8	15	21	81
20-34	36	5.1	7	2	2	5	7	9	10	11
35-49	49	6.6	14	2	3	5	8	12	14	19
50-64	83	6.9	20	2	3	6	8	12	17	24
65+	88	7.9	31	2	3	6	10	16	18	27
B. *Operated*										
0-19 YRS	25	7.9	78	<1	1	4	11	22	26	37
20-34	42	6.4	30	1	2	4	8	14	17	26
35-49	105	7.8	45	2	2	5	11	17	20	35
50-64	241	8.0	44	2	2	6	11	16	19	33
65+	168	11.5	84	2	3	10	15	20	26	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	8.3	76	1	2	5	9	20	26	44
20-34	48	6.3	19	1	2	5	8	11	14	25
35-49	90	7.0	41	1	2	5	8	14	21	36
50-64	295	9.0	63	2	3	7	11	19	25	58
65+	599	11.3	93	3	4	9	14	21	30	69
B. *Operated*										
0-19 YRS	15	14.9	120	3	5	13	22	30	37	40
20-34	54	9.7	241	2	2	5	10	16	23	97
35-49	139	8.9	76	2	2	6	11	20	28	42
50-64	394	10.9	96	2	3	9	15	21	26	40
65+	441	15.5	193	2	3	13	19	35	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	6.8	25	2	2	5	8	14	18	26
B. *Operated*	581	8.9	59	2	2	6	13	18	22	39
2. MULTIPLE DX										
A. *Not Operated*	1099	9.9	79	2	3	8	12	20	26	57
B. *Operated*	1043	12.6	148	2	3	10	16	27	36	85
1. SINGLE DX	915	8.1	48	2	2	6	11	16	20	37
2. MULTIPLE DX	2142	11.2	114	2	3	8	14	22	31	73
A. NOT OPERATED	1433	9.2	68	2	3	7	12	18	24	51
B. OPERATED	1624	11.3	120	2	2	9	15	22	31	64
TOTAL 0-19 YRS	185	8.0	67	1	2	5	10	21	25	43
20-34	180	7.1	87	1	2	5	8	13	16	54
35-49	383	7.9	52	2	2	6	10	17	21	39
50-64	1013	9.4	70	2	3	7	12	19	24	42
65+	1296	12.5	127	2	3	10	16	25	38	87
GRAND TOTAL	**3057**	**10.3**	**96**	**2**	**3**	**8**	**13**	**20**	**28**	**62**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	8	4.8	10	1	1	5	7	9	9	9
35-49	14	4.8	12	2	2	3	5	10	13	14
50-64	38	4.3	12	1	1	3	6	9	12	15
65+	117	6.3	40	1	2	4	8	13	16	35
B. *Operated*										
0-19 YRS	17	3.2	6	1	2	2	4	7	9	10
20-34	157	4.1	16	<1	1	3	5	9	12	19
35-49	362	5.2	23	1	1	3	7	12	15	22
50-64	1105	9.4	41	1	2	9	13	17	20	29
65+	1346	13.5	50	2	4	13	17	21	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	3.0	8	<1	<1	2	4	7	10	10
35-49	51	7.2	31	<1	1	6	11	14	19	26
50-64	247	6.3	37	1	1	4	8	13	17	26
65+	1198	9.8	107	1	2	7	12	20	27	90
B. *Operated*										
0-19 YRS	24	6.8	138	<1	1	3	6	17	29	57
20-34	139	6.0	50	<1	1	3	7	14	21	37
35-49	369	7.2	59	1	1	4	9	17	22	39
50-64	1551	11.4	85	2	2	11	16	21	27	47
65+	3436	17.0	114	3	7	15	20	28	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	5.7	31	1	1	4	7	11	15	25
B *Operated*	2987	10.4	52	1	2	11	15	19	22	31
2. MULTIPLE DX										
A. *Not Operated*	1508	9.1	94	1	2	7	11	19	25	85
B. *Operated*	5519	14.5	113	2	3	13	18	25	33	59
1. SINGLE DX	3165	10.2	52	1	2	10	15	19	22	31
2. MULTIPLE DX	7027	13.3	113	2	2	12	17	24	32	60
A. NOT OPERATED	1686	8.7	88	1	2	6	11	18	24	75
B. OPERATED	8506	13.0	95	2	2	12	17	23	29	51
TOTAL 0-19 YRS	42	5.4	83	<1	1	2	5	12	17	57
20-34	316	4.9	31	<1	1	3	6	11	15	26
35-49	796	6.3	41	1	1	4	8	14	18	29
50-64	2941	10.1	66	1	2	9	14	19	23	39
65+	6097	14.6	106	2	3	14	18	25	32	62
GRAND TOTAL	**10192**	**12.3**	**96**	**2**	**2**	**11**	**16**	**23**	**29**	**53**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	7.7	37	1	2	5	12	16	20	24
20-34	68	7.1	38	2	3	5	8	13	22	35
35-49	36	8.2	57	1	2	6	11	21	27	29
50-64	52	8.1	54	1	2	5	9	20	22	33
65+	44	8.2	132	1	2	5	9	14	26	64
B. *Operated*										
0-19 YRS	64	10.5	71	1	2	8	15	23	26	35
20-34	133	5.4	21	1	2	4	7	10	15	24
35-49	135	4.7	16	1	1	4	6	10	13	20
50-64	142	6.1	30	1	1	4	9	14	18	24
65+	78	12.5	104	2	2	12	16	23	28	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	9.3	69	1	2	7	13	21	25	42
20-34	102	8.6	66	2	2	6	10	16	28	43
35-49	103	7.7	31	2	3	7	10	13	17	34
50-64	151	8.2	44	2	2	7	10	16	21	31
65+	362	11.0	118	2	3	8	13	26	33	64
B. *Operated*										
0-19 YRS	72	15.0	95	3	4	13	21	28	35	40
20-34	109	9.6	136	1	2	5	10	22	36	61
35-49	160	11.0	164	1	2	7	14	25	31	66
50-64	220	12.2	139	2	2	8	17	29	38	56
65+	288	20.4	254	3	4	16	27	47	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	7.8	56	1	2	5	9	16	22	35
B. *Operated*	552	7.0	47	1	2	4	9	16	21	29
2. MULTIPLE DX										
A. *Not Operated*	804	9.6	83	2	2	7	12	21	29	48
B. *Operated*	849	14.7	197	2	2	10	21	33	47	76
1. SINGLE DX	841	7.3	50	1	2	5	9	16	22	31
2. MULTIPLE DX	1653	12.2	148	2	2	8	16	28	41	64
A. NOT OPERATED	1093	9.1	76	2	2	6	11	19	27	47
B. OPERATED	1401	11.6	151	1	2	7	16	27	39	63
TOTAL 0-19 YRS	311	10.4	73	1	2	8	15	22	28	39
20-34	412	7.6	68	1	2	5	9	15	24	46
35-49	434	8.0	83	1	2	5	9	18	25	51
50-64	565	9.2	85	1	2	6	12	21	29	46
65+	772	14.5	189	2	3	10	20	33	47	83
GRAND TOTAL	**2494**	**10.5**	**120**	**2**	**2**	**7**	**14**	**24**	**32**	**60**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	3	1	1	2	4	4	6	7
20-34	18	3.8	13	<1	1	3	5	10	12	13
35-49	5	3.2	19	<1	<1	1	4	11	11	11
50-64	7	3.1	4	1	1	3	5	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	738	2.5	3	<1	1	2	3	5	6	9
20-34	1433	2.7	3	<1	1	2	3	5	6	9
35-49	756	2.7	5	<1	1	2	3	5	6	11
50-64	353	2.6	3	<1	1	2	3	5	6	8
65+	78	3.0	3	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.1	4	<1	<1	1	2	5	8	9
20-34	47	2.2	5	<1	<1	1	2	6	7	11
35-49	34	1.7	1	<1	<1	1	2	3	5	6
50-64	30	3.2	18	<1	<1	2	3	10	14	18
65+	13	9.8	141	1	1	6	14	23	41	45
B. *Operated*										
0-19 YRS	451	2.8	3	<1	1	2	3	5	7	9
20-34	1236	3.0	6	<1	1	2	4	6	7	11
35-49	876	3.1	9	<1	1	2	3	6	8	15
50-64	817	3.4	12	1	1	2	4	6	9	18
65+	303	4.2	17	1	1	3	5	8	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.2	8	<1	1	2	4	7	10	13
B. *Operated*	3358	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	152	2.9	22	<1	<1	1	3	6	11	18
B. *Operated*	3683	3.2	9	<1	1	2	4	6	8	16
1. SINGLE DX	3405	2.7	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	3835	3.2	9	<1	1	2	4	6	8	16
A. NOT OPERATED	199	3.0	19	<1	<1	1	3	7	10	18
B. OPERATED	7041	2.9	6	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	1233	2.6	3	<1	1	2	3	5	6	9
20-34	2734	2.8	4	<1	1	2	3	5	7	10
35-49	1671	2.9	7	<1	1	2	3	5	7	13
50-64	1207	3.2	10	<1	1	2	4	6	7	17
65+	395	4.1	20	1	1	3	4	8	13	24
GRAND TOTAL	**7240**	**2.9**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	3.6	12	<1	1	3	5	7	9	15
20-34	56	3.7	17	<1	1	3	4	7	8	29
35-49	40	4.9	16	<1	1	4	6	10	13	19
50-64	34	3.6	5	1	1	3	5	8	8	9
65+	45	6.8	43	2	2	6	7	15	19	38
B. *Operated*										
0-19 YRS	835	3.3	4	1	1	3	4	5	6	10
20-34	1333	3.4	4	1	1	3	4	6	7	9
35-49	430	3.5	7	1	1	3	4	7	9	14
50-64	171	3.8	12	1	1	3	4	8	9	17
65+	59	6.3	40	1	2	4	8	17	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	4.2	20	<1	<1	3	5	9	13	54
20-34	101	5.1	30	<1	1	3	7	11	15	31
35-49	77	4.1	11	<1	<1	3	5	9	12	76
50-64	104	6.4	41	<1	1	4	8	15	19	33
65+	323	10.0	121	2	2	7	12	20	29	59
B. *Operated*										
0-19 YRS	506	5.7	64	1	1	3	5	12	21	43
20-34	671	4.1	14	1	1	3	5	8	10	20
35-49	366	4.7	23	1	1	3	5	9	15	29
50-64	292	5.9	47	1	1	3	7	13	21	35
65+	225	13.3	237	1	2	8	18	34	48	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	4.3	18	1	1	3	5	8	11	24
B. *Operated*	2828	3.5	6	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	725	7.2	75	<1	1	5	9	15	22	46
B. *Operated*	2060	5.8	64	1	1	3	6	12	21	45
1. SINGLE DX	3141	3.5	7	1	1	3	4	6	8	15
2. MULTIPLE DX	2785	6.2	67	1	1	4	7	13	21	44
A. NOT OPERATED	1038	6.3	60	1	1	4	8	13	19	40
B. OPERATED	4888	4.5	32	1	1	3	5	8	12	28
TOTAL 0-19 YRS	1599	4.1	26	1	1	3	5	7	10	25
20-34	2161	3.7	9	1	1	3	4	6	8	16
35-49	913	4.1	14	<1	1	3	5	8	11	21
50-64	601	5.3	35	1	1	3	6	11	17	30
65+	652	10.6	153	1	2	7	13	24	35	75
GRAND TOTAL	**5926**	**4.8**	**37**	**1**	**1**	**3**	**5**	**9**	**14**	**31**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	16.0	169	3	3	16	26	29	29	29
20-34	8	8.3	58	3	3	5	11	21	25	25
35-49	6	8.3	73	2	2	5	9	23	25	25
50-64	11	11.5	253	3	3	7	8	33	56	58
65+	14	10.8	46	3	4	9	15	18	26	28
B. *Operated*										
0-19 YRS										
20-34	3	17.0	273	6	6	9	29	36	36	36
35-49	3	10.7	22	7	7	9	14	16	16	16
50-64	3	16.0	399	3	3	6	31	39	39	39
65+	8	13.3	67	2	3	13	17	25	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.8	13	2	2	3	7	11	13	13
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	42	10.5	108	3	3	7	14	25	28	58
B. *Operated*	17	13.9	121	2	4	9	17	34	38	39
1. SINGLE DX	10	4.5	13	2	2	3	7	10	13	13
2. MULTIPLE DX	59	11.5	112	3	3	8	15	27	33	56
A. NOT OPERATED	51	9.5	95	2	3	7	12	20	28	58
B. OPERATED	18	13.3	122	2	2	9	16	34	38	39
TOTAL 0-19 YRS	6	9.3	121	2	2	3	16	28	29	29
20-34	14	9.2	95	2	3	5	9	26	34	36
35-49	11	7.9	50	2	2	7	9	20	25	25
50-64	15	12.1	243	3	3	7	8	39	53	58
65+	23	11.7	50	3	4	11	16	21	28	28
GRAND TOTAL	**69**	**10.5**	**103**	**2**	**3**	**7**	**14**	**25**	**29**	**54**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	26	5.8	21	1	1	5	8	14	15	17
35-49	89	[illegible]	13	1	2	5	8	11	13	16
50-64	106	[illegible]	15	1	2	4	8	11	13	18
65+	120	.6	49	1	2	6	9	16	19	37
B. *Operated*										
0-19 YRS	4	2.3	[illegible]	2	2	2	3	3	3	3
20-34	36	6.4	43	1	2	5	8	10	21	35
35-49	161	6.1	24	1	2	5	8	11	14	26
50-64	235	6.0	31	1	2	4	8	12	18	27
65+	91	7.4	54	1	2	5	10	15	23	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	44	6.9	17	2	3	6	9	13	15	19
35-49	225	7.1	19	1	2	6	9	13	16	21
50-64	553	7.7	26	2	3	7	10	14	18	25
65+	1446	9.9	78	2	3	8	12	18	25	58
B. *Operated*										
0-19 YRS	3	7.7	66	2	2	4	14	17	17	17
20-34	49	7.8	41	1	2	6	11	17	23	26
35-49	186	8.7	60	1	2	7	12	17	23	46
50-64	468	9.3	63	2	2	8	12	19	26	37
65+	546	14.7	168	2	3	11	20	32	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	6.3	27	1	2	5	8	12	15	22
B. *Operated*	527	6.2	34	1	2	5	8	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	2270	9.0	60	2	3	7	11	17	21	45
B. *Operated*	1252	11.5	116	2	2	9	15	25	33	61
1. SINGLE DX	870	6.3	31	1	2	5	8	12	17	27
2. MULTIPLE DX	3522	9.9	81	2	3	8	12	19	26	53
A. NOT OPERATED	2613	8.7	56	2	3	7	11	16	21	43
B. OPERATED	1779	10.0	97	2	2	7	13	22	29	56
TOTAL 0-19 YRS	11	3.8	20	1	1	2	4	9	16	17
20-34	155	6.9	31	1	2	6	9	13	18	26
35-49	661	7.1	32	1	2	6	9	13	17	25
50-64	1362	7.8	41	2	2	6	10	16	20	31
65+	2203	10.9	103	2	3	8	14	22	30	68
GRAND TOTAL	**4392**	**9.2**	**73**	**2**	**2**	**7**	**11**	**18**	**25**	**47**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	8.3	30	1	2	9	10	15	18	28
20-34	875	7.4	22	1	2	7	10	13	16	23
35-49	1212	8.0	26	1	2	7	10	14	16	25
50-64	721	8.3	26	2	2	7	11	15	17	25
65+	189	8.3	22	1	3	8	11	15	17	22
B. *Operated*										
0-19 YRS	128	7.6	29	1	1	7	9	17	19	23
20-34	2759	6.9	33	1	2	6	9	13	18	28
35-49	3585	7.5	39	1	2	6	10	15	19	30
50-64	1538	7.7	40	1	2	7	10	15	20	32
65+	316	9.5	60	1	2	8	13	19	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	8.5	15	3	4	9	10	13	16	18
20-34	446	8.0	41	1	2	6	10	16	20	29
35-49	985	9.0	38	1	2	8	12	17	21	31
50-64	1062	9.9	44	2	3	9	12	17	21	32
65+	1003	11.2	63	3	4	10	14	20	26	44
B. *Operated*										
0-19 YRS	32	8.3	36	2	2	7	12	17	18	24
20-34	825	9.5	64	1	2	8	12	19	25	38
35-49	1691	10.3	67	2	2	8	13	20	26	41
50-64	1531	11.4	88	2	3	9	15	22	28	47
65+	783	14.5	124	2	4	12	19	27	36	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3035	7.9	25	1	2	7	10	14	17	24
B. *Operated*	8326	7.4	38	1	2	6	9	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	3515	9.8	48	2	3	8	13	18	22	35
B. *Operated*	4862	11.2	85	2	3	9	14	22	28	47
1. SINGLE DX	11361	7.5	35	1	2	6	10	14	18	28
2. MULTIPLE DX	8377	10.6	70	2	3	9	13	20	26	42
A. NOT OPERATED	6550	8.9	38	2	2	8	12	16	20	30
B. OPERATED	13188	8.8	59	1	2	7	11	18	23	37
TOTAL 0-19 YRS	217	7.9	29	1	2	7	10	17	19	24
20-34	4905	7.5	38	1	2	6	10	14	19	30
35-49	7473	8.4	44	1	2	7	11	16	21	33
50-64	4852	9.4	56	2	2	8	12	18	23	37
65+	2291	11.8	85	2	3	10	15	22	28	55
GRAND TOTAL	**19738**	**8.8**	**52**	**1**	**2**	**7**	**11**	**17**	**22**	**35**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	9	4	4	4	7	10	10	10
20-34	131	7.1	19	2	2	6	10	13	14	22
35-49	225	7.2	22	1	2	7	10	14	16	22
50-64	117	7.3	20	1	2	7	10	13	17	20
65+	35	8.8	38	2	3	8	10	15	25	29
B. *Operated*										
0-19 YRS	6	11.0	81	2	2	10	15	25	26	26
20-34	261	7.0	36	1	1	5	9	15	18	28
35-49	593	6.7	25	1	2	6	9	13	16	24
50-64	260	7.1	38	1	2	6	9	14	18	26
65+	22	8.4	56	1	2	7	10	21	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	92	6.7	18	1	1	7	9	11	16	20
35-49	243	7.8	46	1	1	6	11	15	18	26
50-64	262	7.7	27	1	2	7	10	14	18	24
65+	279	9.9	63	2	3	8	12	17	24	37
B. *Operated*										
0-19 YRS	2	16.0	392	2	2	16	30	30	30	30
20-34	133	8.7	58	2	2	7	11	18	22	37
35-49	441	9.0	49	2	3	7	11	18	24	35
50-64	315	10.4	76	2	2	8	13	20	27	48
65+	89	13.6	118	2	4	11	17	31	40	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	7.3	22	1	2	7	10	13	17	22
B. *Operated*	1142	6.9	31	1	2	6	9	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	877	8.3	44	1	2	7	11	15	19	32
B. *Operated*	980	9.9	67	2	2	8	12	20	26	41
1. SINGLE DX	1654	7.0	28	1	2	6	9	13	17	26
2. MULTIPLE DX	1857	9.1	57	2	2	7	11	17	23	38
A. NOT OPERATED	1389	7.9	36	1	2	7	10	15	18	30
B. OPERATED	2122	8.3	50	1	2	7	10	16	22	35
TOTAL 0-19 YRS	13	9.4	87	2	2	4	13	27	29	30
20-34	617	7.4	35	1	2	6	10	15	19	27
35-49	1502	7.6	36	1	2	6	10	14	19	28
50-64	954	8.4	47	1	2	7	11	16	21	34
65+	425	10.5	74	2	3	8	13	19	29	46
GRAND TOTAL	**3511**	**8.1**	**45**	**1**	**2**	**7**	**10**	**15**	**21**	**34**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.2	26	2	2	5	12	14	14	14
20-34	62	6.6	17	1	2	6	9	13	15	20
35-49	65	7.9	20	3	3	7	10	13	15	27
50-64	24	7.3	23	1	2	7	11	14	16	16
65+	18	6.2	29	1	1	5	9	12	19	23
B. *Operated*										
0-19 YRS										
20-34	59	4.9	12	1	2	3	8	10	12	15
35-49	57	3.9	12	1	2	3	4	8	12	19
50-64	22	6.7	44	1	1	4	10	16	21	25
65+	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	11.4	90	4	4	8	14	28	28	28
20-34	69	8.0	16	2	4	7	9	12	16	23
35-49	105	7.9	15	3	3	7	10	13	14	22
50-64	86	8.6	27	2	3	8	11	15	17	28
65+	50	9.6	74	2	2	8	11	19	27	50
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	53	8.9	39	2	2	8	12	18	19	29
35-49	68	9.6	92	2	2	7	13	21	27	53
50-64	30	9.5	78	1	2	7	11	21	30	39
65+	15	11.2	46	3	3	9	17	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	7.1	21	2	2	6	10	13	16	22
B. *Operated*	139	4.9	22	1	2	3	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	315	8.4	29	2	3	8	10	14	17	28
B. *Operated*	167	9.4	68	2	2	8	13	19	24	38
1. SINGLE DX	313	6.2	22	1	2	5	8	12	15	24
2. MULTIPLE DX	482	8.8	43	2	2	8	11	16	21	33
A. NOT OPERATED	489	8.0	26	2	3	7	10	14	16	28
B. OPERATED	306	7.4	52	1	2	5	10	17	21	34
TOTAL 0-19 YRS	11	8.6	55	2	2	8	10	20	27	28
20-34	243	7.1	22	2	2	7	9	13	17	23
35-49	295	7.5	37	2	2	7	10	13	17	32
50-64	162	8.3	38	1	2	7	11	15	19	30
65+	84	9.4	64	2	2	8	12	21	24	43
GRAND TOTAL	**795**	**7.7**	**36**	**2**	**2**	**7**	**10**	**15**	**19**	**29**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.5	8	<1	2	5	6	8	12	13
20-34	100	7.2	21	2	2	7	9	13	14	26
35-49	156	6.7	15	1	2	7	8	11	13	21
50-64	112	7.3	20	1	2	7	9	13	16	22
65+	54	10.2	63	1	3	9	12	18	25	46
B. *Operated*										
0-19 YRS	5	2.4	1	1	1	2	3	4	4	4
20-34	77	4.3	17	1	1	3	5	12	13	17
35-49	71	4.2	15	1	1	3	5	10	14	17
50-64	44	4.5	30	1	1	3	5	10	21	25
65+	7	5.1	34	1	1	2	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.9	25	2	3	8	9	12	20	23
20-34	140	7.8	16	2	3	7	9	14	16	21
35-49	185	8.8	29	2	3	8	11	15	17	28
50-64	226	9.4	40	2	4	8	11	17	21	37
65+	363	10.1	44	3	4	9	13	18	21	28
B. *Operated*										
0-19 YRS	3	3.7	9	1	1	3	6	7	7	7
20-34	41	7.8	45	1	1	6	10	18	23	28
35-49	69	7.3	55	1	1	5	11	16	23	39
50-64	53	9.8	59	1	2	9	16	20	24	31
65+	42	15.0	196	2	3	12	20	26	33	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	7.4	24	1	2	7	9	13	15	26
B. *Operated*	204	4.3	19	1	1	3	5	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	929	9.3	36	3	4	8	11	17	20	29
B. *Operated*	208	9.5	89	1	1	7	13	21	25	38
1. SINGLE DX	638	6.4	25	1	2	5	9	12	14	24
2. MULTIPLE DX	1137	9.3	46	2	3	8	12	17	21	31
A. NOT OPERATED	1363	8.7	33	2	3	8	11	15	19	28
B. OPERATED	412	6.9	61	1	1	4	10	16	21	31
TOTAL 0-19 YRS	35	5.9	18	1	2	5	8	10	13	23
20-34	358	6.9	23	1	2	6	9	13	16	23
35-49	481	7.2	28	1	2	7	9	14	16	26
50-64	435	8.4	38	1	2	7	11	16	20	31
65+	466	10.4	62	3	4	9	13	19	23	35
GRAND TOTAL	**1775**	**8.3**	**40**	**1**	**2**	**7**	**11**	**16**	**19**	**30**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	4.5	26	1	1	3	6	8	10	30
20-34	753	6.3	21	1	1	5	9	12	14	21
35-49	1102	7.2	28	1	2	6	10	14	17	27
50-64	606	6.9	23	1	2	6	9	13	15	22
65+	246	7.9	37	1	1	6	11	15	18	29
B. *Operated*										
0-19 YRS	38	3.8	10	1	1	3	5	7	11	16
20-34	674	4.6	22	1	1	3	6	11	15	22
35-49	904	5.1	30	1	1	3	7	11	16	26
50-64	590	6.0	30	1	1	4	9	14	16	26
65+	232	7.9	46	1	1	7	11	16	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	6.4	32	1	2	4	8	11	17	32
20-34	805	6.9	26	1	2	6	9	13	16	24
35-49	1356	8.2	39	1	2	7	11	16	20	31
50-64	1370	8.4	38	2	2	7	11	16	19	31
65+	1529	9.8	58	2	3	8	13	19	23	36
B. *Operated*										
0-19 YRS	31	7.7	44	3	3	5	9	18	24	29
20-34	436	7.1	59	1	1	5	9	16	21	35
35-49	865	8.5	88	1	2	6	11	18	25	51
50-64	1027	10.0	76	2	2	8	13	20	26	46
65+	950	14.3	152	2	3	11	18	28	37	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2813	6.8	26	1	1	6	9	13	16	24
B. *Operated*	2438	5.4	30	1	1	3	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	5145	8.5	43	1	2	7	11	16	20	32
B. *Operated*	3309	10.4	105	1	2	8	14	22	30	58
1. SINGLE DX	5251	6.2	28	1	1	5	9	13	16	25
2. MULTIPLE DX	8454	9.3	68	1	2	7	12	18	24	42
A. NOT OPERATED	7958	7.9	38	1	2	7	10	15	19	30
B. OPERATED	5747	8.3	79	1	2	6	11	18	24	45
TOTAL 0-19 YRS	260	5.4	29	1	1	4	6	10	15	31
20-34	2668	6.2	30	1	1	5	8	13	16	25
35-49	4227	7.3	46	1	2	6	10	15	19	31
50-64	3593	8.2	47	1	2	7	11	16	20	35
65+	2957	10.9	91	2	2	9	14	22	28	51
GRAND TOTAL	**13705**	**8.1**	**55**	**1**	**2**	**6**	**11**	**16**	**21**	**36**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	3.9	9	1	1	3	5	7	9	14
20-34	109	4.3	8	1	2	4	5	7	8	16
35-49	93	4.5	7	1	2	4	6	8	9	15
50-64	79	4.6	12	1	2	3	6	9	10	17
65+	56	5.7	28	1	1	4	7	11	15	29
B. *Operated*										
0-19 YRS	262	2.4	4	<1	<1	2	3	4	6	10
20-34	668	2.6	4	<1	<1	2	3	4	6	12
35-49	982	2.8	4	<1	<1	2	3	5	6	11
50-64	830	2.8	6	<1	<1	2	3	5	7	13
65+	254	3.2	12	<1	<1	2	4	6	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	4.3	13	1	1	4	5	9	11	20
20-34	98	4.5	10	<1	1	4	6	8	10	18
35-49	147	5.4	17	1	1	4	7	10	14	22
50-64	239	5.7	18	1	2	5	7	11	15	21
65+	315	8.2	52	2	2	6	11	15	20	50
B. *Operated*										
0-19 YRS	106	3.4	7	<1	1	3	4	6	9	14
20-34	358	3.6	18	<1	1	2	4	7	9	24
35-49	572	3.9	22	<1	1	3	4	7	10	16
50-64	737	4.5	23	1	1	3	5	9	12	25
65+	413	6.6	80	1	1	4	7	13	21	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	491	4.4	11	1	1	4	6	8	10	17
B. *Operated*	2996	2.7	5	<1	<1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	891	6.2	31	1	2	5	8	12	16	26
B. *Operated*	2186	4.5	33	<1	1	3	5	9	12	30
1. SINGLE DX	3487	3.0	6	<1	<1	2	4	5	7	14
2. MULTIPLE DX	3077	5.0	33	1	1	3	6	10	14	29
A. NOT OPERATED	1382	5.6	25	1	2	4	7	11	14	25
B. OPERATED	5182	3.5	18	<1	1	2	4	6	9	19
TOTAL 0-19 YRS	614	3.3	8	<1	1	2	4	6	9	14
20-34	1233	3.2	9	<1	1	2	4	6	8	14
35-49	1794	3.4	12	<1	1	3	4	6	9	15
50-64	1885	3.9	15	<1	1	3	5	8	10	21
65+	1038	6.2	55	<1	1	4	8	13	17	44
GRAND TOTAL	**6564**	**3.9**	**20**	**<1**	**1**	**3**	**4**	**8**	**11**	**21**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	6	4.3	34	<1	<1	2	4	15	16	16
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	5	6.6	42	2	2	4	8	18	18	18
B. *Operated*										
0-19 YRS	280	3.1	2	1	1	3	4	5	6	8
20-34	651	3.2	2	1	1	3	4	5	6	8
35-49	644	3.3	4	1	1	3	4	6	6	9
50-64	779	3.5	14	1	1	3	4	6	7	9
65+	376	3.3	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.0	5	<1	<1	1	1	6	7	7
20-34	28	1.3	1	<1	<1	1	1	2	3	5
35-49	48	1.3		<1	<1	1	1	2	3	4
50-64	49	2.0	4	<1	<1	1	2	5	7	11
65+	27	2.8	6	<1	<1	2	4	7	8	9
B. *Operated*										
0-19 YRS	292	3.6	3	1	2	3	4	6	7	9
20-34	912	3.8	16	1	2	3	4	6	7	14
35-49	1221	3.7	5	1	2	3	5	6	7	9
50-64	1958	4.2	8	1	2	4	5	6	8	12
65+	1323	4.7	12	1	2	4	6	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.1	26	<1	<1	2	4	14	17	18
B. *Operated*	2730	3.3	6	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	163	1.8	3	<1	<1	1	2	4	6	9
B. *Operated*	5706	4.1	10	1	2	4	5	6	8	13
1. SINGLE DX	2747	3.3	6	1	1	3	4	5	6	9
2. MULTIPLE DX	5869	4.0	9	1	2	4	5	6	8	13
A. NOT OPERATED	180	2.0	5	<1	<1	1	2	4	6	14
B. OPERATED	8436	3.9	9	1	2	3	5	6	7	12
TOTAL 0-19 YRS	585	[illegible]	3	1	1	3	4	5	6	9
20-34	1593	[illegible]	10	1	1	3	4	5	6	10
35-49	1919	3.5	5	1	1	3	4	6	7	9
50-64	2788	4.0	10	1	2	4	5	6	7	11
65+	1731	4.4	11	1	2	4	5	7	9	15
GRAND TOTAL	**8616**	**3.8**	**9**	**1**	**2**	**3**	**5**	**6**	**7**	**12**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	8	1.8	1	<1	<1	1	2	4	4	4
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64	6	3.5	12	1	1	2	4	9	10	10
65+	5	4.2	3	2	2	5	5	6	6	6
B. *Operated*										
0-19 YRS	395	1.6	1	<1	<1	1	2	3	3	4
20-34	736	1.8	2	<1	<1	2	2	3	3	5
35-49	531	1.9	2	<1	<1	2	2	3	4	8
50-64	287	2.1	2	<1	<1	2	3	4	5	10
65+	108	2.3	3	<1	<1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.0	12	<1	<1	1	1	3	12	14
20-34	15	2.2	5	<1	<1	<1	2	7	7	7
35-49	15	2.3	3	<1	<1	2	3	5	6	6
50-64	16	7.1	56	1	1	4	11	15	25	29
65+	26	5.7	22	<1	1	5	8	9	16	22
B. *Operated*										
0-19 YRS	44	1.9	2	<1	<1	2	2	3	5	6
20-34	133	2.4	4	<1	<1	2	3	4	7	11
35-49	185	2.7	6	<1	<1	2	3	5	7	12
50-64	187	3.2	7	<1	1	3	4	6	9	15
65+	118	4.4	41	<1	1	3	5	8	10	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.5	5	<1	<1	2	4	5	7	10
B. *Operated*	2057	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	86	4.2	24	<1	<1	2	6	9	14	26
B. *Operated*	667	3.0	12	<1	<1	2	3	6	8	14
1. SINGLE DX	2081	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX	753	3.2	14	<1	<1	2	4	6	8	15
A. NOT OPERATED	110	3.8	20	<1	<1	2	5	9	13	25
B. OPERATED	2724	2.2	5	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	454	1.7	1	<1	<1	1	2	3	3	5
20-34	892	1.9	3	<1	<1	2	2	3	4	8
35-49	735	2.1	3	<1	<1	2	2	4	5	9
50-64	496	2.7	7	<1	<1	2	3	5	7	14
65+	257	3.6	24	<1	<1	2	4	7	9	16
GRAND TOTAL	**2834**	**2.2**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**11**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	15.6	102	2	4	14	23	29	30	42
20-34	38	12.4	105	1	2	8	18	31	35	36
35-49	29	16.2	171	1	2	10	22	39	43	45
50-64	36	14.0	191	<1	2	9	18	34	47	56
65+	34	12.6	77	2	3	10	17	23	33	38
B. *Operated*										
0-19 YRS	66	18.9	214	2	3	16	28	38	44	67
20-34	73	14.2	167	1	2	11	21	33	41	61
35-49	71	13.2	138	1	2	11	20	29	38	52
50-64	84	13.8	134	1	2	11	18	31	35	53
65+	59	12.6	129	3	3	10	15	25	40	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	20.4	112	4	7	21	29	34	38	47
20-34	58	14.2	125	2	2	10	23	31	37	44
35-49	69	16.2	192	3	4	11	21	39	44	64
50-64	150	17.4	178	3	4	13	24	38	43	62
65+	211	19.6	271	3	4	15	28	43	61	94
B. *Operated*										
0-19 YRS	90	20.9	195	2	4	19	28	46	49	56
20-34	169	23.0	326	2	4	17	36	48	57	78
35-49	182	24.3	270	4	7	22	35	50	60	99+
50-64	358	23.5	301	4	6	19	32	49	70	99+
65+	538	25.9	380	4	7	21	36	57	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	14.4	123	2	3	10	21	30	38	47
B. *Operated*	353	14.5	159	2	2	11	21	33	41	64
2. MULTIPLE DX										
A. *Not Operated*	542	18.1	206	3	4	14	25	39	45	69
B. *Operated*	1337	24.3	326	4	6	20	34	52	68	99+
1. SINGLE DX	561	14.4	145	2	3	11	21	31	38	56
2. MULTIPLE DX	1879	22.5	299	3	5	18	31	48	62	99+
A. NOT OPERATED	750	17.0	186	2	4	14	24	36	43	68
B. OPERATED	1690	22.3	307	3	5	18	31	48	63	99+
TOTAL 0-19 YRS	281	19.0	163	2	4	17	27	35	44	56
20-34	338	18.4	252	2	3	13	27	42	49	75
35-49	351	19.8	241	2	4	15	29	43	54	79
50-64	628	20.2	258	3	5	16	29	42	55	85
65+	842	22.8	342	3	5	17	31	52	70	99+
GRAND TOTAL	**2440**	**20.7**	**275**	**3**	**4**	**16**	**29**	**44**	**57**	**97**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	6.0	67	<1	1	4	7	12	23	81
20-34	76	4.0	11	1	1	3	5	9	11	17
35-49	129	3.7	9	1	1	3	4	7	9	19
50-64	116	5.4	26	1	2	4	6	10	14	28
65+	183	8.5	56	2	2	8	11	15	19	27
B. *Operated*										
0-19 YRS	792	4.7	16	1	1	4	6	10	11	22
20-34	640	4.3	13	1	1	3	5	8	11	21
35-49	387	5.0	28	1	1	3	6	10	14	29
50-64	244	6.4	36	1	1	4	9	14	17	29
65+	177	11.4	80	2	2	10	16	21	26	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	8.7	181	<1	1	4	10	36	84	99+
20-34	172	4.2	21	<1	1	3	5	8	11	31
35-49	321	4.9	22	1	1	4	6	10	13	28
50-64	661	8.0	74	2	2	5	9	15	21	46
65+	2741	12.1	110	3	3	9	15	23	31	65
B. *Operated*										
0-19 YRS	334	6.1	55	1	1	4	6	12	21	39
20-34	510	7.1	94	1	1	4	7	17	26	45
35-49	422	8.7	130	1	2	5	11	18	28	67
50-64	596	12.7	153	2	2	10	16	26	36	75
65+	1044	19.4	245	3	4	16	25	41	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	603	5.9	40	1	1	4	8	12	17	28
B. *Operated*	2240	5.4	28	1	1	4	6	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	3978	10.4	101	2	2	8	13	21	29	64
B. *Operated*	2906	12.8	190	2	2	8	17	30	42	93
1. SINGLE DX	2843	5.5	30	1	1	4	7	11	15	26
2. MULTIPLE DX	6884	11.4	140	2	2	8	15	25	35	81
A. NOT OPERATED	4581	9.8	96	2	2	7	12	20	28	59
B. OPERATED	5146	9.5	133	1	2	5	12	23	33	71
TOTAL 0-19 YRS	1308	5.4	41	1	1	4	6	11	16	40
20-34	1398	5.3	45	1	1	3	6	10	16	35
35-49	1259	6.1	62	1	1	4	7	12	18	42
50-64	1617	9.3	101	2	2	6	12	20	27	57
65+	4145	13.7	151	3	3	10	17	28	39	93
GRAND TOTAL	**9727**	**9.7**	**115**	**1**	**2**	**6**	**12**	**21**	**30**	**67**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	3	<1	<1	2	4	5	5	5
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	25.5	265	14	14	25	37	37	37	37
65+										
B. *Operated*										
0-19 YRS	157	4.2	29	1	2	3	5	7	10	16
20-34	108	3.3	8	<1	1	2	4	6	8	16
35-49	77	3.7	12	<1	1	2	4	8	12	18
50-64	53	3.7	14	<1	1	2	4	9	11	18
65+	13	4.6	12	1	1	4	6	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.9	85	<1	<1	2	5	24	68	99+
20-34	3	4.0	19	1	1	2	7	9	9	9
35-49	7	1.7	1	1	1	1	3	3	3	3
50-64	16	15.4	281	1	1	8	29	30	52	61
65+	22	19.5	324	2	4	13	21	48	59	69
B. *Operated*										
0-19 YRS	301	6.2	42	1	2	5	7	11	19	51
20-34	176	5.2	73	<1	1	3	5	9	14	42
35-49	110	4.4	12	1	1	3	6	10	12	16
50-64	124	6.5	37	1	2	5	8	12	17	38
65+	73	11.1	258	2	2	6	12	23	36	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	6.2	120	<1	<1	1	5	23	36	37
B. *Operated*	408	3.8	18	<1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	68	11.7	239	1	1	5	15	37	52	94
B. *Operated*	784	6.2	66	1	2	4	7	12	18	46
1. SINGLE DX	419	3.9	20	<1	1	3	4	7	10	18
2. MULTIPLE DX	852	6.7	82	1	1	4	7	13	20	64
A. NOT OPERATED	79	10.9	224	<1	1	4	14	34	49	91
B. OPERATED	1192	5.4	51	1	1	4	6	10	16	37
TOTAL 0-19 YRS	484	5.5	40	1	1	4	6	10	18	55
20-34	289	4.5	48	<1	1	3	5	8	11	24
35-49	195	4.0	12	1	1	3	5	9	12	17
50-64	195	6.7	62	1	1	4	8	14	21	40
65+	108	12.0	257	1	2	7	13	27	47	83
GRAND TOTAL	**1271**	**5.8**	**63**	**1**	**1**	**4**	**6**	**11**	**17**	**48**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	18	3.8	5	<1	1	3	6	7	8	9
35-49	21	7.1	13	2	3	6	9	11	14	17
50-64	22	5.1	7	2	2	4	6	9	11	12
65+	12	4.8	23	1	1	3	5	11	18	19
B. *Operated*										
0-19 YRS										
20-34	19	4.2	11	1	2	3	5	9	11	13
35-49	28	5.1	23	1	1	3	6	10	18	21
50-64	8	2.6	3	1	1	2	4	5	6	6
65+	3	4.3	5	3	3	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	16	6.5	3	4	4	7	8	9	9	9
35-49	35	6.5	16	2	3	5	9	12	14	20
50-64	46	8.0	29	2	3	7	9	13	19	29
65+	64	9.8	77	3	3	8	11	19	28	51
B. *Operated*										
0-19 YRS										
20-34	9	4.6	6	2	2	4	6	8	9	9
35-49	16	9.9	178	2	2	6	9	19	45	56
50-64	19	8.6	47	2	2	7	11	15	25	31
65+	21	14.0	92	2	3	11	20	28	30	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	5.3	12	1	2	5	7	9	11	18
B. *Operated*	58	4.4	16	1	1	3	5	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	162	8.2	44	2	3	7	10	15	20	34
B. *Operated*	65	10.1	94	2	2	7	12	24	29	53
1. SINGLE DX	133	4.9	14	1	2	4	6	9	12	19
2. MULTIPLE DX	227	8.7	59	2	3	7	10	18	25	39
A. NOT OPERATED	237	7.3	36	2	2	6	9	12	18	31
B. OPERATED	123	7.4	65	1	2	4	9	18	25	39
TOTAL 0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	62	4.7	7	1	2	4	7	9	9	13
35-49	100	6.8	44	2	2	5	9	12	18	38
50-64	95	7.0	28	1	2	6	9	12	17	30
65+	100	9.9	78	2	3	7	12	20	28	44
GRAND TOTAL	**360**	**7.3**	**45**	**2**	**2**	**6**	**9**	**14**	**19**	**33**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	229	2.2	25	1	1	1	2	5	7	9
20-34	206	5.0	8	1	1	5	7	8	10	12
35-49	200	4.3	7	1	1	3	7	8	9	12
50-64	125	4.8	33	1	1	3	5	8	13	36
65+	90	6.2	31	1	1	5	7	12	16	34
B. *Operated*										
0-19 YRS	497	5.2	23	<1	1	3	9	11	14	22
20-34	579	3.8	26	<1	1	2	4	8	12	26
35-49	423	4.1	18	<1	1	3	5	9	13	20
50-64	496	2.9	7	<1	1	2	3	5	8	15
65+	279	2.9	6	1	1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	4.6	81	<1	1	2	5	9	14	84
20-34	308	5.4	22	1	1	4	7	10	12	27
35-49	387	5.4	24	1	1	4	7	11	15	25
50-64	461	5.7	19	1	2	5	7	11	14	25
65+	670	8.2	61	2	2	6	10	16	20	47
B. *Operated*										
0-19 YRS	559	6.4	58	1	1	3	8	15	21	38
20-34	796	5.3	48	1	1	3	5	12	20	37
35-49	605	5.0	38	1	1	3	5	11	15	32
50-64	605	6.2	73	1	2	3	7	13	21	50
65+	542	9.0	125	1	2	4	11	21	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	850	4.2	20	1	1	3	6	8	10	16
B. *Operated*	2274	3.8	18	<1	1	2	4	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	2004	6.3	42	1	1	5	8	13	17	32
B. *Operated*	3107	6.2	68	1	1	3	7	14	22	42
1. SINGLE DX	3124	3.9	19	<1	1	2	5	9	11	19
2. MULTIPLE DX	5111	6.3	58	1	1	4	7	14	19	39
A. NOT OPERATED	2854	5.7	36	1	1	4	7	11	15	31
B. OPERATED	5381	5.2	48	1	1	3	6	12	17	36
TOTAL 0-19 YRS	1463	5.1	46	<1	1	3	7	12	16	29
20-34	1889	4.8	33	1	1	3	6	10	15	30
35-49	1615	4.8	26	1	1	3	6	10	14	28
50-64	1687	5.0	38	1	1	3	6	10	14	29
65+	1581	7.4	76	1	2	5	9	16	22	44
GRAND TOTAL	**8235**	**5.4**	**44**	**1**	**1**	**3**	**6**	**12**	**16**	**33**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	3.3	4	1	1	3	5	6	6	6
35-49	5	4.2	3	3	3	4	5	7	7	7
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	14	1	1	4	6	10	10	10
20-34	51	5.2	5	2	2	5	7	8	9	10
35-49	34	4.8	5	1	2	5	7	8	8	9
50-64	19	5.6	6	2	2	5	7	9	11	11
65+	14	4.7	15	2	2	4	6	8	15	17
B. *Operated*										
0-19 YRS										
20-34	8	5.6	19	1	1	4	10	11	11	11
35-49	5	7.2	5	5	5	7	8	11	11	11
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	5.0	32	<1	<1	4	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.9	4	1	1	4	5	7	7	7
B. *Operated*	3	2.7	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	123	5.1	6	1	2	5	7	8	9	13
B. *Operated*	16	5.9	14	<1	1	6	9	11	11	11
1. SINGLE DX	16	3.7	4	<1	1	4	5	7	7	7
2. MULTIPLE DX	139	5.2	7	1	2	5	7	9	10	12
A. NOT OPERATED	136	4.9	6	1	2	5	7	8	9	12
B. OPERATED	19	5.4	13	<1	<1	5	9	11	11	11
TOTAL 0-19 YRS	6	4.0	11	1	1	3	5	9	10	10
20-34	66	5.0	7	1	1	5	6	9	10	11
35-49	46	5.0	5	2	2	5	7	8	8	11
50-64	20	5.5	6	2	2	5	7	9	10	11
65+	17	4.9	15	1	2	4	6	9	14	17
GRAND TOTAL	155	5.0	7	1	2	5	7	8	10	11

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	2.5	15	<1	<1	1	2	5	6	26
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	64	7.1	26	1	2	6	10	13	19	23
20-34	5	3.8	10	1	1	3	6	8	8	8
35-49	6	6.7	79	1	1	2	11	22	23	23
50-64	6	9.7	48	2	2	8	14	20	21	21
65+	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	8.1	234	<1	1	3	8	25	78	99+
20-34	8	4.1	16	1	1	3	5	11	13	13
35-49	14	11.1	137	2	2	6	13	33	37	38
50-64	1	12.0		12	12	12	12	12	12	12
65+	13	13.2	319	1	1	7	16	38	60	65
B. *Operated*										
0-19 YRS	136	12.3	160	2	2	9	16	28	38	83
20-34	22	13.0	367	2	3	7	14	23	57	93
35-49	7	16.3	108	6	7	15	30	80	99+	99+
50-64	9	18.8	324	3	5	15	25	81	99+	99+
65+	9	7.9	28	1	2	6	11	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	2.5	15	<1	<1	1	2	5	6	25
B. *Operated*	83	7.1	30	1	2	6	10	14	20	24
2. MULTIPLE DX										
A. *Not Operated*	226	8.5	225	<1	1	4	9	25	64	99+
B. *Operated*	183	12.7	184	2	2	9	16	29	40	99+
1. SINGLE DX	169	4.8	27	<1	<1	3	6	12	15	24
2. MULTIPLE DX	409	10.3	210	1	1	5	13	28	51	99+
A. NOT OPERATED	312	6.8	174	<1	<1	3	6	18	40	99+
B. OPERATED	266	10.9	142	2	2	8	14	23	33	98
TOTAL 0-19 YRS	473	8.2	156	<1	1	4	10	20	35	99+
20-34	37	9.2	240	1	1	6	10	15	28	93
35-49	27	11.4	120	1	2	8	19	33	44	99+
50-64	17	14.4	201	2	3	12	21	52	85	99+
65+	24	10.9	183	1	1	7	13	21	41	65
GRAND TOTAL	578	8.7	163	<1	1	4	11	21	36	99+

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	1.2		<1	<1	<1	1	2	3	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	423	2.1	3	<1	<1	2	2	3	4	8
20-34	116	2.7	5	<1	1	2	3	4	6	13
35-49	66	2.6	8	<1	1	2	3	4	6	20
50-64	57	2.6	2	<1	1	2	3	4	5	11
65+	47	2.3	1	<1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	1.6	4	<1	<1	1	1	2	3	14
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	3.7	8	2	2	2	6	7	7	7
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	143	2.8	9	1	1	2	3	5	8	18
20-34	36	3.5	8	1	1	2	4	7	8	15
35-49	32	2.9	4	<1	1	2	3	6	8	10
50-64	43	2.7	6	1	2	2	3	4	6	16
65+	77	3.6	29	2	2	2	3	6	7	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	1.2		<1	<1	<1	1	2	3	5
B. *Operated*	709	2.3	4	<1	<1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	67	1.7	4	<1	<1	1	2	3	5	14
B. *Operated*	331	3.1	12	1	1	2	3	6	8	19
1. SINGLE DX	830	2.1	3	<1	<1	2	2	4	4	10
2. MULTIPLE DX	398	2.9	11	<1	1	2	3	5	8	17
A. NOT OPERATED	188	1.4	2	<1	<1	<1	1	2	3	7
B. OPERATED	1040	2.5	7	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	743	2.0	4	<1	<1	2	2	3	5	10
20-34	156	2.8	5	<1	1	2	3	5	7	15
35-49	99	2.7	7	<1	1	2	3	5	6	17
50-64	104	2.7	4	1	1	2	3	4	6	13
65+	126	3.1	18	1	2	2	3	5	6	28
GRAND TOTAL	**1228**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.2	13	<1	<1	2	4	6	9	21
20-34	14	3.1	7	<1	<1	2	3	8	10	10
35-49	12	3.8	5	1	1	4	5	7	8	8
50-64	12	2.8	1	2	2	3	4	4	5	5
65+	2	10.0	98	3	3	10	17	17	17	17
B. *Operated*										
0-19 YRS	583	5.6	29	1	1	4	8	11	15	26
20-34	102	4.9	18	1	2	2	8	11	14	19
35-49	69	6.0	30	2	2	3	9	13	15	30
50-64	39	7.0	92	2	2	3	8	13	27	53
65+	18	7.7	41	1	2	6	12	18	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	5.6	65	1	1	3	6	11	19	41
20-34	38	6.6	26	1	1	5	10	12	19	21
35-49	34	5.0	16	1	1	4	8	10	14	17
50-64	44	7.8	51	1	2	5	11	15	21	34
65+	107	9.4	89	2	3	7	11	18	27	55
B. *Operated*										
0-19 YRS	985	7.2	87	1	1	4	9	15	21	66
20-34	190	7.0	67	1	2	4	10	15	20	29
35-49	90	10.6	148	1	2	6	13	25	41	87
50-64	119	8.9	70	2	2	7	12	19	27	41
65+	93	12.0	97	2	2	10	18	27	33	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.4	11	<1	<1	2	4	6	8	19
B. *Operated*	811	5.7	31	1	1	3	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	439	6.8	65	1	1	4	8	14	20	38
B. *Operated*	1477	7.8	89	1	1	5	10	18	25	63
1. SINGLE DX	899	5.5	30	1	1	3	8	11	15	26
2. MULTIPLE DX	1916	7.6	84	1	1	5	10	17	25	53
A. NOT OPERATED	527	6.2	57	1	1	4	7	13	19	36
B. OPERATED	2288	7.1	70	1	1	4	10	15	21	46
TOTAL 0-19 YRS	1832	6.4	65	1	1	3	9	13	19	47
20-34	344	6.2	47	1	2	4	9	13	18	26
35-49	205	7.7	84	1	2	4	10	18	25	59
50-64	214	8.0	68	2	2	4	11	17	26	41
65+	220	10.4	90	2	2	7	14	21	31	52
GRAND TOTAL	**2815**	**6.9**	**67**	**1**	**1**	**4**	**9**	**15**	**21**	**45**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	10	<1	<1	2	5	9	9	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	367	4.2	4	2	2	4	6	7	7	9
20-34	14	3.4	5	1	1	3	4	6	9	10
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	1.2		<1	<1	1	1	2	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	291	4.6	8	2	2	4	5	7	9	19
20-34	22	3.2	3	<1	1	3	4	5	6	8
35-49	7	2.4	2	1	1	2	4	4	4	4
50-64	1	8.0		8	8	8	8	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.3	10	<1	<1	2	5	9	9	9
B. *Operated*	384	4.2	4	2	2	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	54	1.2		<1	<1	1	1	2	3	3
B. *Operated*	321	4.5	8	1	2	4	5	7	9	16
1. SINGLE DX	390	4.2	4	1	2	4	5	7	8	9
2. MULTIPLE DX	375	4.0	8	<1	1	4	5	7	8	14
A. NOT OPERATED	60	1.4	2	<1	<1	1	1	2	3	9
B. OPERATED	705	4.3	6	1	2	4	5	7	8	11
TOTAL 0-19 YRS	718	4.2	6	1	1	4	5	7	8	11
20-34	36	3.3	4	1	1	3	4	5	7	10
35-49	9	3.0	3	1	1	3	4	5	6	6
50-64	2	5.0	18	2	2	5	8	8	8	8
65+										
GRAND TOTAL	**765**	**4.1**	**6**	**1**	**1**	**4**	**5**	**7**	**8**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.3	6	<1	1	3	4	7	9	11
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	456	4.0	3	2	2	4	5	6	7	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.0	6	1	1	3	6	7	8	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	110	7.0	35	3	3	5	8	12	17	38
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.3	6	<1	1	3	4	7	9	11
B. *Operated*	456	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	16	4.0	6	1	1	3	6	7	8	9
B. *Operated*	110	7.0	35	3	3	5	8	12	17	38
1. SINGLE DX	481	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX	126	6.6	33	2	3	5	7	12	15	36
A. NOT OPERATED	41	3.6	6	1	1	3	5	7	9	11
B. OPERATED	566	4.6	10	2	2	4	5	7	9	16
TOTAL 0-19 YRS	607	4.5	10	2	2	4	5	7	9	15
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**607**	**4.5**	**10**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.0	3	<1	<1	1	2	4	6	9
20-34	6	5.7	59	1	1	3	5	19	21	21
35-49	3	12.7	254	2	2	5	24	31	31	31
50-64	8	4.5	10	<1	<1	4	7	9	9	9
65+	11	5.9	17	2	2	4	10	12	12	12
B. *Operated*										
0-19 YRS	276	4.4	18	<1	<1	3	6	10	13	19
20-34	32	3.3	7	1	1	2	4	8	10	11
35-49	23	5.2	15	<1	1	4	8	11	13	13
50-64	7	6.9	33	1	1	6	8	16	18	18
65+	9	3.0	14	1	1	2	2	9	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	6.5	71	<1	1	3	7	16	21	41
20-34	8	7.9	53	2	2	6	10	20	24	24
35-49	14	8.8	26	2	3	7	14	16	17	18
50-64	16	5.8	11	1	1	6	8	10	11	12
65+	60	7.4	26	2	3	6	9	14	17	28
B. *Operated*										
0-19 YRS	282	9.0	178	1	1	5	10	17	31	91
20-34	63	6.0	46	1	1	4	8	14	17	40
35-49	37	7.9	50	1	1	7	10	17	24	33
50-64	42	8.9	40	2	2	8	11	20	24	26
65+	74	11.6	85	1	2	10	15	25	33	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.0	14	<1	<1	2	3	6	9	23
B. *Operated*	347	4.4	17	<1	<1	3	6	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	190	7.0	48	1	1	5	8	15	20	40
B. *Operated*	498	8.9	128	1	2	6	11	18	26	55
1. SINGLE DX	473	4.0	17	<1	<1	2	5	9	12	19
2. MULTIPLE DX	688	8.4	106	1	1	6	10	17	25	46
A. NOT OPERATED	316	5.4	38	<1	<1	3	7	12	17	34
B. OPERATED	845	7.1	87	<1	1	4	9	15	22	42
TOTAL 0-19 YRS	748	6.1	89	<1	<1	3	7	13	18	44
20-34	109	5.3	36	1	1	3	7	12	16	32
35-49	77	7.4	42	1	1	6	9	15	21	32
50-64	73	7.6	32	1	2	7	9	15	22	26
65+	154	9.1	59	1	2	7	12	20	25	37
GRAND TOTAL	**1161**	**6.6**	**74**	**<1**	**1**	**4**	**8**	**14**	**20**	**41**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	687	2.2	1	<1	<1	2	3	4	4	6
20-34	53	2.8	2	<1	1	3	3	4	4	7
35-49	19	2.6	2	1	1	2	3	4	6	8
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	1.2		<1	<1	1	1	2	2	4
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	654	2.2	2	<1	<1	2	3	4	4	7
20-34	53	3.6	6	1	2	3	4	7	8	13
35-49	22	3.3	3	1	2	3	4	5	7	8
50-64	8	4.4	7	1	1	4	6	8	9	9
65+	1	6.0		6	6	53	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.3		<1	<1	1	2	2	2	2
B. *Operated*	764	2.2	1	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	65	1.2		<1	<1	1	1	2	2	4
B. *Operated*	738	2.4	3	<1	<1	2	3	4	5	8
1. SINGLE DX	772	2.2	1	<1	<1	2	3	4	4	7
2. MULTIPLE DX	803	2.3	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	73	1.2		<1	<1	1	1	2	2	4
B. OPERATED	1502	2.3	2	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	1410	2.2	2	<1	<1	2	3	4	4	7
20-34	110	3.1	4	1	1	3	4	5	7	12
35-49	41	3.0	3	1	2	3	4	5	7	8
50-64	11	3.7	6	1	1	3	6	7	9	9
65+	3	3.7	4	2	2	4	53	99+	99+	99+
GRAND TOTAL	**1575**	**2.3**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.0	9	<1	<1	2	4	7	8	14
20-34	16	3.3	5	<1	1	2	5	6	7	8
35-49	4	3.5	6	1	1	3	5	6	6	6
50-64	5	3.8	7	1	1	4	5	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	631	5.6	24	<1	<1	4	9	12	13	22
20-34	191	4.0	13	<1	<1	3	5	7	10	18
35-49	48	3.9	10	<1	<1	3	6	9	9	14
50-64	25	5.2	22	1	1	3	6	13	16	17
65+	15	5.3	14	1	1	5	7	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	2.9	12	<1	<1	1	3	7	14	15
20-34	43	4.5	17	1	1	4	5	7	8	28
35-49	39	5.0	11	1	2	4	7	9	11	16
50-64	29	7.3	33	2	2	6	9	18	21	21
65+	25	7.1	15	2	3	6	10	13	15	17
B. *Operated*										
0-19 YRS	379	7.6	44	<1	1	6	11	16	21	33
20-34	214	5.5	22	<1	<1	5	7	12	13	25
35-49	117	6.5	24	1	2	6	8	14	16	24
50-64	90	8.9	69	2	2	7	11	17	25	46
65+	60	10.7	138	1	2	7	12	24	27	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.2	7	<1	<1	2	4	7	8	14
B. *Operated*	910	5.2	21	<1	<1	4	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	205	4.8	19	<1	<1	3	7	10	14	21
B. *Operated*	860	7.3	47	<1	1	6	10	15	20	34
1. SINGLE DX	967	5.1	21	<1	<1	4	8	11	13	21
2. MULTIPLE DX	1065	6.8	43	<1	1	5	9	14	19	31
A. NOT OPERATED	262	4.4	17	<1	<1	3	6	9	14	21
B. OPERATED	1770	6.2	35	<1	1	5	9	13	16	29
TOTAL 0-19 YRS	1110	6.1	32	<1	<1	4	9	13	16	27
20-34	464	4.7	18	<1	<1	4	6	9	12	25
35-49	208	5.5	19	<1	1	5	7	11	15	18
50-64	149	7.8	54	1	2	6	10	16	21	35
65+	101	9.0	92	1	2	7	10	18	25	60
GRAND TOTAL	**2032**	**6.0**	**33**	**<1**	**1**	**4**	**8**	**12**	**16**	**28**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	335	4.0	5	1	2	4	5	6	8	11
20-34	26	4.7	5	1	2	4	6	8	9	11
35-49	13	3.7	4	1	2	3	4	7	9	9
50-64	6	3.8	4	2	2	3	5	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	1.2		<1	<1	1	1	2	4	99+
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	186	5.2	28	2	2	4	6	8	11	23
20-34	50	6.0	23	2	2	4	7	11	13	27
35-49	29	4.5	7	2	3	4	5	7	11	14
50-64	36	4.6	4	1	2	5	5	7	8	10
65+	13	4.9	4	3	3	5	6	8	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	380	4.1	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	35	1.3	1	<1	<1	1	1	3	4	99+
B. *Operated*	314	5.2	21	2	2	4	6	8	11	24
1. SINGLE DX	384	4.0	5	1	2	4	5	7	8	11
2. MULTIPLE DX	349	4.8	21	1	1	4	6	8	11	27
A. NOT OPERATED	39	1.3	1	<1	<1	1	1	3	4	99+
B. OPERATED	694	4.5	13	1	2	4	5	7	9	14
TOTAL 0-19 YRS	559	4.2	13	1	1	4	5	7	9	13
20-34	77	5.5	17	2	2	4	7	9	12	26
35-49	42	4.2	6	2	2	4	5	7	10	14
50-64	42	4.5	4	1	2	5	5	7	8	10
65+	13	4.9	4	3	3	5	6	8	10	10
GRAND TOTAL	**733**	**4.4**	**13**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	187	3.8	74	<1	<1	1	4	9	16	99+
20-34	31	4.1	14	<1	1	3	5	9	13	16
35-49	25	6.8	23	1	2	6	9	13	18	21
50-64	10	6.0	13	2	2	6	7	11	14	14
65+	8	6.6	22	<1	1	6	9	14	15	15
B. *Operated*										
0-19 YRS	1265	4.2	14	<1	1	3	5	8	11	21
20-34	409	3.5	13	<1	<1	2	4	8	11	17
35-49	214	3.7	14	<1	1	3	4	8	12	18
50-64	110	5.3	20	1	1	4	7	11	12	24
65+	38	5.4	37	1	2	3	5	13	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	6.3	170	<1	<1	2	5	13	30	93
20-34	44	6.0	37	<1	1	4	7	14	20	26
35-49	37	7.2	34	<1	1	6	10	16	18	24
50-64	53	7.9	52	2	2	6	10	15	37	99+
65+	79	10.2	39	2	4	9	12	19	23	32
B. *Operated*										
0-19 YRS	657	6.7	73	1	1	4	8	13	21	45
20-34	301	5.7	61	1	1	3	6	13	19	42
35-49	207	6.0	48	<1	1	3	8	13	22	35
50-64	163	7.5	61	1	2	4	10	16	23	31
65+	112	12.4	126	2	3	9	17	25	32	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	4.3	59	<1	<1	2	5	10	15	99+
B. *Operated*	2036	4.1	15	<1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	461	7.2	112	<1	<1	4	9	16	25	92
B. *Operated*	1440	6.9	72	1	1	4	8	15	23	41
1. SINGLE DX	2297	4.1	20	<1	1	3	5	8	11	23
2. MULTIPLE DX	1901	7.0	82	<1	1	4	8	16	24	54
A. NOT OPERATED	722	6.1	95	<1	<1	3	7	14	23	99+
B. OPERATED	3476	5.2	41	<1	1	3	6	11	16	33
TOTAL 0-19 YRS	2357	5.1	53	<1	1	3	6	10	15	42
20-34	785	4.5	34	<1	1	3	5	10	14	28
35-49	483	5.1	32	<1	1	3	7	11	17	29
50-64	336	6.8	46	1	2	5	9	14	21	41
65+	237	10.3	85	2	2	8	14	22	26	40
GRAND TOTAL	**4198**	**5.4**	**50**	**<1**	**1**	**3**	**7**	**12**	**17**	**37**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1494	4.2	22	1	1	3	4	9	14	22
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	40	4.7	27	<1	<1	3	5	12	18	23
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1228	10.5	140	1	2	6	14	27	36	59
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	117	21.3	621	2	2	11	34	77	99	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1494	4.2	22	1	1	3	4	9	14	22
B. *Operated*	40	4.7	27	<1	<1	3	5	12	18	23
2. MULTIPLE DX										
A. *Not Operated*	1228	10.5	140	1	2	6	14	27	36	59
B. *Operated*	117	21.3	621	2	2	11	34	77	99	99+
1. SINGLE DX	1534	4.2	22	1	1	3	4	9	14	22
2. MULTIPLE DX	1345	11.5	191	1	2	6	14	29	42	84
A. NOT OPERATED	2722	7.0	85	1	1	4	8	18	26	50
B. OPERATED	157	17.1	521	<1	2	8	21	65	92	99+
TOTAL 0-19 YRS	2879	7.6	114	1	1	4	8	18	29	61
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2879**	**7.6**	**114**	**1**	**1**	**4**	**8**	**18**	**29**	**61**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1560	2.8	5	1	1	2	3	5	6	11
20-34	562	3.3	9	1	1	3	4	7	8	17
35-49	282	3.5	9	1	1	3	4	7	8	14
50-64	187	3.9	9	1	1	3	5	8	10	15
65+	144	4.8	11	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	11	4.9	26	1	1	3	8	13	17	17
20-34	8	7.1	55	2	2	4	8	20	24	24
35-49	11	4.8	10	2	2	4	6	10	12	12
50-64	7	4.4	4	<1	1	4	6	7	7	7
65+	3	5.0	7	2	2	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1939	3.3	10	1	1	3	4	6	8	14
20-34	704	4.6	17	1	1	4	6	8	12	22
35-49	744	5.7	48	1	1	4	7	11	13	32
50-64	852	6.7	41	1	2	5	8	13	18	40
65+	1512	8.5	73	2	2	6	10	17	24	55
B. *Operated*										
0-19 YRS	34	9.3	157	2	2	5	10	18	26	71
20-34	43	7.4	101	1	2	4	8	13	26	60
35-49	68	13.6	247	2	2	9	13	33	45	83
50-64	82	11.7	158	2	2	8	14	25	36	73
65+	121	14.4	168	3	4	10	18	31	43	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2735	3.2	7	1	1	2	4	6	8	14
B. *Operated*	40	5.3	21	1	1	4	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	5751	5.6	41	1	1	4	7	11	15	36
B. *Operated*	348	12.3	176	2	3	8	15	27	39	74
1. SINGLE DX	2775	3.2	7	1	1	2	4	6	8	14
2. MULTIPLE DX	6099	6.0	51	1	1	4	7	12	17	40
A. NOT OPERATED	8486	4.8	32	1	1	3	6	9	13	29
B. OPERATED	388	11.5	164	2	2	7	14	26	35	73
TOTAL 0-19 YRS	3544	3.1	10	1	1	2	4	6	7	14
20-34	1317	4.1	17	1	1	3	5	8	10	22
35-49	1105	5.6	55	1	1	4	6	10	14	37
50-64	1128	6.5	47	1	2	5	8	13	19	40
65+	1780	8.6	78	2	2	6	10	17	25	57
GRAND TOTAL	**8874**	**5.1**	**39**	**1**	**1**	**3**	**6**	**10**	**14**	**34**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	414	2.9	3	1	1	3	4	5	6	11
20-34	73	4.7	14	1	1	4	6	11	14	18
35-49	47	5.1	11	1	1	4	7	10	12	14
50-64	52	5.4	18	2	2	4	7	11	13	22
65+	60	5.1	21	1	2	4	6	9	12	27
B. *Operated*										
0-19 YRS	10	5.0	13	<1	<1	4	8	10	11	11
20-34	10	8.9	21	3	4	8	11	16	18	18
35-49	7	8.7	44	3	3	7	9	20	23	23
50-64	7	15.7	52	6	7	13	22	26	26	26
65+	7	10.4	14	5	6	9	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	549	3.5	7	1	1	3	4	6	7	13
20-34	197	5.0	11	1	2	4	6	9	11	19
35-49	158	5.9	12	2	2	5	8	10	13	16
50-64	346	6.6	26	2	2	5	8	12	16	26
65+	867	8.0	46	2	3	6	10	15	20	36
B. *Operated*										
0-19 YRS	19	6.6	37	2	2	4	7	18	22	23
20-34	45	11.6	69	2	3	10	15	25	29	34
35-49	52	14.4	157	4	4	11	18	29	31	82
50-64	81	13.5	87	4	5	11	18	24	31	49
65+	119	15.0	166	4	5	10	18	34	48	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	646	3.7	9	1	1	3	4	7	9	15
B. *Operated*	41	9.3	36	2	3	8	13	17	24	26
2. MULTIPLE DX										
A. *Not Operated*	2117	6.2	30	1	2	5	7	12	16	28
B. *Operated*	316	13.5	126	3	4	10	17	26	35	55
1. SINGLE DX	687	4.0	12	1	1	3	5	8	11	18
2. MULTIPLE DX	2433	7.1	49	2	2	5	9	14	20	36
A. NOT OPERATED	2763	5.6	26	1	2	4	7	11	14	27
B. OPERATED	357	13.0	117	3	4	10	16	25	34	53
TOTAL 0-19 YRS	992	3.3	6	1	1	3	4	5	7	13
20-34	325	5.9	25	1	2	4	7	11	16	29
35-49	264	7.5	53	2	2	6	9	15	20	31
50-64	486	7.8	44	2	2	6	9	16	21	36
65+	1053	8.6	63	2	3	6	10	17	23	50
GRAND TOTAL	**3120**	**6.4**	**42**	**1**	**2**	**4**	**8**	**13**	**18**	**34**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	2.7	4	<1	1	2	3	5	7	10
20-34	194	3.0	6	1	1	2	4	5	7	14
35-49	110	3.4	4	1	1	3	4	6	8	10
50-64	41	2.9	3	1	1	3	4	5	7	8
65+	21	3.9	9	1	1	3	5	9	10	11
B. *Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	28	2.7	2	1	2	2	3	5	5	7
35-49	18	3.7	6	1	2	3	5	8	10	10
50-64	10	2.6	4	<1	<1	2	4	6	7	7
65+	7	3.4	5	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	3.0	5	1	1	2	4	6	8	10
20-34	221	4.2	9	1	1	3	5	8	9	16
35-49	203	4.6	15	1	1	4	6	8	10	20
50-64	180	4.4	10	1	1	4	5	8	11	16
65+	188	5.2	18	1	2	4	6	9	12	22
B. *Operated*										
0-19 YRS	5	3.8	9	1	1	2	6	8	8	8
20-34	25	5.4	18	1	1	5	8	11	14	16
35-49	40	5.0	13	1	1	4	7	10	12	16
50-64	31	8.3	40	2	3	6	10	20	23	23
65+	36	8.4	50	1	2	5	12	21	23	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	3.1	5	1	1	3	4	6	8	11
B. *Operated*	67	3.0	3	1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	905	4.4	12	1	1	3	5	8	10	17
B. *Operated*	137	6.7	32	1	2	5	9	15	21	24
1. SINGLE DX	540	3.1	5	1	1	3	4	6	8	10
2. MULTIPLE DX	1042	4.7	15	1	1	4	6	9	12	22
A. NOT OPERATED	1378	3.9	10	1	1	3	5	8	9	16
B. OPERATED	204	5.5	25	1	2	4	7	12	17	23
TOTAL 0-19 YRS	229	2.9	5	<1	1	2	3	6	8	10
20-34	468	3.7	8	1	1	3	5	7	9	16
35-49	371	4.2	12	1	1	3	5	8	9	16
50-64	262	4.5	15	1	1	4	5	9	12	23
65+	252	5.5	23	1	2	4	7	11	15	24
GRAND TOTAL	**1582**	**4.1**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	3	<1	<1	2	3	5	7	8
20-34	42	2.8	3	<1	1	2	4	6	6	7
35-49	65	3.2	3	1	1	3	4	6	6	10
50-64	102	3.6	7	<1	1	3	5	7	8	14
65+	100	3.6	8	1	1	3	5	6	7	16
B. *Operated*										
0-19 YRS	37	1.9	3	<1	<1	<1	2	5	5	7
20-34	44	3.6	3	1	2	3	4	5	6	9
35-49	67	4.9	7	2	2	4	7	9	11	13
50-64	104	4.7	6	1	2	5	6	7	9	13
65+	75	4.6	7	1	1	4	6	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.8	2	1	1	3	4	4	5	5
20-34	29	4.0	7	1	1	3	5	8	9	11
35-49	68	4.4	8	1	2	4	6	8	9	16
50-64	183	4.3	8	1	1	4	6	8	10	16
65+	473	4.8	14	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	21	3.1	4	<1	1	3	5	5	7	9
20-34	41	6.1	9	2	3	6	7	10	13	15
35-49	68	5.8	9	2	2	5	8	10	11	14
50-64	190	6.4	26	2	2	5	7	10	14	35
65+	346	7.8	96	1	2	5	9	13	18	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	3.4	6	<1	1	3	4	6	7	10
B. *Operated*	327	4.3	6	<1	1	4	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	777	4.6	12	1	1	4	6	8	11	16
B. *Operated*	666	6.9	60	2	2	5	8	11	15	40
1. SINGLE DX	659	3.8	6	<1	1	3	5	7	8	12
2. MULTIPLE DX	1443	5.7	35	1	2	5	7	10	12	29
A. NOT OPERATED	1109	4.2	10	1	1	4	5	8	10	15
B. OPERATED	993	6.0	44	1	2	5	7	10	13	34
TOTAL 0-19 YRS	105	2.5	3	<1	<1	2	4	5	5	8
20-34	156	4.1	7	1	1	4	5	7	9	14
35-49	268	4.6	8	1	2	4	6	9	10	14
50-64	579	4.9	14	1	2	4	6	8	11	16
65+	994	5.7	44	1	2	4	7	10	13	31
GRAND TOTAL	**2102**	**5.1**	**27**	**1**	**1**	**4**	**6**	**9**	**11**	**21**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	3.4	6	<1	1	2	6	7	8	8
20-34	25	3.5	4	1	2	3	4	6	7	8
35-49	13	3.8	13	1	1	2	5	8	13	14
50-64	15	3.7	4	1	2	3	5	7	8	8
65+	9	3.3	4	1	1	3	4	7	7	7
B. Operated										
0-19 YRS	166	2.2	4	<1	<1	2	2	4	6	12
20-34	220	2.2	3	<1	<1	2	3	4	5	9
35-49	143	2.4	5	<1	<1	2	3	4	7	14
50-64	91	3.0	5	<1	<1	2	4	5	7	12
65+	40	2.3	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	4.1	11	<1	1	4	5	11	11	12
20-34	57	4.8	13	1	1	4	6	10	13	16
35-49	41	3.6	5	<1	1	3	5	6	9	11
50-64	84	5.5	24	1	1	4	7	12	16	24
65+	187	8.3	97	1	2	5	10	17	23	58
B. Operated										
0-19 YRS	50	3.9	20	1	1	2	4	9	14	21
20-34	117	6.2	30	1	1	4	9	13	17	24
35-49	87	6.6	84	<1	1	3	8	13	32	49
50-64	89	6.6	69	1	1	4	8	16	28	79
65+	115	11.6	194	1	2	7	17	33	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	3.5	6	1	1	3	5	7	8	11
B. Operated	660	2.4	4	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. Not Operated	412	6.3	56	1	1	4	7	13	18	38
B. Operated	458	7.4	94	1	1	4	9	19	32	88
1. SINGLE DX	756	2.5	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX	870	6.9	76	1	1	4	9	16	23	56
A. NOT OPERATED	508	5.8	47	1	1	4	7	12	16	32
B. OPERATED	1118	4.4	47	<1	<1	2	4	10	17	40
TOTAL 0-19 YRS	293	2.9	9	<1	<1	2	3	6	9	15
20-34	419	3.7	15	<1	<1	2	4	9	13	19
35-49	284	3.9	33	<1	<1	2	4	9	12	33
50-64	279	4.9	33	<1	1	3	5	10	16	40
65+	351	8.6	123	1	1	5	10	21	32	91
GRAND TOTAL	**1626**	**4.9**	**47**	**<1**	**1**	**3**	**5**	**11**	**17**	**38**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	9.0	72	3	3	9	15	15	15	15
65+	7	10.9	66	2	3	9	11	25	28	28
B. Operated										
0-19 YRS	12	4.6	20	<1	<1	2	7	11	14	15
20-34	15	5.1	25	<1	<1	3	6	12	17	18
35-49	9	11.8	79	2	3	10	17	26	30	30
50-64	16	15.6	160	1	2	12	21	37	45	47
65+	59	15.0	119	3	4	13	20	28	39	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	3	8.3	86	2	2	4	15	19	19	19
35-49	6	8.7	59	<1	<1	8	9	22	23	23
50-64	36	12.2	129	1	3	8	13	27	40	54
65+	123	12.6	165	2	3	10	16	24	44	99+
B. Operated										
0-19 YRS	10	6.0	60	2	2	3	7	17	27	27
20-34	25	14.4	362	2	2	9	12	67	79	99+
35-49	58	21.8	385	1	2	15	38	56	63	97
50-64	287	23.8	361	3	5	19	33	54	71	99+
65+	952	23.6	317	5	7	19	31	55	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	9.7	58	2	2	8	11	21	28	28
B. Operated	111	12.4	115	<1	2	10	16	26	36	50
2. MULTIPLE DX										
A. Not Operated	170	12.2	150	2	3	9	15	24	42	97
B. Operated	1332	23.3	331	4	6	19	31	55	76	99+
1. SINGLE DX	121	12.2	110	1	2	9	15	26	35	49
2. MULTIPLE DX	1502	22.0	323	3	5	17	30	53	73	99+
A. NOT OPERATED	180	12.1	145	2	3	9	14	24	40	96
B. OPERATED	1443	22.4	323	3	5	18	30	53	74	99+
TOTAL 0-19 YRS	24	5.2	34	<1	<1	3	7	10	19	27
20-34	43	10.7	239	1	2	6	12	25	71	99+
35-49	74	19.3	338	1	2	12	30	51	60	92
50-64	341	22.1	340	3	5	16	30	51	68	99+
65+	1141	21.9	303	4	6	18	29	53	75	99+
GRAND TOTAL	**1623**	**21.3**	**314**	**3**	**5**	**17**	**29**	**52**	**71**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.4	3	<1	1	2	3	4	5	9
20-34	494	2.6	2	1	1	2	3	5	6	8
35-49	1633	3.0	4	1	1	3	4	5	6	10
50-64	1277	3.2	3	1	1	3	4	6	7	9
65+	401	3.3	5	1	1	3	4	6	8	10
B. *Operated*										
0-19 YRS	4	2.0		2	2	2	2	2	2	2
20-34	28	2.1	1	1	1	2	2	3	4	5
35-49	237	2.5	4	1	1	2	2	5	7	10
50-64	284	2.4	3	1	1	2	2	4	6	12
65+	66	2.5	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.6	4	<1	1	2	3	5	6	12
20-34	651	3.1	4	1	1	3	4	6	7	9
35-49	2876	3.8	7	1	1	3	5	7	8	13
50-64	4034	4.0	8	1	2	3	5	7	9	14
65+	2882	4.7	12	1	2	4	6	8	11	18
B. *Operated*										
0-19 YRS	4	5.3	52	1	1	2	9	16	16	16
20-34	68	4.3	10	1	1	3	6	9	11	14
35-49	422	4.3	17	1	2	2	6	9	11	23
50-64	629	4.3	17	1	2	2	6	9	11	17
65+	310	6.7	41	2	2	4	9	15	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3849	3.0	4	1	1	3	4	5	7	9
B. *Operated*	619	2.5	3	1	1	2	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	10505	4.1	9	1	1	3	5	7	9	15
B. *Operated*	1433	4.8	23	1	2	3	6	10	13	26
1. SINGLE DX	4468	2.9	4	1	1	2	4	5	7	10
2. MULTIPLE DX	11938	4.2	11	1	2	3	5	8	10	16
A. NOT OPERATED	14354	3.8	8	1	1	3	5	7	9	14
B. OPERATED	2052	4.1	18	1	2	2	5	9	12	21
TOTAL 0-19 YRS	114	2.6	5	<1	1	2	3	5	5	13
20-34	1241	2.9	4	1	1	2	4	5	7	10
35-49	5168	3.5	7	1	1	3	4	6	8	13
50-64	6224	3.8	8	1	2	3	5	7	9	14
65+	3659	4.6	15	1	2	4	6	9	11	20
GRAND TOTAL	**16406**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	423	3.1	13	1	1	2	3	6	9	22
20-34	20	2.4	1	1	1	2	3	4	4	5
35-49	23	3.1	7	<1	1	2	4	7	9	10
50-64	44	3.2	15	<1	1	2	3	5	9	23
65+	37	4.7	15	<1	1	3	6	11	12	18
B. *Operated*										
0-19 YRS	17	2.7	4	<1	1	2	4	6	7	7
20-34	25	3.1	11	<1	<1	2	4	8	10	15
35-49	62	2.7	3	<1	1	2	4	6	7	9
50-64	88	2.8	5	<1	<1	2	4	6	7	11
65+	70	2.5	5	<1	1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	372	4.2	19	1	1	3	5	9	12	20
20-34	92	4.6	18	1	1	3	6	10	15	20
35-49	127	4.5	15	1	1	4	6	10	11	21
50-64	364	6.2	24	1	1	5	9	12	15	24
65+	763	7.9	53	1	2	6	10	15	21	41
B. *Operated*										
0-19 YRS	23	7.5	80	<1	1	5	8	17	30	40
20-34	34	6.1	33	1	1	3	11	14	15	24
35-49	78	5.1	29	<1	1	4	7	10	15	31
50-64	236	6.3	35	1	2	4	8	12	18	32
65+	324	8.3	82	1	2	6	11	17	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	3.2	13	1	1	2	3	7	10	22
B. *Operated*	262	2.7	5	<1	1	2	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	1718	6.3	37	1	1	5	8	13	17	29
B. *Operated*	695	7.1	59	1	1	5	9	15	22	40
1. SINGLE DX	809	3.0	10	<1	1	2	3	6	8	17
2. MULTIPLE DX	2413	6.5	43	1	1	5	8	13	18	33
A. NOT OPERATED	2265	5.5	33	1	1	4	7	12	16	27
B. OPERATED	957	5.9	48	1	1	4	7	13	18	35
TOTAL 0-19 YRS	835	3.7	18	1	1	2	4	7	11	22
20-34	171	4.4	19	1	1	3	5	11	15	20
35-49	290	4.2	16	<1	1	3	6	9	11	21
50-64	732	5.6	26	1	1	4	8	11	15	24
65+	1194	7.6	59	1	2	6	10	15	21	43
GRAND TOTAL	**3222**	**5.7**	**37**	**1**	**1**	**4**	**7**	**12**	**16**	**30**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	2.4	3	1	1	2	3	4	5	10
20-34	449	2.2	3	1	1	2	3	4	5	7
35-49	539	2.0	2	<1	1	2	3	4	4	7
50-64	345	2.2	2	1	1	2	3	4	5	7
65+	127	2.6	3	<1	1	2	3	5	7	8
B. Operated										
0-19 YRS	66	2.9	23	<1	<1	1	3	6	10	30
20-34	69	3.9	6	<1	1	4	5	7	9	10
35-49	69	4.0	5	1	1	4	5	7	9	11
50-64	53	4.1	9	<1	1	3	5	8	11	15
65+	54	5.4	15	1	2	5	7	10	14	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	3.4	15	1	1	3	4	6	8	26
20-34	237	3.2	7	1	1	2	4	6	9	12
35-49	354	3.2	6	1	1	3	4	6	8	13
50-64	363	4.1	18	1	1	3	5	8	10	18
65+	595	6.0	55	1	1	4	7	12	15	42
B. Operated										
0-19 YRS	53	6.0	52	<1	<1	3	8	17	25	29
20-34	91	6.9	40	1	2	5	8	13	23	32
35-49	113	6.8	41	1	1	6	9	13	16	35
50-64	190	7.6	36	1	2	6	10	15	20	33
65+	396	10.4	78	2	3	8	13	22	33	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1539	2.2	2	<1	1	2	3	4	5	7
B. Operated	311	4.0	12	<1	<1	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	1606	4.4	29	1	1	3	5	8	12	29
B. Operated	843	8.6	60	1	2	7	11	18	26	58
1. SINGLE DX	1850	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	2449	5.9	44	1	1	4	7	12	17	40
A. NOT OPERATED	3145	3.3	17	1	1	2	4	6	9	18
B. OPERATED	1154	7.4	52	1	1	6	9	15	22	50
TOTAL 0-19 YRS	255	3.5	23	<1	<1	2	4	7	11	28
20-34	846	3.1	10	1	1	2	4	6	8	15
35-49	1075	3.0	10	<1	1	2	4	6	8	15
50-64	951	4.1	19	1	1	3	5	8	12	20
65+	1172	7.1	62	1	1	5	9	14	22	57
GRAND TOTAL	**4299**	**4.4**	**30**	**1**	**1**	**3**	**5**	**9**	**13**	**31**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1702	2.2	2	1	1	2	3	4	5	8
20-34	1595	2.7	4	<1	1	2	3	5	6	9
35-49	801	3.3	6	<1	1	3	4	6	8	12
50-64	450	3.2	6	<1	1	3	4	6	7	10
65+	308	3.9	10	<1	1	3	5	8	10	16
B. Operated										
0-19 YRS	140	3.9	4	1	2	4	5	6	8	12
20-34	198	3.9	7	<1	1	3	5	8	9	13
35-49	80	4.4	14	1	1	3	6	10	12	19
50-64	41	4.6	9	1	1	4	6	9	10	14
65+	20	6.6	31	1	2	4	9	15	19	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	852	2.8	5	1	1	2	3	5	7	11
20-34	1070	3.2	6	<1	1	3	4	7	8	12
35-49	814	4.5	12	1	1	4	6	9	11	16
50-64	1018	4.9	13	1	1	4	6	9	11	18
65+	1547	6.0	32	1	2	5	7	11	15	33
B. Operated										
0-19 YRS	95	4.3	10	1	2	4	5	8	10	19
20-34	255	5.2	20	1	1	4	7	10	14	20
35-49	163	7.4	59	1	2	6	10	13	16	27
50-64	140	9.0	95	1	2	7	11	16	23	55
65+	220	9.5	57	2	3	8	12	18	23	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4856	2.7	5	<1	1	2	3	5	7	10
B. Operated	479	4.1	9	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	5301	4.5	17	1	1	3	6	8	11	19
B. Operated	873	7.2	51	1	2	5	9	14	18	41
1. SINGLE DX	5335	2.9	5	<1	1	2	4	5	7	11
2. MULTIPLE DX	6174	4.9	23	1	1	4	6	9	12	22
A. NOT OPERATED	10157	3.6	12	1	1	3	5	7	9	16
B. OPERATED	1352	6.1	39	1	1	4	8	12	16	29
TOTAL 0-19 YRS	2789	2.5	4	1	1	2	3	5	6	10
20-34	3118	3.2	7	<1	1	2	4	6	8	13
35-49	1858	4.2	15	1	1	3	5	8	11	17
50-64	1649	4.8	20	1	1	4	6	9	12	20
65+	2095	6.0	34	1	2	5	7	12	15	34
GRAND TOTAL	**11509**	**3.9**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	156	2.5	3	1	1	2	3	5	7	9
20-34	66	3.2	9	<1	1	2	4	6	11	15
35-49	60	2.8	11	<1	1	2	3	5	9	19
50-64	50	4.3	45	<1	<1	2	5	8	14	42
65+	62	3.6	9	<1	1	3	5	7	10	16
B. *Operated*										
0-19 YRS	10	2.2	3	<1	<1	2	3	5	6	6
20-34	19	4.2	12	<1	<1	3	6	9	12	13
35-49	26	5.1	39	<1	<1	2	6	15	21	24
50-64	33	3.0	8	<1	<1	2	4	6	11	12
65+	17	4.8	30	1	1	2	5	15	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	308	3.3	14	1	1	2	4	6	9	21
20-34	200	3.7	29	<1	1	2	4	8	11	42
35-49	189	4.7	29	1	1	3	6	9	15	23
50-64	323	6.1	32	1	1	4	8	13	17	28
65+	767	7.3	67	1	2	5	9	14	18	40
B. *Operated*										
0-19 YRS	38	5.4	23	<1	<1	4	8	13	14	22
20-34	59	6.0	32	1	1	5	7	14	16	30
35-49	55	11.1	148	1	1	7	16	29	32	67
50-64	121	8.1	54	1	1	5	11	18	24	31
65+	240	11.7	152	2	2	9	15	24	36	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	3.1	12	<1	1	2	4	6	8	16
B. *Operated*	105	3.9	20	<1	<1	2	5	10	15	22
2. MULTIPLE DX										
A. *Not Operated*	1787	5.7	46	1	1	4	7	12	16	32
B. *Operated*	513	9.7	110	1	1	7	13	22	28	68
1. SINGLE DX	499	3.2	14	<1	1	2	4	7	10	19
2. MULTIPLE DX	2300	6.6	63	1	1	4	8	14	20	40
A. NOT OPERATED	2181	5.2	41	1	1	3	7	11	15	28
B. OPERATED	618	8.7	99	1	1	6	12	19	27	56
TOTAL 0-19 YRS	512	3.2	12	1	1	2	4	6	9	20
20-34	344	4.0	25	<1	1	3	5	9	13	33
35-49	330	5.4	53	1	1	3	7	12	20	33
50-64	527	6.2	38	1	1	4	8	14	19	28
65+	1086	8.0	87	1	2	6	10	16	22	57
GRAND TOTAL	**2799**	**6.0**	**56**	**1**	**1**	**4**	**8**	**13**	**18**	**37**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	819	3.8	17	<1	1	3	5	7	10	20
20-34	325	2.9	7	1	1	2	4	5	6	12
35-49	367	3.2	9	1	1	3	4	6	7	13
50-64	507	3.1	5	1	1	3	4	6	7	11
65+	612	4.3	18	1	1	3	6	8	10	17
B. *Operated*										
0-19 YRS	73	2.3	5	<1	<1	2	3	4	5	14
20-34	117	2.3	3	<1	<1	2	3	4	6	9
35-49	122	2.5	7	<1	<1	2	3	4	6	16
50-64	136	2.9	16	<1	1	2	3	6	8	29
65+	77	3.5	14	<1	1	2	4	7	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1058	5.6	61	1	1	4	7	10	16	36
20-34	700	4.8	32	1	1	3	6	9	13	30
35-49	1018	4.8	21	1	1	3	6	9	13	23
50-64	2712	6.0	37	1	2	4	7	12	16	31
65+	7221	7.7	58	2	2	6	9	15	20	44
B. *Operated*										
0-19 YRS	76	9.6	179	1	1	4	12	25	55	99+
20-34	141	5.4	51	<1	1	3	6	11	16	40
35-49	189	7.7	166	1	1	4	9	15	37	99+
50-64	489	9.6	141	1	1	6	12	24	40	99+
65+	1005	13.6	191	2	2	9	18	32	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2630	3.6	13	1	1	3	4	7	9	16
B. *Operated*	525	2.7	9	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	12709	6.7	51	1	2	5	8	13	18	38
B. *Operated*	1900	11.2	172	1	2	7	14	28	43	99+
1. SINGLE DX	3155	3.4	12	<1	1	3	4	7	9	16
2. MULTIPLE DX	14609	7.3	69	1	2	5	9	15	21	51
A. NOT OPERATED	15339	6.2	45	1	1	4	7	12	17	35
B. OPERATED	2425	9.4	149	1	1	5	12	24	37	99+
TOTAL 0-19 YRS	2026	4.9	47	1	1	3	6	10	14	36
20-34	1283	4.1	26	1	1	3	5	8	11	30
35-49	1696	4.6	35	1	1	3	5	9	13	31
50-64	3844	5.9	48	1	1	4	7	12	17	41
65+	8915	8.1	75	1	2	6	10	16	23	53
GRAND TOTAL	**17764**	**6.6**	**61**	**1**	**1**	**4**	**8**	**14**	**19**	**45**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	297	2.2	4	1	1	2	3	4	5	12
20-34	14	2.4	2	1	1	2	3	4	6	6
35-49	13	2.8	4	<1	<1	2	4	6	7	7
50-64	6	7.5	20	<1	<1	7	12	13	13	13
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	55	6.6	36	2	2	5	8	11	21	31
20-34	28	11.5	124	4	5	8	12	20	32	60
35-49	6	7.8	19	2	2	7	13	13	13	13
50-64	5	8.8	42	3	3	6	14	18	18	18
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	4.0	15	1	1	3	5	8	13	17
20-34	50	7.1	52	1	1	4	11	17	19	38
35-49	31	9.6	279	1	1	5	11	16	20	95
50-64	24	7.1	35	1	2	5	8	17	21	22
65+	34	12.8	137	1	2	7	23	30	40	99+
B. *Operated*										
0-19 YRS	85	10.7	116	1	1	8	15	28	39	99+
20-34	77	16.9	414	2	2	10	18	50	88	99+
35-49	34	15.1	213	1	2	12	18	36	53	61
50-64	23	17.5	254	1	3	12	27	50	70	99+
65+	17	25.2	453	2	3	26	55	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	2.3	5	1	1	2	3	5	6	12
B. *Operated*	95	8.2	64	2	2	6	10	16	23	47
2. MULTIPLE DX										
A. *Not Operated*	371	5.9	61	1	1	4	7	14	20	39
B. *Operated*	236	15.1	276	1	2	10	19	46	73	99+
1. SINGLE DX	426	3.6	24	1	1	2	4	8	12	25
2. MULTIPLE DX	607	9.5	164	1	1	5	12	23	41	99+
A. NOT OPERATED	702	4.2	38	1	1	2	5	9	15	29
B. OPERATED	331	13.1	224	2	2	8	16	37	57	99+
TOTAL 0-19 YRS	669	4.2	32	1	1	2	5	9	15	32
20-34	169	11.9	248	1	2	7	13	26	52	98
35-49	84	10.7	206	1	1	6	13	21	36	83
50-64	58	11.4	142	1	2	7	15	28	46	96
65+	53	16.7	261	2	2	12	28	59	99+	99+
GRAND TOTAL	**1033**	**7.1**	**115**	**1**	**1**	**3**	**8**	**17**	**28**	**93**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	2.6	4	1	1	2	3	5	7	11
20-34	50	4.6	16	<1	1	3	6	11	12	17
35-49	33	3.5	5	1	1	3	5	6	8	9
50-64	17	4.1	7	<1	1	3	6	8	9	9
65+	7	4.4	9	1	1	4	6	9	10	10
B. *Operated*										
0-19 YRS	19	6.3	31	1	1	6	9	11	19	25
20-34	20	6.2	30	<1	1	4	9	14	18	20
35-49	4	10.8	20	7	7	9	14	17	17	17
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	5.2	40	1	1	3	6	11	17	38
20-34	122	7.0	50	1	2	5	9	14	18	40
35-49	65	7.8	54	1	1	6	10	14	19	41
50-64	49	11.6	79	2	2	10	14	24	29	42
65+	62	13.0	106	2	3	9	17	29	39	93
B. *Operated*										
0-19 YRS	77	13.8	282	1	1	9	17	36	44	98
20-34	117	14.2	234	2	2	10	20	46	93	99+
35-49	36	15.0	210	2	2	12	27	59	99+	99+
50-64	25	13.9	374	1	1	9	19	83	99+	99+
65+	30	25.1	576	1	3	17	50	76	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	3.2	7	1	1	2	4	7	9	12
B. *Operated*	47	6.6	28	1	1	6	9	12	17	25
2. MULTIPLE DX										
A. *Not Operated*	470	7.7	64	1	1	5	10	16	25	42
B. *Operated*	285	15.3	299	1	2	10	21	49	93	99+
1. SINGLE DX	313	3.7	12	1	1	3	5	8	11	17
2. MULTIPLE DX	755	10.6	166	1	1	7	14	27	45	99+
A. NOT OPERATED	736	6.1	48	1	1	4	8	14	18	41
B. OPERATED	332	14.1	270	1	2	9	18	45	89	99+
TOTAL 0-19 YRS	427	5.8	85	1	1	3	6	13	20	45
20-34	309	9.3	128	1	1	6	11	22	45	99+
35-49	138	8.8	98	1	1	6	11	23	37	99+
50-64	93	10.7	152	1	2	8	14	27	41	99+
65+	101	15.8	275	2	3	10	19	47	68	99+
GRAND TOTAL	**1068**	**8.6**	**131**	**1**	**1**	**5**	**10**	**20**	**36**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	1.6	1	<1	<1	1	2	3	4	4
20-34	49	2.1	3	<1	<1	2	3	4	5	9
35-49	17	2.2	2	<1	<1	2	3	4	5	6
50-64	7	3.4	2	2	2	3	5	6	6	6
65+	3	4.0	7	2	2	3	6	7	7	7
B. *Operated*										
0-19 YRS	848	2.0	3	<1	<1	1	2	4	5	10
20-34	1041	2.6	4	<1	<1	2	3	5	7	10
35-49	219	3.1	7	<1	1	2	4	6	8	15
50-64	75	3.2	7	1	1	2	4	6	8	14
65+	25	3.0	5	<1	1	2	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	2.8	30	<1	<1	2	3	4	6	34
20-34	181	2.7	4	<1	<1	2	4	6	7	9
35-49	97	4.1	18	<1	1	3	5	8	12	23
50-64	63	4.1	13	1	1	3	6	8	10	22
65+	123	7.5	67	1	2	4	9	14	25	43
B. *Operated*										
0-19 YRS	634	4.0	26	1	1	3	5	8	11	26
20-34	1028	4.9	28	1	1	3	6	10	12	25
35-49	387	6.6	77	1	1	4	8	14	20	59
50-64	161	6.6	81	1	2	4	7	12	18	57
65+	196	8.7	70	1	2	6	11	20	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	2.1	2	<1	<1	2	3	4	5	8
B. *Operated*	2208	2.5	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	562	4.1	29	<1	1	3	5	8	12	35
B. *Operated*	2406	5.4	44	1	1	3	6	11	16	34
1. SINGLE DX	2319	2.4	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX	2968	5.1	41	1	1	3	6	10	14	35
A. NOT OPERATED	673	3.8	25	<1	1	2	4	8	11	26
B. OPERATED	4614	4.0	27	<1	1	3	4	8	11	24
TOTAL 0-19 YRS	1615	2.9	15	<1	<1	2	3	5	8	17
20-34	2299	3.6	16	<1	1	3	4	7	10	20
35-49	720	5.1	49	1	1	3	6	11	16	31
50-64	306	5.2	49	1	1	3	6	10	13	46
65+	347	7.8	65	1	2	5	10	17	24	42
GRAND TOTAL	**5287**	**4.0**	**27**	**<1**	**1**	**3**	**4**	**8**	**11**	**24**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	202	4.7	17	1	1	4	6	8	11	21
20-34	320	6.4	49	1	1	5	8	11	15	41
35-49	175	6.6	32	1	2	5	8	12	18	30
50-64	179	7.6	33	1	2	7	10	14	17	30
65+	296	8.9	67	2	2	7	11	17	20	49
B. *Operated*										
0-19 YRS	23	10.7	37	3	4	10	12	20	23	26
20-34	49	11.9	58	2	3	11	15	23	27	34
35-49	20	10.1	32	1	3	10	14	19	19	20
50-64	15	12.6	59	3	4	12	17	22	29	31
65+	8	13.1	40	3	4	13	18	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	6.3	37	1	1	5	8	12	18	50
20-34	345	7.4	52	1	2	6	10	13	18	43
35-49	220	8.4	43	2	3	7	11	16	19	40
50-64	451	10.0	65	2	3	8	12	18	23	53
65+	2204	13.4	115	3	4	11	16	25	35	79
B. *Operated*										
0-19 YRS	58	17.2	318	3	3	11	20	47	57	86
20-34	154	13.6	140	2	4	10	19	29	35	87
35-49	76	17.5	196	3	4	15	22	35	44	72
50-64	73	17.2	193	3	5	14	21	33	49	99+
65+	256	24.1	353	6	8	17	33	50	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1172	6.9	45	1	2	5	8	13	17	35
B. *Operated*	115	11.5	48	2	4	10	14	21	25	32
2. MULTIPLE DX										
A. *Not Operated*	3376	11.7	100	2	3	9	14	22	31	62
B. *Operated*	617	19.2	276	3	5	15	24	41	57	99+
1. SINGLE DX	1287	7.3	47	1	2	6	9	14	19	34
2. MULTIPLE DX	3993	12.8	134	2	3	10	16	25	36	80
A. NOT OPERATED	4548	10.5	90	2	3	8	13	20	28	55
B. OPERATED	732	18.0	248	3	5	14	22	38	53	97
TOTAL 0-19 YRS	439	7.2	81	1	1	5	8	15	21	54
20-34	868	8.4	74	1	2	6	10	17	24	47
35-49	491	9.2	75	2	2	7	11	19	26	42
50-64	718	10.2	76	2	3	8	12	19	24	54
65+	2764	13.9	144	3	4	11	17	27	38	84
GRAND TOTAL	**5280**	**11.5**	**118**	**2**	**3**	**9**	**14**	**23**	**33**	**70**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	15	7.5	16	1	3	7	10	13	15	15
35-49	7	5.0	19	1	1	4	6	12	14	14
50-64	2	12.5	13	10	10	12	15	15	15	15
65+	6	10.0	19	2	3	12	13	13	13	13
B. *Operated*										
0-19 YRS	3	10.0	19	5	5	12	13	13	13	13
20-34	9	23.3	308	6	8	18	29	53	60	60
35-49	6	18.0	71	8	8	17	26	29	29	29
50-64	1	34.0		34	34	34	34	34	34	34
65+	1	31.0		31	31	31	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	13.0	277	2	3	7	31	85	99+	99+
20-34	12	8.9	80	3	3	6	9	18	33	36
35-49	8	12.4	157	<1	<1	5	26	28	29	29
50-64	9	8.9	45	1	2	9	11	19	24	24
65+	36	16.1	181	4	5	12	20	43	57	99+
B. *Operated*										
0-19 YRS	11	37.2	250	11	22	40	56	99+	99+	99+
20-34	37	33.8	401	6	10	34	61	99+	99+	99+
35-49	16	25.2	385	5	8	22	52	99+	99+	99+
50-64	10	29.3	274	7	13	26	46	78	98	99+
65+	17	34.6	621	3	4	38	55	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	7.1	21	1	2	6	12	13	15	15
B. *Operated*	20	20.7	189	5	7	16	27	38	51	60
2. MULTIPLE DX										
A. *Not Operated*	72	13.3	155	2	3	9	17	36	50	99+
B. *Operated*	91	32.4	405	5	8	33	57	99+	99+	99+
1. SINGLE DX	54	12.1	124	1	2	10	14	26	33	59
2. MULTIPLE DX	163	23.9	383	3	4	23	45	87	99+	99+
A. NOT OPERATED	106	11.3	120	1	2	8	14	27	44	99+
B. OPERATED	111	30.2	384	5	8	31	54	99+	99+	99+
TOTAL 0-19 YRS	25	21.6	387	2	2	19	51	87	99+	99+
20-34	73	23.0	393	3	4	19	43	75	99+	99+
35-49	37	17.4	266	1	2	14	29	65	99+	99+
50-64	22	19.6	244	2	5	18	27	53	77	99+
65+	60	21.0	360	3	5	14	31	57	95	99+
GRAND TOTAL	**217**	**21.0**	**344**	**2**	**4**	**15**	**36**	**63**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.3	2	<1	<1	2	3	4	5	7
20-34	81	2.8	3	1	1	2	4	5	6	10
35-49	108	3.2	5	1	1	3	4	6	7	13
50-64	95	3.8	9	1	1	3	5	7	10	16
65+	109	4.4	11	1	1	3	7	9	11	16
B. *Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	8	4.5	10	1	1	3	7	9	10	10
35-49	2	10.0	2	9	9	10	11	11	11	11
50-64	3	11.0	49	4	4	11	16	18	18	18
65+	3	10.0	43	3	3	11	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	4.1	10	1	1	3	5	8	11	16
20-34	278	4.1	9	1	1	3	5	8	10	14
35-49	371	4.8	12	1	2	4	6	9	11	19
50-64	580	6.2	28	1	2	5	8	11	15	25
65+	1314	9.7	84	2	3	7	12	18	26	67
B. *Operated*										
0-19 YRS	33	8.4	90	2	2	5	10	16	24	52
20-34	122	9.0	78	1	2	7	11	20	25	49
35-49	98	11.8	137	2	3	9	13	21	30	73
50-64	131	13.8	150	3	4	10	17	29	40	62
65+	210	16.9	187	3	4	14	22	35	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	421	3.5	7	1	1	3	4	7	8	14
B. *Operated*	19	6.8	25	1	2	6	10	14	17	18
2. MULTIPLE DX										
A. *Not Operated*	2630	7.4	56	1	2	5	9	15	20	46
B. *Operated*	594	13.3	152	2	3	10	17	28	40	74
1. SINGLE DX	440	3.7	8	1	1	3	5	7	10	16
2. MULTIPLE DX	3224	8.5	79	1	2	6	10	17	24	53
A. NOT OPERATED	3051	6.9	51	1	2	5	9	14	18	43
B. OPERATED	613	13.1	150	2	3	10	17	28	39	71
TOTAL 0-19 YRS	151	4.7	30	1	1	3	5	10	13	25
20-34	489	5.1	30	1	1	4	6	10	15	26
35-49	579	5.7	40	1	2	4	7	11	15	27
50-64	809	7.1	55	1	2	5	9	14	18	43
65+	1636	10.2	100	2	2	7	13	21	30	68
GRAND TOTAL	**3664**	**7.9**	**73**	**1**	**2**	**5**	**10**	**16**	**22**	**51**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	6.1	33	2	2	4	7	12	18	33
20-34	68	8.8	66	2	2	6	10	17	22	49
35-49	51	10.2	148	1	1	6	11	19	43	66
50-64	87	11.2	53	3	3	10	14	20	24	40
65+	305	12.6	89	3	4	11	15	22	30	55
B. *Operated*										
0-19 YRS	6	19.0	180	9	9	13	28	41	42	42
20-34	13	30.0	420	3	10	29	42	57	72	76
35-49	4	19.3	76	7	7	22	25	26	26	26
50-64	2	38.0	578	21	21	38	55	55	55	55
65+	6	21.8	101	10	10	23	30	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	9.1	57	2	3	7	11	17	21	44
20-34	142	11.6	91	3	4	8	14	23	33	47
35-49	93	14.7	130	5	5	12	18	28	35	93
50-64	222	13.3	97	3	4	11	17	26	33	58
65+	1530	17.8	175	4	6	15	23	33	46	99+
B. *Operated*										
0-19 YRS	72	21.1	358	3	5	14	31	49	67	97
20-34	150	24.1	428	4	6	17	33	55	76	95
35-49	46	28.2	384	7	9	22	39	60	79	99+
50-64	77	27.4	333	6	8	21	39	56	66	95
65+	208	28.8	353	6	10	26	42	62	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	599	10.8	83	2	3	9	14	20	26	51
B. *Operated*	31	25.4	277	7	9	21	34	49	55	76
2. MULTIPLE DX										
A. *Not Operated*	2105	16.3	159	4	5	13	21	31	43	93
B. *Operated*	553	26.3	379	5	7	21	38	57	77	99+
1. SINGLE DX	630	11.5	102	2	3	9	14	22	30	54
2. MULTIPLE DX	2658	18.4	221	4	5	14	23	39	54	99+
A. NOT OPERATED	2704	15.1	148	3	4	12	19	29	40	84
B. OPERATED	584	26.2	373	5	7	21	38	57	76	99+
TOTAL 0-19 YRS	284	11.4	163	2	3	7	13	23	41	79
20-34	373	16.7	281	2	4	11	21	42	53	83
35-49	194	16.8	236	3	5	12	20	38	57	93
50-64	388	15.8	172	3	4	12	19	33	48	71
65+	2049	18.2	196	4	6	15	23	36	50	99+
GRAND TOTAL	**3288**	**17.1**	**206**	**3**	**5**	**13**	**22**	**36**	**50**	**94**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.0	19	<1	1	1	3	6	10	27
20-34	25	2.9	6	<1	<1	2	4	7	8	9
35-49	26	3.3	35	<1	1	2	3	4	13	31
50-64	54	3.9	21	<1	1	2	4	8	14	26
65+	154	5.2	42	1	1	3	6	10	17	31
B. *Operated*										
0-19 YRS	857	4.0	24	1	1	2	4	9	16	24
20-34	117	4.1	10	1	1	3	5	8	10	18
35-49	108	4.4	13	1	2	3	5	9	11	20
50-64	198	4.8	16	1	1	4	6	9	11	24
65+	264	6.8	34	1	2	5	9	13	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	4.2	30	<1	1	2	5	8	18	29
20-34	39	6.2	55	<1	<1	3	8	12	22	39
35-49	38	9.1	118	1	2	5	11	17	35	53
50-64	128	7.1	43	1	1	5	9	17	22	29
65+	813	11.6	149	2	2	8	15	28	39	99+
B. *Operated*										
0-19 YRS	247	7.3	59	1	1	5	10	18	23	46
20-34	171	10.0	129	1	2	7	11	23	36	57
35-49	109	8.9	80	1	2	6	11	20	29	45
50-64	271	10.0	147	1	2	6	11	21	34	66
65+	787	14.5	206	2	3	10	19	33	45	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	4.0	29	<1	1	2	4	8	12	30
B. *Operated*	1544	4.6	24	1	1	3	5	10	15	25
2. MULTIPLE DX										
A. *Not Operated*	1100	10.2	129	1	2	6	13	25	35	99+
B. *Operated*	1585	11.7	164	1	2	7	15	27	39	77
1. SINGLE DX	1945	4.5	25	1	1	3	5	10	15	26
2. MULTIPLE DX	2685	11.1	150	1	2	7	14	26	38	90
A. NOT OPERATED	1501	8.6	110	1	1	5	11	21	31	92
B. OPERATED	3129	8.2	107	1	1	5	10	20	28	59
TOTAL 0-19 YRS	1328	4.5	32	1	1	2	5	11	18	27
20-34	352	7.1	80	1	1	4	8	15	24	48
35-49	281	6.7	60	1	1	4	8	14	22	44
50-64	651	7.4	82	1	1	5	8	16	23	48
65+	2018	11.6	157	1	2	7	15	28	39	98
GRAND TOTAL	**4630**	**8.3**	**108**	**1**	**1**	**5**	**10**	**20**	**29**	**64**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	82	1.8	2	<1	<1	1	2	4	5	6
20-34	24	3.0	4	<1	1	2	4	7	7	7
35-49	27	2.3	3	<1	<1	2	3	5	6	9
50-64	25	2.7	6	<1	1	2	3	5	8	12
65+	24	2.2	2	<1	1	2	3	4	5	5
B. Operated										
0-19 YRS	1602	1.9	3	<1	1	1	2	4	5	8
20-34	458	3.6	13	1	1	3	4	6	9	19
35-49	383	2.9	5	1	1	2	4	5	7	11
50-64	606	3.0	5	1	1	2	4	6	7	13
65+	505	3.4	11	1	1	2	4	7	9	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	2.5	13	1	1	2	3	4	5	26
20-34	71	3.4	17	1	1	2	4	7	8	28
35-49	32	3.6	6	1	1	3	4	7	9	10
50-64	47	7.5	60	1	1	6	10	15	22	44
65+	194	10.9	147	1	2	7	14	25	40	99+
B. Operated										
0-19 YRS	369	4.5	39	1	1	2	5	10	17	28
20-34	394	6.8	55	1	2	5	8	14	20	35
35-49	254	6.4	83	1	1	4	7	11	19	51
50-64	445	6.7	69	1	1	4	7	14	21	49
65+	883	8.7	110	1	2	5	10	21	27	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	2.2	3	<1	<1	2	3	4	5	8
B. Operated	3554	2.6	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	397	7.4	97	1	1	4	9	19	26	97
B. Operated	2345	7.1	81	1	1	4	8	16	23	51
1. SINGLE DX	3736	2.6	6	1	1	2	3	5	7	13
2. MULTIPLE DX	2742	7.1	83	1	1	4	8	17	23	54
A. NOT OPERATED	579	5.8	73	1	1	3	7	14	22	72
B. OPERATED	5899	4.4	41	1	1	3	5	9	14	34
TOTAL 0-19 YRS	2106	2.4	10	<1	1	1	3	4	6	17
20-34	947	4.9	33	1	1	3	6	9	15	33
35-49	696	4.2	36	1	1	3	5	7	10	25
50-64	1123	4.7	36	1	1	3	5	10	14	31
65+	1606	7.2	90	1	1	4	8	17	24	62
GRAND TOTAL	**6478**	**4.5**	**44**	**1**	**1**	**3**	**5**	**9**	**15**	**35**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.8	4	<1	<1	2	4	4	8	9
20-34	26	2.7	3	<1	1	2	4	5	6	6
35-49	19	2.7	3	<1	1	2	3	6	7	7
50-64	10	3.4	12	1	1	3	3	8	13	13
65+	10	3.3	4	1	1	3	5	6	7	7
B. Operated										
0-19 YRS	464	2.0	2	<1	1	2	2	3	5	8
20-34	603	2.2	3	<1	<1	2	3	4	5	8
35-49	262	2.3	3	<1	<1	2	3	4	5	10
50-64	139	2.5	4	<1	1	2	3	5	6	11
65+	68	2.5	2	1	1	2	3	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	4.4	41	<1	1	2	4	9	20	33
20-34	60	3.9	9	<1	1	3	5	9	10	14
35-49	27	4.7	15	1	1	4	5	12	14	15
50-64	28	4.6	9	1	1	4	7	9	10	11
65+	73	7.5	40	1	2	6	11	14	19	35
B. Operated										
0-19 YRS	214	3.3	19	1	1	2	4	6	9	23
20-34	349	3.9	22	1	1	3	4	8	11	28
35-49	199	4.2	57	1	1	2	4	7	10	51
50-64	150	3.8	20	1	1	3	4	8	11	28
65+	123	6.5	60	1	1	4	8	16	27	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	2.9	4	<1	1	2	4	5	7	11
B. Operated	1536	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	230	5.3	28	1	1	4	7	12	14	28
B. Operated	1035	4.1	33	1	1	2	4	8	13	33
1. SINGLE DX	1627	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	1265	4.3	32	1	1	3	5	9	13	33
A. NOT OPERATED	321	4.6	22	1	1	3	6	10	13	23
B. OPERATED	2571	3.0	16	<1	1	2	3	5	8	21
TOTAL 0-19 YRS	746	2.5	10	<1	1	2	3	4	6	16
20-34	1038	2.9	10	<1	1	2	3	5	8	17
35-49	507	3.2	26	<1	1	2	3	5	8	16
50-64	327	3.3	12	1	1	2	4	7	10	17
65+	274	5.7	42	1	1	3	7	13	19	46
GRAND TOTAL	**2892**	**3.1**	**17**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	15.5	360	1	1	6	21	44	54	88
20-34	7	3.6	4	<1	<1	4	5	6	6	6
35-49	9	8.9	182	1	1	3	8	30	44	44
50-64	30	15.2	236	2	3	10	19	30	43	78
65+	139	10.1	134	1	1	7	12	20	31	62
B. *Operated*										
0-19 YRS	84	12.5	152	3	4	8	14	23	31	78
20-34	47	12.8	67	4	5	11	16	24	30	43
35-49	87	11.7	90	4	6	10	14	18	22	63
50-64	448	13.3	54	5	6	12	16	20	26	45
65+	2088	18.7	118	8	9	16	22	31	39	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	15.1	232	2	2	7	26	43	46	47
20-34	13	17.6	627	1	1	6	21	54	77	83
35-49	20	6.9	27	1	1	6	9	15	17	18
50-64	71	15.5	233	1	3	11	21	34	44	78
65+	699	17.0	282	2	3	12	21	40	56	98
B. *Operated*										
0-19 YRS	77	18.7	148	5	7	15	25	33	37	70
20-34	122	20.9	297	5	7	15	28	51	86	99+
35-49	172	19.6	189	5	7	16	24	40	47	98
50-64	919	20.0	183	7	9	16	23	36	51	84
65+	9889	24.2	242	9	11	20	30	50	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	11.6	195	1	1	7	14	25	43	78
B. *Operated*	2754	17.3	113	6	8	15	20	29	37	73
2. MULTIPLE DX										
A. *Not Operated*	830	16.6	277	2	3	12	21	40	54	97
B. *Operated*	11179	23.7	238	8	10	19	30	48	68	99+
1. SINGLE DX	2985	16.9	122	5	7	15	20	29	38	73
2. MULTIPLE DX	12009	23.2	244	7	10	19	29	48	67	99+
A. NOT OPERATED	1061	15.5	263	1	2	10	19	38	52	93
B. OPERATED	13933	22.4	220	8	10	18	28	45	63	99+
TOTAL 0-19 YRS	234	15.4	205	2	3	11	21	32	43	78
20-34	189	18.0	267	3	5	13	26	46	70	99+
35-49	288	16.0	167	4	5	13	19	32	45	89
50-64	1468	17.7	156	6	7	14	20	31	45	72
65+	12815	22.7	230	8	10	19	28	46	65	99+
GRAND TOTAL	**14994**	**21.9**	**226**	**7**	**9**	**18**	**27**	**44**	**62**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	327	21.5	263	2	2	21	28	40	56	78
20-34	30	22.5	453	1	2	11	39	58	63	65
35-49	14	28.9	691	2	2	36	55	72	93	99+
50-64	21	20.6	334	2	3	13	32	51	56	56
65+	40	17.9	433	2	3	9	21	53	83	99+
B. *Operated*										
0-19 YRS	365	16.3	218	1	2	12	24	40	45	54
20-34	115	14.3	125	2	3	12	17	32	38	75
35-49	33	17.6	273	2	3	13	21	40	54	72
50-64	41	17.7	184	3	4	14	21	37	51	60
65+	120	22.9	215	6	9	19	27	47	59	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	25.4	421	1	2	22	37	57	67	98
20-34	29	23.2	598	2	2	10	40	63	77	79
35-49	21	28.0	893	2	2	28	50	99	99+	99+
50-64	49	19.2	325	1	2	15	29	47	64	99+
65+	239	22.8	489	2	4	14	37	63	95	99+
B. *Operated*										
0-19 YRS	410	23.9	282	3	5	20	33	49	59	84
20-34	344	25.3	375	4	6	20	33	58	72	99+
35-49	118	25.8	427	3	4	20	40	74	99+	99+
50-64	149	24.7	367	2	5	20	34	60	95	99+
65+	618	28.5	396	7	9	23	39	70	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	21.4	308	2	2	20	29	46	58	89
B. *Operated*	674	17.3	209	2	2	14	24	40	47	70
2. MULTIPLE DX										
A. *Not Operated*	535	23.6	471	2	3	18	37	58	82	99+
B. *Operated*	1639	26.1	366	4	7	21	36	60	79	99+
1. SINGLE DX	1106	18.9	252	2	2	15	26	41	52	77
2. MULTIPLE DX	2174	25.5	392	3	5	20	37	60	80	99+
A. NOT OPERATED	967	22.7	399	2	3	19	33	55	71	99+
B. OPERATED	2313	23.6	336	2	5	19	33	54	71	99+
TOTAL 0-19 YRS	1299	21.4	292	1	2	19	30	45	56	83
20-34	518	22.6	355	3	4	17	29	55	68	99+
35-49	186	24.9	475	2	3	18	42	72	99	99+
50-64	260	22.2	333	2	3	18	30	54	66	99+
65+	1017	26.1	407	4	6	20	37	64	87	99+
GRAND TOTAL	**3280**	**23.3**	**355**	**2**	**4**	**19**	**33**	**54**	**71**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	301	2.9	34	1	1	2	3	5	6	14
20-34	117	3.8	9	<1	1	3	5	8	10	16
35-49	83	4.1	13	1	1	3	6	10	12	16
50-64	95	6.5	40	1	1	4	8	14	20	30
65+	93	8.0	31	1	2	7	10	16	20	27
B. *Operated*										
0-19 YRS	839	4.2	14	1	1	3	5	8	11	18
20-34	563	6.3	25	1	2	5	8	12	16	25
35-49	353	6.4	32	1	2	5	8	13	19	28
50-64	270	8.6	40	2	2	7	11	17	21	33
65+	190	11.8	103	2	3	9	15	23	31	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	6.9	149	1	1	3	6	11	27	69
20-34	99	5.8	69	1	1	3	6	14	21	48
35-49	83	7.9	66	1	1	5	10	16	25	42
50-64	144	11.0	148	2	3	8	13	20	35	72
65+	320	15.1	191	3	4	11	20	37	51	99+
B. *Operated*										
0-19 YRS	428	10.3	158	1	2	6	12	20	36	64
20-34	469	13.6	204	2	3	9	17	32	49	80
35-49	319	14.3	225	2	3	10	17	30	51	99+
50-64	363	16.2	242	3	4	12	20	38	64	99+
65+	413	21.4	338	3	5	17	30	53	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	689	4.4	31	1	1	3	5	9	13	24
B. *Operated*	2215	6.2	35	1	1	4	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	761	11.1	161	1	2	7	13	28	42	89
B. *Operated*	1992	15.1	246	2	3	10	19	37	53	99+
1. SINGLE DX	2904	5.8	35	1	1	4	7	12	16	29
2. MULTIPLE DX	2753	14.0	226	2	2	9	18	34	50	99+
A. NOT OPERATED	1450	7.9	110	1	1	4	9	18	30	66
B. OPERATED	4207	10.4	155	1	2	6	13	23	37	85
TOTAL 0-19 YRS	1683	5.7	72	1	1	3	6	11	17	50
20-34	1248	8.7	109	1	2	5	10	19	29	59
35-49	838	9.3	123	1	2	6	11	21	29	83
50-64	872	11.9	156	2	3	8	14	25	38	92
65+	1016	16.4	241	2	4	12	21	40	57	99+
GRAND TOTAL	**5657**	**9.8**	**145**	**1**	**2**	**6**	**12**	**22**	**34**	**81**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	2.4	3	<1	1	2	3	4	6	7
20-34	133	3.0	6	<1	1	2	4	6	8	12
35-49	111	3.8	10	<1	1	3	5	9	10	14
50-64	102	4.4	9	1	1	4	6	8	11	15
65+	140	5.7	30	1	1	4	7	13	15	27
B. *Operated*										
0-19 YRS	825	3.7	10	1	1	3	5	7	8	13
20-34	1117	4.7	11	1	2	4	6	8	11	17
35-49	906	5.3	12	1	2	4	7	10	12	18
50-64	876	6.2	15	2	2	5	8	11	13	21
65+	531	8.5	35	2	3	7	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	3.6	9	<1	1	2	5	8	10	12
20-34	159	5.0	22	1	1	4	6	9	14	21
35-49	113	6.4	47	1	1	4	8	13	19	37
50-64	164	7.3	55	1	2	5	9	15	21	42
65+	441	10.6	121	2	2	8	13	23	34	82
B. *Operated*										
0-19 YRS	391	6.9	59	1	2	4	8	13	24	43
20-34	837	7.6	68	2	2	5	9	14	22	51
35-49	617	8.2	56	2	2	6	10	17	23	42
50-64	822	9.6	74	2	3	7	11	19	24	48
65+	962	13.3	153	3	4	10	16	28	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	630	3.8	13	<1	1	3	5	8	10	17
B. *Operated*	4255	5.4	17	1	2	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	961	8.0	81	1	2	5	10	17	24	52
B. *Operated*	3629	9.6	94	2	3	7	11	20	28	60
1. SINGLE DX	4885	5.2	17	1	1	4	6	10	13	20
2. MULTIPLE DX	4590	9.3	92	2	2	6	11	19	28	60
A. NOT OPERATED	1591	6.4	58	1	1	4	8	13	19	41
B. OPERATED	7884	7.3	57	1	2	5	9	14	20	43
TOTAL 0-19 YRS	1444	4.4	25	1	1	3	5	8	11	28
20-34	2246	5.7	35	1	2	4	7	10	14	34
35-49	1747	6.3	32	1	2	5	8	12	16	33
50-64	1964	7.6	46	2	2	6	9	14	19	37
65+	2074	11.0	113	2	3	8	13	22	31	89
GRAND TOTAL	**9475**	**7.2**	**57**	**1**	**2**	**5**	**9**	**14**	**20**	**42**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.8	1	1	1	2	2	3	3	4
20-34	22	2.0	1	<1	<1	2	3	3	4	4
35-49	13	1.8	1	<1	<1	1	3	3	3	3
50-64	5	3.0	12	1	1	2	4	9	9	9
65+	14	5.0	19	1	1	4	6	8	16	18
B. *Operated*										
0-19 YRS	28	2.6	3	1	1	2	3	4	5	9
20-34	27	3.4	14	1	1	3	4	5	8	21
35-49	8	3.9	2	2	2	4	5	6	6	6
50-64	3	3.3	6	1	1	3	5	6	6	6
65+	3	3.7	6	<1	<1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	3.3	9	1	1	2	4	8	9	15
20-34	118	4.2	17	1	1	3	5	10	13	21
35-49	54	4.8	18	1	2	4	5	9	12	25
50-64	79	6.2	33	1	2	4	8	13	18	32
65+	167	11.6	139	2	3	8	15	24	31	96
B. *Operated*										
0-19 YRS	40	6.9	69	1	1	4	8	16	25	41
20-34	74	5.4	24	1	1	4	7	12	14	27
35-49	22	9.2	111	1	1	5	11	23	36	43
50-64	22	10.7	202	2	3	5	13	22	40	67
65+	30	12.5	149	1	2	9	17	31	36	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	2.4	6	<1	1	2	3	4	6	15
B. *Operated*	69	3.1	7	1	1	3	4	5	6	19
2. MULTIPLE DX										
A. *Not Operated*	514	6.8	70	1	1	4	9	15	22	50
B. *Operated*	188	7.9	90	1	1	5	9	19	28	48
1. SINGLE DX	154	2.8	6	<1	1	2	3	5	6	18
2. MULTIPLE DX	702	7.1	75	1	1	4	9	16	23	47
A. NOT OPERATED	599	6.2	63	1	1	4	8	14	21	39
B. OPERATED	257	6.6	72	1	1	4	7	14	22	43
TOTAL 0-19 YRS	195	3.7	22	1	1	2	4	8	12	26
20-34	241	4.3	18	1	1	3	5	10	13	21
35-49	97	5.3	40	1	1	4	5	11	18	38
50-64	109	6.9	68	1	2	4	8	15	20	48
65+	214	11.2	134	1	2	8	14	25	32	88
GRAND TOTAL	**856**	**6.3**	**65**	**1**	**1**	**4**	**8**	**14**	**21**	**41**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.3	1	1	1	2	3	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	6	12.2	77	6	6	9	13	27	29	29
20-34	3	8.7	17	4	4	10	11	12	12	12
35-49	4	6.5	19	3	3	6	10	12	12	12
50-64	1	13.0		13	13	13	13	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	12.3	962	1	1	2	3	97	99+	99+
20-34	8	13.6	129	2	3	9	21	32	32	32
35-49	3	8.3	12	5	5	8	11	12	12	12
50-64	2	16.5	265	5	5	16	28	28	28	28
65+	6	23.8	779	1	1	11	47	67	69	69
B. *Operated*										
0-19 YRS	10	14.6	158	2	3	15	33	99+	99+	99+
20-34	13	24.4	690	6	8	12	60	99+	99+	99+
35-49	7	21.7	277	2	3	21	38	43	43	43
50-64	6	43.5	782	14	14	40	59	86	89	89
65+	6	27.3	109	18	18	24	35	43	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.6	2	1	1	2	4	5	6	6
B. *Operated*	14	9.9	44	3	3	9	12	15	26	29
2. MULTIPLE DX										
A. *Not Operated*	28	15.0	499	1	1	6	20	60	95	99+
B. *Operated*	42	24.8	465	3	5	19	43	90	99+	99+
1. SINGLE DX	31	5.9	34	1	1	4	8	12	13	29
2. MULTIPLE DX	70	20.9	495	1	2	14	35	89	99+	99+
A. NOT OPERATED	45	10.3	344	1	1	4	9	32	74	99+
B. OPERATED	56	21.0	399	3	4	14	35	78	99+	99+
TOTAL 0-19 YRS	38	9.5	286	1	1	4	13	65	99+	99+
20-34	26	17.5	428	2	3	11	31	83	99+	99+
35-49	16	13.4	175	2	3	8	17	41	43	43
50-64	9	34.1	721	5	8	28	49	77	89	89
65+	12	25.6	407	1	3	19	39	54	67	69
GRAND TOTAL	**101**	**16.3**	**400**	**1**	**2**	**10**	**25**	**58**	**96**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	4	1	1	2	4	5	5	5
20-34	12	1.8	2	<1	<1	1	2	4	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	5	3.0	12	<1	<1	1	4	9	9	9
B. *Operated*										
0-19 YRS	95	2.7	2	<1	1	3	3	4	5	7
20-34	305	2.8	2	<1	1	3	4	5	6	8
35-49	97	2.5	3	<1	1	2	3	5	5	9
50-64	44	2.6	4	<1	1	2	4	6	7	10
65+	53	2.3	5	<1	<1	1	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	33	2.2	4	<1	1	2	2	4	7	11
35-49	10	4.4	10	1	1	3	8	9	9	9
50-64	10	4.1	7	1	1	3	6	8	8	8
65+	32	8.8	163	1	1	5	10	17	26	70
B. *Operated*										
0-19 YRS	19	3.3	4	<1	<1	3	4	6	8	8
20-34	67	3.3	6	<1	1	3	4	6	7	13
35-49	42	4.3	33	<1	1	3	5	7	8	38
50-64	43	5.3	30	1	1	3	7	12	16	30
65+	107	6.2	41	1	1	4	9	17	21	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.3	4	<1	<1	1	3	5	7	9
B. *Operated*	594	2.7	3	<1	1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	88	5.1	70	1	1	3	6	11	14	54
B. *Operated*	278	4.9	28	1	1	3	6	10	16	27
1. SINGLE DX	617	2.6	3	<1	1	2	4	5	6	8
2. MULTIPLE DX	366	4.9	38	1	1	3	6	10	15	27
A. NOT OPERATED	111	4.5	57	<1	1	2	5	9	13	44
B. OPERATED	872	3.4	12	<1	1	3	4	6	8	20
TOTAL 0-19 YRS	121	2.8	2	<1	1	3	3	5	6	7
20-34	417	2.8	3	<1	1	3	4	5	6	9
35-49	150	3.1	12	<1	1	3	4	6	7	9
50-64	98	3.9	17	1	1	3	5	8	11	24
65+	197	5.5	54	<1	1	3	6	13	20	27
GRAND TOTAL	**983**	**3.5**	**17**	**<1**	**1**	**3**	**4**	**6**	**9**	**22**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	4	<1	1	2	3	5	7	8
20-34	19	3.2	9	<1	1	2	4	9	11	11
35-49	8	2.4	1	1	1	2	3	4	4	4
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	682	2.6	4	<1	1	2	3	5	6	9
20-34	1456	2.6	3	<1	1	2	3	5	6	8
35-49	777	2.6	3	<1	1	2	3	5	6	9
50-64	412	2.8	5	<1	1	2	3	5	6	11
65+	72	3.3	8	1	1	2	4	8	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.0	117	<1	<1	1	2	16	69	99+
20-34	41	2.2	17	<1	<1	1	2	4	7	26
35-49	31	1.6	2	<1	<1	1	1	3	6	7
50-64	22	2.6	8	<1	<1	1	3	7	10	12
65+	22	8.4	36	1	1	7	15	17	18	19
B. *Operated*										
0-19 YRS	421	3.0	7	1	1	2	4	6	7	14
20-34	1001	3.0	8	<1	1	2	4	6	8	14
35-49	684	3.1	8	<1	1	2	4	6	8	15
50-64	628	3.3	9	1	1	2	4	6	9	16
65+	217	4.8	32	1	1	3	5	10	15	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.8	5	<1	1	2	4	6	8	11
B. *Operated*	3399	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	138	3.4	35	<1	<1	1	3	9	15	57
B. *Operated*	2951	3.2	10	<1	1	2	4	6	8	16
1. SINGLE DX	3446	2.6	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	3089	3.2	11	<1	1	2	4	6	9	17
A. NOT OPERATED	185	3.3	28	<1	<1	1	3	8	13	43
B. OPERATED	6350	2.9	7	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	1140	2.8	7	<1	1	2	3	5	6	12
20-34	2517	2.7	5	<1	1	2	3	5	6	11
35-49	1500	2.8	5	<1	1	2	3	5	7	12
50-64	1065	3.1	7	1	1	2	3	6	8	15
65+	313	4.7	28	1	1	3	5	11	15	23
GRAND TOTAL	**6535**	**2.9**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.3	8	1	1	2	5	7	11	12
20-34	74	5.3	10	1	2	5	6	11	12	13
35-49	49	6.2	8	1	3	5	8	10	11	13
50-64	17	4.6	8	1	1	5	7	9	9	9
65+	17	6.1	34	<1	1	5	9	12	19	23
B. *Operated*										
0-19 YRS	180	3.3	18	<1	1	2	3	7	11	26
20-34	209	4.3	27	<1	1	2	4	10	17	28
35-49	110	4.0	12	<1	1	3	5	8	12	18
50-64	65	4.5	40	1	1	2	4	9	20	36
65+	34	6.8	49	<1	1	4	9	16	24	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	4.7	15	<1	1	4	6	8	15	18
20-34	287	7.4	35	3	3	6	9	11	15	30
35-49	249	8.5	42	3	4	7	10	14	17	25
50-64	126	7.5	18	2	3	7	9	12	15	24
65+	72	9.8	48	3	4	8	12	17	24	41
B. *Operated*										
0-19 YRS	112	8.7	64	1	2	6	12	21	24	38
20-34	184	8.5	103	1	1	5	11	19	27	53
35-49	101	8.6	139	1	1	4	10	22	33	92
50-64	94	13.1	339	1	2	6	12	41	54	89
65+	102	13.5	263	1	2	7	21	40	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	5.2	12	1	1	5	7	10	12	13
B. *Operated*	598	4.1	25	<1	1	2	4	9	15	27
2. MULTIPLE DX										
A. *Not Operated*	788	7.8	35	2	3	7	9	13	17	27
B. *Operated*	593	10.1	171	1	1	6	12	24	38	92
1. SINGLE DX	787	4.4	22	1	1	3	5	9	12	25
2. MULTIPLE DX	1381	8.8	95	1	2	6	10	17	25	71
A. NOT OPERATED	977	7.3	32	1	3	6	9	12	16	26
B. OPERATED	1191	7.1	106	1	1	4	8	17	27	72
TOTAL 0-19 YRS	378	5.1	36	1	1	3	6	12	17	31
20-34	754	6.6	49	1	1	5	8	12	18	34
35-49	509	7.3	55	1	2	6	9	13	18	36
50-64	302	8.4	132	1	2	6	9	15	24	71
65+	225	10.7	151	1	2	7	13	26	40	99+
GRAND TOTAL	**2168**	**7.2**	**73**	**1**	**1**	**5**	**9**	**14**	**21**	**47**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.2	3	<1	<1	2	2	5	6	8
20-34	31	3.1	6	<1	1	2	4	6	8	13
35-49	31	2.6	3	1	1	2	3	5	6	9
50-64	24	3.5	9	<1	1	3	5	7	9	13
65+	24	4.6	17	1	1	3	6	9	14	19
B. *Operated*										
0-19 YRS	297	3.1	4	<1	1	3	4	5	6	10
20-34	429	3.6	5	<1	1	3	5	7	8	11
35-49	114	3.8	9	<1	1	3	5	7	10	17
50-64	51	4.3	5	1	1	4	6	7	8	9
65+	19	6.2	38	1	2	4	7	12	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.1	4	1	1	3	4	6	6	7
20-34	41	3.3	9	1	1	2	4	7	10	15
35-49	26	5.4	10	1	2	5	7	11	11	12
50-64	54	5.8	14	1	2	5	8	11	13	17
65+	98	8.9	46	2	3	8	11	17	21	39
B. *Operated*										
0-19 YRS	284	4.4	7	1	1	4	6	7	8	14
20-34	495	4.5	10	1	1	4	6	8	10	16
35-49	177	5.1	29	1	1	4	6	8	12	30
50-64	74	8.0	76	1	1	6	9	18	28	45
65+	45	9.5	38	3	4	8	13	19	22	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	3.1	8	<1	1	2	4	7	8	14
B. *Operated*	910	3.5	6	<1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	247	6.3	29	1	1	5	8	12	16	25
B. *Operated*	1075	5.0	19	1	1	4	6	9	11	22
1. SINGLE DX	1048	3.5	6	<1	1	3	5	6	8	13
2. MULTIPLE DX	1322	5.3	22	1	1	4	6	9	13	23
A. NOT OPERATED	385	5.2	24	1	1	4	7	11	14	22
R. OPERATED	1985	4.3	14	1	1	4	6	8	9	19
TOTAL 0-19 YRS	637	3.6	5	<1	1	3	5	6	8	12
20-34	996	4.0	8	1	1	3	5	7	9	14
35-49	348	4.5	19	1	1	4	6	8	11	21
50-64	203	5.9	36	1	1	4	7	10	13	36
65+	186	8.2	41	2	2	7	10	18	20	32
GRAND TOTAL	**2370**	**4.5**	**16**	**1**	**1**	**4**	**6**	**8**	**10**	**20**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	4.5	8	1	1	4	6	9	10	13
20-34	588	5.9	13	1	2	5	8	10	13	18
35-49	606	6.5	13	2	3	6	9	12	14	18
50-64	268	6.8	17	2	3	6	8	12	14	23
65+	77	5.9	15	1	2	6	7	10	13	21
B. *Operated*										
0-19 YRS	4	6.8	20	2	2	7	10	11	11	11
20-34	101	6.1	35	1	1	4	9	14	18	29
35-49	77	6.2	27	1	2	3	10	15	16	22
50-64	21	7.2	35	1	2	6	11	15	19	23
65+	2	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	5.3	11	1	1	5	7	10	11	15
20-34	730	7.1	22	2	3	6	9	12	16	24
35-49	885	7.7	23	2	3	7	10	13	15	28
50-64	738	7.6	25	2	3	7	9	13	17	25
65+	631	9.2	54	2	3	7	11	17	22	38
B. *Operated*										
0-19 YRS	3	6.0	1	5	5	6	7	7	7	7
20-34	95	9.4	59	2	2	8	12	18	26	40
35-49	128	8.8	46	2	2	7	12	19	22	30
50-64	68	10.3	76	2	2	8	14	20	24	45
65+	33	12.6	61	3	5	10	16	21	28	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1620	6.2	14	2	2	5	8	11	13	18
B. *Operated*	205	6.3	31	1	2	4	9	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	3054	7.8	30	2	3	7	10	14	17	29
B. *Operated*	327	9.6	58	2	2	8	13	19	23	38
1. SINGLE DX	1825	6.2	16	1	2	5	8	11	14	19
2. MULTIPLE DX	3381	7.9	33	2	3	7	10	14	18	29
A. NOT OPERATED	4674	7.2	25	2	3	6	9	13	16	24
B. OPERATED	532	8.4	50	1	2	6	12	18	22	35
TOTAL 0-19 YRS	158	4.9	10	1	1	4	7	10	11	14
20-34	1514	6.7	22	2	2	6	9	12	16	24
35-49	1696	7.3	22	2	2	6	9	13	15	23
50-64	1095	7.5	27	2	3	6	10	13	17	25
65+	743	9.0	52	2	3	7	11	17	22	38
GRAND TOTAL	**5206**	**7.3**	**28**	**2**	**2**	**6**	**9**	**13**	**17**	**26**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	166	3.2	7	<1	1	2	4	7	8	14
20-34	443	4.9	15	1	1	4	7	10	13	18
35-49	356	6.0	20	1	2	5	8	11	12	19
50-64	131	6.2	17	1	1	5	9	12	13	18
65+	44	4.1	8	1	1	4	6	8	10	11
B. *Operated*										
0-19 YRS	5	6.6	20	2	2	8	10	12	12	12
20-34	109	4.0	14	1	1	2	4	9	14	17
35-49	65	4.4	26	1	1	2	4	12	15	28
50-64	15	8.0	65	<1	1	4	12	22	23	23
65+	4	5.3	35	1	1	3	9	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	272	5.1	11	1	1	5	7	9	10	16
20-34	1490	6.6	13	2	3	6	8	11	13	20
35-49	1226	6.9	16	2	3	7	8	11	15	20
50-64	666	7.1	15	2	3	7	9	12	15	20
65+	412	7.6	39	2	2	7	9	14	18	37
B. *Operated*										
0-19 YRS	8	6.3	25	<1	1	6	8	14	17	17
20-34	115	7.2	31	1	2	6	10	14	18	24
35-49	99	6.7	27	1	1	5	10	15	17	23
50-64	50	8.5	45	2	2	7	12	19	22	29
65+	36	15.2	191	3	5	12	20	33	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1140	5.1	16	1	1	4	7	10	12	18
B. *Operated*	198	4.5	23	1	1	2	5	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	4066	6.8	17	2	2	6	8	11	14	21
B. *Operated*	308	8.2	57	1	2	7	11	17	21	34
1. SINGLE DX	1338	5.0	17	1	1	4	7	11	13	19
2. MULTIPLE DX	4374	6.9	20	2	2	6	8	12	15	22
A. NOT OPERATED	5206	6.4	17	1	2	6	8	11	14	20
B. OPERATED	506	6.7	47	1	2	4	9	15	20	29
TOTAL 0-19 YRS	451	4.4	11	1	1	4	6	8	10	15
20-34	2157	6.1	15	1	2	6	8	11	14	21
35-49	1746	6.6	18	2	2	6	8	11	15	20
50-64	862	7.0	18	2	2	7	9	12	15	22
65+	496	7.9	52	1	2	7	10	15	20	62
GRAND TOTAL	**5712**	**6.4**	**20**	**1**	**2**	**6**	**8**	**12**	**14**	**22**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.6	5	<1	1	2	3	6	8	11
20-34	69	2.4	3	<1	<1	2	3	5	5	10
35-49	62	3.0	4	1	1	3	4	5	7	12
50-64	32	3.3	6	1	1	3	5	7	9	10
65+	35	5.9	28	1	2	5	6	10	16	29
B. *Operated*										
0-19 YRS	111	2.7	9	1	1	2	3	5	5	17
20-34	463	2.8	2	1	1	3	4	5	6	8
35-49	400	3.3	4	1	1	3	4	6	7	9
50-64	312	4.1	6	1	2	4	5	7	9	14
65+	113	5.1	11	2	2	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.1	15	<1	1	2	3	6	8	24
20-34	106	3.6	8	<1	1	3	5	7	10	14
35-49	86	4.2	13	1	1	3	5	8	11	21
50-64	132	5.0	17	1	1	4	6	10	13	21
65+	260	8.0	47	2	2	6	11	16	20	49
B. *Operated*										
0-19 YRS	58	3.2	6	<1	1	3	4	6	8	15
20-34	113	3.9	24	1	1	3	4	6	10	31
35-49	138	4.2	8	1	2	4	5	7	10	16
50-64	254	5.4	19	2	2	4	6	10	12	24
65+	178	7.8	54	2	3	6	9	13	19	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	3.2	9	1	1	2	4	6	8	15
B. *Operated*	1399	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	650	5.7	31	1	1	4	7	12	16	32
B. *Operated*	741	5.4	27	1	2	4	6	10	[illegible]	32
1. SINGLE DX	1661	3.4	6	1	1	3	4	6	7	12
2. MULTIPLE DX	1391	5.5	29	1	1	4	7	11	15	32
A. NOT OPERATED	912	5.0	26	1	1	3	6	11	15	24
B. OPERATED	2140	4.1	14	1	1	3	5	7	9	18
TOTAL 0-19 YRS	299	2.9	9	1	1	2	3	5	7	18
20-34	751	3.1	7	<1	1	3	4	5	7	11
35-49	686	3.6	6	1	1	3	4	6	8	13
50-64	730	4.7	13	1	2	4	5	8	11	20
65+	586	7.3	43	2	2	6	9	14	18	45
GRAND TOTAL	**3052**	**4.4**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2163	1.5	1	<1	1	1	2	2	3	6
20-34	746	2.1	3	<1	1	2	3	4	5	8
35-49	196	2.4	4	<1	1	2	3	5	7	9
50-64	98	2.5	9	1	1	2	3	5	7	18
65+	61	3.8	12	1	1	2	5	8	10	17
B. *Operated*										
0-19 YRS	13	1.2		1	1	1	2	2	2	2
20-34	4	1.5		1	1	1	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	2	46.0	3528	4	4	46	88	88	88	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2607	2.2	4	1	1	2	3	4	6	10
20-34	2222	3.4	10	1	1	2	4	7	9	15
35-49	1049	4.7	23	1	1	3	6	9	13	25
50-64	732	4.7	22	1	1	3	6	9	13	21
65+	930	7.3	70	1	1	5	9	15	22	60
B. *Operated*										
0-19 YRS	708	3.5	33	1	1	2	4	7	9	28
20-34	878	4.3	43	<1	1	2	5	9	13	39
35-49	334	4.6	30	1	1	3	6	10	14	28
50-64	255	6.1	52	1	1	4	7	14	21	37
65+	339	10.0	185	1	1	6	11	24	43	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3264	1.8	2	<1	1	1	2	3	4	8
B. *Operated*	20	6.0	374	1	1	1	2	5	47	88
2. MULTIPLE DX										
A. *Not Operated*	7540	3.8	21	1	1	2	5	8	11	22
B. *Operated*	2514	5.1	63	1	1	3	5	11	17	45
1. SINGLE DX	3284	1.8	5	<1	1	1	2	3	4	8
2. MULTIPLE DX	10054	4.1	32	1	1	2	5	8	13	27
A. NOT OPERATED	10804	3.2	16	1	1	2	4	7	10	19
B. OPERATED	2534	5.1	65	1	1	3	5	11	17	45
TOTAL 0-19 YRS	5491	2.1	7	1	1	1	2	4	5	11
20-34	3850	3.3	16	1	1	2	4	7	9	18
35-49	1580	4.4	23	1	1	3	6	9	12	25
50-64	1085	4.8	28	1	1	3	6	10	14	28
65+	1332	7.9	103	1	1	5	9	17	25	63
GRAND TOTAL	**13338**	**3.5**	**26**	**1**	**1**	**2**	**4**	**7**	**11**	**24**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	778	1.7	3	<1	1	1	2	3	4	9
20-34	188	3.3	22	<1	<1	2	3	6	11	23
35-49	80	2.5	6	<1	<1	2	3	5	7	14
50-64	23	5.4	38	<1	1	3	6	17	19	21
65+	39	7.8	134	<1	<1	5	8	17	23	68
B. Operated										
0-19 YRS	26	14.1	406	1	5	8	12	38	57	99
20-34	29	9.5	46	2	2	8	11	18	28	30
35-49	19	9.6	45	2	3	10	12	15	24	31
50-64	19	11.5	96	3	5	8	13	25	36	42
65+	36	14.5	81	5	7	11	20	32	39	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	777	3.0	25	1	1	2	3	5	9	28
20-34	494	5.9	71	<1	1	3	7	13	20	49
35-49	243	6.1	86	1	1	3	6	13	23	78
50-64	182	6.9	80	1	1	4	9	16	22	41
65+	451	10.4	152	1	1	6	13	24	39	99
B. Operated										
0-19 YRS	192	14.3	422	<1	1	6	20	63	99	99+
20-34	254	18.0	474	1	1	9	30	71	99+	99+
35-49	105	18.2	418	1	2	12	31	67	99+	99+
50-64	111	18.4	371	1	2	14	30	75	99+	99+
65+	298	21.9	379	2	2	16	35	60	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1108	2.3	13	<1	1	1	2	4	7	17
B. Operated	129	12.1	136	2	4	9	13	28	36	99
2. MULTIPLE DX										
A. Not Operated	2147	5.9	81	1	1	3	7	14	23	57
B. Operated	960	18.6	421	1	1	12	30	65	98	99+
1. SINGLE DX	1237	3.4	35	<1	1	1	3	8	12	29
2. MULTIPLE DX	3107	9.8	220	1	1	4	12	30	54	99+
A. NOT OPERATED	3255	4.7	61	<1	1	2	5	11	18	48
B. OPERATED	1089	17.8	392	1	1	11	27	62	88	99+
TOTAL 0-19 YRS	1773	3.8	79	<1	1	1	3	7	15	69
20-34	965	8.7	199	<1	1	3	9	26	48	99+
35-49	447	8.5	179	1	1	4	10	25	51	99+
50-64	335	10.9	202	1	1	6	15	30	63	99+
65+	824	14.6	260	1	2	10	19	40	62	99+
GRAND TOTAL	**4344**	**8.0**	**176**	**1**	**1**	**3**	**9**	**23**	**42**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	3.2	5	<1	1	3	4	7	8	9
20-34	39	3.0	3	<1	<1	3	4	6	6	8
35-49	14	2.4	6	<1	1	1	3	5	9	10
50-64	11	3.9	10	1	1	3	5	9	10	10
65+	6	5.3	6	1	1	6	7	8	8	8
B. Operated										
0-19 YRS	35	5.7	6	2	3	5	7	9	11	11
20-34	84	6.0	13	2	3	5	7	10	11	22
35-49	19	6.4	8	1	3	6	8	11	12	12
50-64	14	7.6	31	3	3	6	11	14	21	23
65+	5	5.2	2	4	4	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	4.2	8	1	2	3	5	8	9	15
20-34	110	4.5	15	1	1	4	6	8	11	23
35-49	65	5.0	9	1	2	4	6	8	11	14
50-64	80	6.5	42	1	2	5	7	13	17	39
65+	90	9.0	60	2	2	7	12	18	22	43
B. Operated										
0-19 YRS	70	9.9	51	3	4	8	11	18	25	40
20-34	273	10.4	88	2	3	8	11	20	31	48
35-49	123	12.0	166	3	4	9	14	22	29	83
50-64	93	12.9	128	4	5	9	16	25	34	64
65+	106	19.4	273	4	5	14	26	47	56	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	92	3.2	5	<1	1	3	4	7	8	10
B. Operated	157	6.1	12	2	3	5	7	11	11	22
2. MULTIPLE DX										
A. Not Operated	403	5.9	31	1	2	4	7	12	16	28
B. Operated	665	12.4	143	3	4	9	14	26	38	65
1. SINGLE DX	249	5.0	11	1	1	4	7	9	11	13
2. MULTIPLE DX	1068	10.0	111	2	2	7	11	21	29	58
A. NOT OPERATED	495	5.4	28	1	1	4	7	11	14	27
B. OPERATED	822	11.2	124	3	4	8	12	23	33	63
TOTAL 0-19 YRS	185	6.5	31	1	2	5	8	12	16	30
20-34	506	7.8	62	1	2	6	9	15	24	44
35-49	221	8.9	109	1	2	7	10	16	23	65
50-64	198	9.4	90	2	2	6	11	20	27	54
65+	207	14.1	195	2	3	9	18	32	48	72
GRAND TOTAL	**1317**	**9.0**	**96**	**1**	**2**	**6**	**10**	**18**	**27**	**54**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	284	3.8	12	1	1	3	5	8	10	18
20-34	133	3.4	7	1	1	3	4	7	9	13
35-49	37	3.6	5	1	1	3	5	7	9	10
50-64	24	3.9	5	1	1	4	5	7	8	8
65+	15	2.7	3	1	1	2	4	5	7	7
B. *Operated*										
0-19 YRS	91	7.5	24	2	3	7	9	12	14	32
20-34	118	7.6	33	2	4	7	8	11	14	33
35-49	33	6.9	10	2	3	7	8	10	13	16
50-64	14	7.9	23	1	2	7	14	14	15	15
65+	4	8.5	1	7	7	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	311	4.1	11	1	1	3	5	8	10	16
20-34	275	4.3	15	1	1	3	5	9	11	22
35-49	119	4.8	23	1	1	3	6	10	13	27
50-64	76	4.7	7	1	2	4	7	8	10	14
65+	90	7.3	36	1	2	6	10	17	20	28
B. *Operated*										
0-19 YRS	265	13.1	144	3	5	9	14	28	38	64
20-34	532	14.0	168	4	5	10	16	29	40	84
35-49	212	14.9	176	4	6	10	18	34	46	81
50-64	107	16.4	204	4	6	11	20	39	51	85
65+	83	17.4	176	4	5	13	25	42	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	493	3.7	10	1	1	3	5	7	10	14
B. *Operated*	260	7.5	26	2	4	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	871	4.6	17	1	1	3	6	9	12	21
B. *Operated*	1199	14.4	169	4	5	10	16	32	43	88
1. SINGLE DX	753	5.0	19	1	1	4	7	9	12	18
2. MULTIPLE DX	2070	10.3	128	1	2	7	12	22	34	67
A. NOT OPERATED	1364	4.3	14	1	1	3	6	9	11	20
B. OPERATED	1459	13.2	150	4	5	9	15	28	40	81
TOTAL 0-19 YRS	951	6.8	66	1	1	5	8	13	19	42
20-34	1058	9.4	115	1	2	7	10	20	29	61
35-49	401	10.2	126	1	2	7	11	21	35	61
50-64	221	10.5	137	2	2	7	11	25	38	74
65+	192	11.3	122	1	2	8	16	26	38	99+
GRAND TOTAL	**2823**	**8.9**	**104**	**1**	**2**	**6**	**10**	**19**	**29**	**60**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	4	<1	<1	2	4	6	7	7
20-34	6	2.5	4	<1	<1	2	4	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	147	2.5	4	<1	1	2	4	5	6	12
20-34	92	2.8	4	1	1	2	4	5	7	9
35-49	33	3.1	7	<1	1	2	4	7	8	12
50-64	16	3.9	24	1	1	2	4	7	17	21
65+	15	2.9	6	1	1	2	4	6	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.1	4	<1	1	3	4	6	7	9
20-34	19	2.3	2	<1	1	2	3	4	6	7
35-49	13	3.7	7	1	1	3	5	7	9	9
50-64	6	5.3	21	1	1	4	10	12	12	12
65+	3	4.0	13	<1	<1	3	7	8	8	8
B. *Operated*										
0-19 YRS	155	3.6	9	1	1	3	5	7	10	15
20-34	159	3.8	10	1	1	3	5	8	10	16
35-49	62	4.1	12	<1	1	3	6	8	11	18
50-64	48	4.0	13	1	1	3	6	9	11	18
65+	59	6.6	83	1	1	4	7	14	22	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.6	4	<1	<1	2	4	6	6	7
B. *Operated*	303	2.7	5	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	75	3.2	6	<1	1	2	4	7	9	11
B. *Operated*	483	4.1	20	1	1	3	5	8	11	19
1. SINGLE DX	329	2.7	5	<1	1	2	4	6	7	12
2. MULTIPLE DX	558	4.0	18	1	1	3	5	8	11	19
A. NOT OPERATED	101	3.0	5	<1	1	2	4	6	8	11
B. OPERATED	786	3.6	15	1	1	3	5	7	10	18
TOTAL 0-19 YRS	351	3.0	7	<1	1	2	4	6	7	12
20-34	276	3.3	8	1	1	3	4	7	9	15
35-49	109	3.7	10	1	1	3	5	8	9	16
50-64	73	4.1	15	1	1	2	5	10	12	20
65+	78	5.7	66	1	1	3	6	11	21	51
GRAND TOTAL	**887**	**3.5**	**14**	**1**	**1**	**2**	**5**	**7**	**9**	**18**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	2.3	3	<1	1	2	3	4	5	11
20-34	58	2.2	2	<1	1	2	3	5	5	7
35-49	23	2.3	3	<1	<1	2	3	4	6	7
50-64	17	2.9	18	<1	<1	2	3	4	14	19
65+	7	2.3	7	1	1	1	2	7	8	8
B. *Operated*										
0-19 YRS	264	1.9	2	<1	<1	1	2	4	5	8
20-34	151	2.4	4	<1	<1	2	3	4	6	11
35-49	53	3.2	14	<1	1	2	4	6	10	22
50-64	27	2.5	3	<1	1	2	3	5	6	8
65+	22	3.3	7	1	1	2	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	3.5	42	1	1	2	4	5	8	40
20-34	204	3.3	9	<1	1	2	4	7	10	14
35-49	90	4.0	15	<1	1	3	5	10	13	20
50-64	55	4.6	27	1	1	3	6	9	13	31
65+	174	8.0	89	1	2	5	10	16	21	37
B. *Operated*										
0-19 YRS	517	3.1	28	<1	1	2	3	6	8	17
20-34	622	4.1	31	<1	1	3	5	8	11	33
35-49	276	4.4	28	<1	1	3	5	10	15	26
50-64	178	5.7	77	1	1	3	6	10	18	41
65+	341	7.7	100	1	1	5	9	18	28	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	2.3	4	<1	<1	2	3	4	6	11
B. *Operated*	517	2.3	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	694	4.7	43	1	1	3	6	10	14	30
B. *Operated*	1934	4.6	49	1	1	3	5	10	16	45
1. SINGLE DX	702	2.3	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	2628	4.7	47	1	1	3	5	10	15	39
A. NOT OPERATED	879	4.2	36	<1	1	2	5	9	13	27
B. OPERATED	2451	4.1	40	<1	1	2	5	8	13	38
TOTAL 0-19 YRS	1032	2.8	22	<1	1	2	3	5	7	15
20-34	1035	3.6	21	<1	1	2	4	7	11	22
35-49	442	4.1	22	<1	1	2	5	10	13	22
50-64	277	5.0	57	1	1	3	6	9	16	40
65+	544	7.5	93	1	1	5	9	17	25	95
GRAND TOTAL	**3330**	**4.2**	**39**	**<1**	**1**	**2**	**5**	**9**	**13**	**34**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	2.2	2	<1	1	2	3	3	5	9
20-34	248	2.3	3	1	1	2	3	4	5	9
35-49	67	2.5	3	<1	<1	2	3	4	6	9
50-64	20	1.9	2	1	1	1	2	4	5	6
65+	5	1.8		<1	<1	2	2	2	2	2
B. *Operated*										
0-19 YRS	169	2.7	8	<1	1	2	3	5	9	15
20-34	187	3.7	7	<1	1	3	5	7	8	14
35-49	60	3.4	6	<1	1	3	4	8	8	10
50-64	18	4.2	59	<1	1	1	3	9	24	33
65+	6	4.2	11	1	1	4	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	2.8	4	<1	<1	2	3	5	7	10
20-34	146	3.7	13	<1	1	3	5	7	8	22
35-49	67	3.0	4	1	1	2	4	6	7	10
50-64	27	6.3	71	1	1	4	8	10	18	45
65+	20	8.0	70	1	1	6	11	26	65	99+
B. *Operated*										
0-19 YRS	132	5.1	26	1	1	4	7	10	12	28
20-34	323	7.3	51	1	1	6	9	13	24	47
35-49	109	10.6	124	2	2	7	11	23	39	55
50-64	42	11.0	149	1	2	8	14	18	27	73
65+	20	8.2	48	1	1	6	13	17	22	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	440	3.3	10	<1	1	2	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	326	3.8	19	1	1	3	5	7	10	29
B. *Operated*	626	7.7	68	1	1	6	10	15	23	49
1. SINGLE DX	893	2.8	6	<1	1	2	3	6	8	11
2. MULTIPLE DX	952	6.4	55	1	1	4	8	13	19	45
A. NOT OPERATED	779	2.9	10	<1	1	2	3	6	8	14
B. OPERATED	1066	5.9	49	1	1	4	7	12	17	40
TOTAL 0-19 YRS	480	3.3	12	<1	1	2	4	7	10	15
20-34	904	4.6	27	1	1	3	6	9	13	32
35-49	303	5.7	61	1	1	3	7	11	18	46
50-64	107	7.0	97	1	1	4	9	16	18	57
65+	51	7.0	51	1	1	5	10	17	25	99
GRAND TOTAL	**1845**	**4.6**	**34**	**1**	**1**	**3**	**6**	**10**	**13**	**37**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	2.9	3	<1	1	3	4	5	6	11
20-34	223	3.3	5	<1	1	3	4	6	7	12
35-49	51	3.2	3	<1	1	3	4	6	7	8
50-64	32	2.8	3	1	1	2	4	5	6	7
65+	19	5.2	9	1	2	5	7	9	12	13
B. *Operated*										
0-19 YRS	731	2.2	4	<1	<1	2	3	4	6	10
20-34	1147	2.4	5	<1	<1	2	3	5	6	12
35-49	527	2.4	5	<1	1	2	3	5	6	12
50-64	266	2.4	6	<1	<1	2	3	5	7	15
65+	101	2.6	5	<1	1	2	3	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	3.6	8	<1	<1	3	5	7	9	16
20-34	200	4.3	20	<1	1	3	5	8	12	25
35-49	92	5.2	33	<1	<1	3	6	12	23	70
50-64	61	6.0	62	1	1	4	7	11	14	48
65+	55	7.6	99	1	2	6	8	13	22	66
B. *Operated*										
0-19 YRS	615	3.0	17	1	1	2	3	6	8	21
20-34	992	3.8	30	1	1	2	4	8	11	25
35-49	450	4.0	28	1	1	2	4	8	12	32
50-64	285	3.8	23	1	1	2	4	8	11	28
65+	165	5.8	45	1	1	3	7	15	21	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	488	3.2	4	<1	1	3	4	6	7	11
B. *Operated*	2772	2.4	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	523	4.8	34	<1	1	3	6	9	13	33
B. *Operated*	2507	3.8	27	1	1	2	4	8	12	26
1. SINGLE DX	3260	2.5	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	3030	4.0	28	1	1	2	4	8	12	29
A. NOT OPERATED	1011	4.0	20	<1	1	3	5	8	10	24
B. OPERATED	5279	3.0	16	<1	1	2	3	6	9	21
TOTAL 0-19 YRS	1624	2.7	10	<1	1	2	3	5	7	16
20-34	2562	3.2	16	<1	1	2	4	6	9	18
35-49	1120	3.3	17	<1	1	2	4	7	10	25
50-64	644	3.4	20	<1	1	2	4	7	9	21
65+	340	5.1	42	1	1	3	6	11	17	31
GRAND TOTAL	**6290**	**3.2**	**17**	**<1**	**1**	**2**	**4**	**6**	**9**	**21**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	3.4	5	1	1	3	5	7	9	11
20-34	146	3.3	6	1	1	3	4	7	8	13
35-49	43	3.1	3	1	1	3	4	6	7	9
50-64	16	4.2	7	2	2	3	6	7	10	11
65+	15	5.5	9	1	2	5	8	9	11	12
B. *Operated*										
0-19 YRS	512	4.0	21	<1	1	3	5	8	13	23
20-34	367	4.2	28	1	1	3	5	9	13	29
35-49	130	3.8	12	<1	1	3	5	8	11	18
50-64	63	4.7	26	<1	1	3	6	12	19	22
65+	48	8.7	91	1	1	5	11	22	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	5.4	23	1	1	4	7	10	18	23
20-34	98	4.3	10	<1	1	3	6	10	10	13
35-49	55	5.5	25	1	2	4	6	9	20	23
50-64	47	8.2	85	1	2	5	9	18	25	54
65+	54	8.4	30	1	1	7	12	16	19	22
B. *Operated*										
0-19 YRS	232	6.4	61	1	1	4	8	13	20	51
20-34	311	8.5	128	1	2	5	9	17	29	67
35-49	122	7.1	69	1	1	4	9	14	23	44
50-64	98	13.2	220	1	2	8	17	35	54	89
65+	109	13.8	191	1	2	9	22	34	44	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	373	3.4	6	1	1	3	4	7	9	12
B. *Operated*	1120	4.3	26	<1	1	3	5	9	13	25
2. MULTIPLE DX										
A. *Not Operated*	333	6.0	31	1	1	4	7	12	18	24
B. *Operated*	872	9.0	127	1	1	5	10	21	31	65
1. SINGLE DX	1493	4.1	21	<1	1	3	5	8	12	24
2. MULTIPLE DX	1205	8.1	102	1	1	5	9	18	27	56
A. NOT OPERATED	706	4.6	19	1	1	3	6	9	13	22
B. OPERATED	1992	6.3	76	1	1	4	7	14	22	49
TOTAL 0-19 YRS	976	4.6	29	1	1	3	5	10	14	26
20-34	922	5.5	61	1	1	3	6	11	16	44
35-49	350	5.1	35	1	1	3	6	10	14	35
50-64	224	9.1	136	1	1	5	11	21	34	70
65+	226	10.9	127	1	1	7	14	26	36	57
GRAND TOTAL	**2698**	**5.9**	**61**	**1**	**1**	**3**	**7**	**13**	**19**	**46**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	12	3.6	12	<1	<1	2	6	9	11	11
20-34	21	4.0	21	1	1	2	6	10	16	18
35-49	14	4.3	13	<1	1	3	7	10	10	10
50-64	8	2.6	6	<1	<1	2	3	7	8	8
65+	4	6.8	50	2	2	4	11	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.1	49	1	1	4	8	17	23	23
20-34	7	7.0	98	<1	<1	2	9	25	28	28
35-49	4	8.5	63	<1	<1	7	14	19	19	19
50-64	4	2.3	1	1	1	2	3	3	3	3
65+	4	8.5	27	2	2	9	12	14	14	14
B. *Operated*										
0-19 YRS	46	9.4	138	1	1	5	13	25	33	51
20-34	113	12.3	270	1	1	6	15	34	58	99+
35-49	41	6.0	41	<1	1	4	8	15	17	34
50-64	17	21.9	548	1	2	10	43	61	66	68
65+	20	17.9	303	1	2	13	21	40	59	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.4		1	1	1	2	2	2	2
B. *Operated*	59	4.0	16	<1	1	2	6	9	13	18
2. MULTIPLE DX										
A. *Not Operated*	28	6.5	50	<1	1	3	9	17	23	28
B. *Operated*	237	11.8	240	1	1	6	15	33	53	93
1. SINGLE DX	66	3.7	15	<1	1	2	6	9	12	18
2. MULTIPLE DX	265	11.3	223	1	1	6	14	29	51	90
A. NOT OPERATED	35	5.5	44	<1	1	2	8	14	22	28
B. OPERATED	296	10.3	205	1	1	5	11	26	49	87
TOTAL 0-19 YRS	70	7.6	104	1	1	4	9	22	26	51
20-34	143	10.7	231	1	1	6	12	32	56	99+
35-49	60	5.7	35	<1	1	3	8	14	17	32
50-64	29	13.9	409	1	1	4	14	53	62	68
65+	29	14.5	241	2	2	11	17	32	44	76
GRAND TOTAL	**331**	**9.8**	**190**	**1**	**1**	**5**	**11**	**24**	**42**	**83**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	5	2.0	2	1	1	2	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	6.8	8	3	3	7	9	10	10	10
65+	3	16.7	341	6	6	6	30	38	38	38
B. *Operated*										
0-19 YRS	48	3.1	7	<1	1	2	4	7	9	13
20-34	109	3.4	18	<1	1	3	3	5	8	31
35-49	45	3.5	17	<1	1	2	3	10	11	24
50-64	22	2.7	2	<1	1	3	3	4	5	6
65+	7	4.4	10	1	1	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	11	3	3	4	32	99+	99+	99+
20-34	20	7.0	142	<1	1	3	7	12	35	55
35-49	16	5.6	19	1	1	5	7	9	16	19
50-64	13	7.8	53	1	2	7	9	15	26	29
65+	16	7.8	76	1	1	5	8	13	30	38
B. *Operated*										
0-19 YRS	39	4.4	36	1	1	3	4	11	26	99+
20-34	99	4.5	46	1	1	3	4	8	16	42
35-49	54	4.9	30	1	1	3	4	14	16	29
50-64	41	7.5	69	<1	1	4	10	17	27	37
65+	29	13.4	182	2	2	9	16	32	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.9	75	1	1	3	6	9	28	38
B *Operated*	231	3.3	13	<1	1	2	4	6	9	25
2. MULTIPLE DX										
A. *Not Operated*	69	6.9	72	1	1	5	8	13	29	91
B. *Operated*	262	6.0	66	1	1	3	6	16	28	45
1. SINGLE DX	248	3.5	18	<1	1	2	4	6	10	31
2. MULTIPLE DX	331	6.2	67	1	1	3	7	15	28	56
A. NOT OPERATED	86	6.7	71	1	1	4	8	12	30	83
B. OPERATED	493	4.8	43	1	1	3	4	10	17	36
TOTAL 0-19 YRS	95	3.7	19	1	1	3	4	8	14	99+
20-34	233	4.1	40	1	1	3	4	8	10	39
35-49	116	4.4	23	1	1	3	4	11	16	26
50-64	80	6.2	48	1	1	4	7	15	22	35
65+	55	10.8	143	1	2	6	13	29	37	59
GRAND TOTAL	**579**	**5.1**	**48**	**1**	**1**	**3**	**5**	**11**	**17**	**38**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	3.9	3	1	2	4	5	6	7	10
20-34	68	3.7	4	1	1	4	5	6	7	11
35-49	23	3.7	3	1	2	4	5	6	7	9
50-64	6	2.7	2	1	1	3	4	4	4	4
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	8	7.1	45	<1	1	5	10	19	21	21
20-34	4	3.0	2	2	2	3	4	5	5	5
35-49	2	9.5	5	8	8	9	11	11	11	11
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	3.9	7	1	1	3	5	7	8	14
20-34	85	3.7	7	<1	1	3	5	6	8	16
35-49	37	4.0	10	<1	1	3	6	8	9	15
50-64	12	6.3	44	<1	1	4	8	16	23	24
65+	26	8.4	106	1	1	5	11	21	31	48
B. *Operated*										
0-19 YRS	17	4.8	4	1	2	5	6	7	8	9
20-34	17	4.9	20	1	1	4	6	9	16	20
35-49	10	4.9	15	<1	<1	3	10	11	11	11
50-64	8	4.6	4	2	2	4	6	7	7	7
65+	15	11.2	317	2	2	7	8	26	60	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	3.8	3	1	1	4	5	6	7	10
B. *Operated*	16	5.9	28	<1	1	5	7	13	19	21
2. MULTIPLE DX										
A. *Not Operated*	277	4.4	20	1	1	4	5	8	11	23
B. *Operated*	67	6.3	83	1	2	5	7	10	12	64
1. SINGLE DX	338	3.9	5	1	1	4	5	6	7	11
2. MULTIPLE DX	344	4.8	32	1	1	4	6	8	11	26
A. NOT OPERATED	599	4.1	11	1	1	4	5	7	8	16
B. OPERATED	83	6.2	72	1	2	5	7	10	15	57
TOTAL 0-19 YRS	365	4.1	6	1	1	4	5	6	8	13
20-34	174	3.8	7	1	1	3	5	6	8	16
35-49	72	4.2	9	1	1	3	6	9	10	14
50-64	28	4.8	22	1	1	4	6	8	14	24
65+	43	9.1	173	1	1	5	8	23	34	72
GRAND TOTAL	**682**	**4.4**	**19**	**1**	**1**	**4**	**5**	**7**	**9**	**21**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	576	1.9	2	<1	1	1	2	3	5	8
20-34	412	2.5	13	<1	1	2	3	5	6	12
35-49	189	2.9	7	1	1	2	4	6	8	14
50-64	118	3.3	6	1	1	2	4	7	9	13
65+	173	5.3	47	1	1	4	7	11	12	29
B. *Operated*										
0-19 YRS	80	2.9	7	<1	<1	2	4	6	8	16
20-34	95	3.2	9	<1	<1	2	4	6	10	14
35-49	50	4.2	19	<1	<1	3	5	10	14	22
50-64	30	3.4	6	<1	1	3	5	7	8	11
65+	22	6.0	14	1	2	6	9	11	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	914	2.5	5	<1	1	2	3	5	7	11
20-34	905	3.3	9	<1	1	2	4	7	9	14
35-49	568	4.6	21	1	1	3	6	9	13	24
50-64	545	5.5	21	1	1	4	7	11	15	26
65+	1905	9.2	104	1	2	6	11	19	29	80
B. *Operated*										
0-19 YRS	125	4.4	50	1	1	3	5	9	11	40
20-34	169	5.7	81	1	1	3	6	12	20	48
35-49	85	6.0	28	1	1	4	8	12	16	25
50-64	120	10.7	170	1	2	6	13	24	38	65
65+	246	12.8	149	2	3	9	17	29	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1468	2.7	13	<1	1	2	3	5	8	14
B. *Operated*	277	3.5	11	<1	<1	2	5	7	11	16
2. MULTIPLE DX										
A. *Not Operated*	4837	5.9	56	1	1	4	7	12	18	47
B. *Operated*	745	8.7	118	1	1	5	11	21	30	79
1. SINGLE DX	1745	2.9	12	<1	1	2	3	6	8	14
2. MULTIPLE DX	5582	6.2	65	1	1	4	8	13	20	52
A. NOT OPERATED	6305	5.1	48	1	1	3	6	11	16	38
B. OPERATED	1022	7.3	94	1	1	4	9	17	26	66
TOTAL 0-19 YRS	1695	2.5	8	<1	1	2	3	5	7	11
20-34	1581	3.4	18	<1	1	2	4	7	9	19
35-49	892	4.4	19	1	1	3	6	9	13	23
50-64	813	5.9	45	1	1	4	7	12	16	35
65+	2346	9.2	106	1	2	6	11	20	29	83
GRAND TOTAL	**7327**	**5.4**	**55**	**1**	**1**	**3**	**7**	**12**	**17**	**45**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.6	9	1	1	2	3	5	8	19
20-34	36	2.6	7	1	1	2	3	5	7	15
35-49	17	3.1	6	1	1	2	5	6	9	10
50-64	13	3.3	5	<1	1	3	4	7	8	8
65+										
B. *Operated*										
0-19 YRS	23	4.1	30	<1	1	2	5	9	17	26
20-34	51	5.5	65	1	1	3	5	15	21	46
35-49	21	6.5	59	1	1	5	8	16	26	31
50-64	21	4.2	19	<1	1	3	6	9	14	20
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.5	25	<1	1	3	5	11	18	19
20-34	51	3.8	12	1	1	3	4	9	10	20
35-49	25	3.4	8	1	1	2	4	7	10	11
50-64	8	5.8	27	1	1	4	9	14	15	15
65+	9	9.4	18	4	4	9	13	16	16	16
B. *Operated*										
0-19 YRS	46	8.1	99	1	1	4	10	20	32	46
20-34	91	9.7	165	1	1	4	13	25	33	66
35-49	33	9.2	116	1	1	5	10	26	39	44
50-64	38	14.1	144	2	2	11	21	30	32	52
65+	11	10.2	51	1	2	9	15	20	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	2.8	7	1	1	2	3	5	8	16
B. *Operated*	116	5.2	48	1	1	3	5	12	21	36
2. MULTIPLE DX										
A. *Not Operated*	115	4.4	17	1	1	3	6	10	14	19
B. *Operated*	219	10.1	136	1	1	5	14	26	33	54
1. SINGLE DX	229	4.0	29	1	1	2	4	8	13	27
2. MULTIPLE DX	334	8.1	102	1	1	4	10	20	28	50
A. NOT OPERATED	228	3.6	13	1	1	2	4	8	10	19
B. OPERATED	335	8.4	111	1	1	4	11	21	29	50
TOTAL 0-19 YRS	138	5.0	50	1	1	3	5	12	19	44
20-34	229	6.3	91	1	1	3	6	16	25	52
35-49	96	6.0	61	1	1	4	7	12	25	43
50-64	80	8.9	100	1	1	5	13	24	29	47
65+	20	9.9	35	2	3	9	14	17	21	25
GRAND TOTAL	**563**	**6.4**	**77**	**1**	**1**	**3**	**7**	**16**	**25**	**46**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.1		<1	<1	1	1	2	2	2
20-34										
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.9	2	<1	<1	1	2	4	5	5
20-34	4	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	7	3.3	10	<1	<1	2	5	8	9	9
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.1		<1	<1	1	1	2	2	2
B. *Operated*	16	2.1	5	<1	<1	1	2	5	8	9
2. MULTIPLE DX										
A. *Not Operated*	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*	7	3.3	10	<1	<1	2	5	8	9	9
1. SINGLE DX	28	1.7	3	<1	<1	1	1	4	5	9
2. MULTIPLE DX	10	2.8	7	<1	<1	2	3	7	9	9
A. NOT OPERATED	15	1.2		<1	<1	1	1	2	3	3
B. OPERATED	23	2.5	6	<1	<1	1	3	7	9	9
TOTAL 0-19 YRS	18	1.6	1	<1	<1	1	2	3	4	5
20-34	12	2.3	7	<1	<1	1	2	7	9	9
35-49	6	1.0		<1	<1	1	1	1	1	1
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**38**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**5**	**8**	**9**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	531	1.4	1	<1	<1	1	1	2	3	5
20-34	122	1.6	2	<1	<1	1	2	3	4	7
35-49	120	1.3		<1	<1	1	1	2	3	3
50-64	129	1.5	2	<1	<1	1	1	2	3	8
65+	111	1.6	1	<1	1	1	2	3	4	8
B. *Operated*										
0-19 YRS	120	1.9	3	<1	<1	1	2	4	6	12
20-34	21	3.2	11	<1	1	2	4	9	11	12
35-49	23	1.5	2	<1	<1	1	1	3	5	8
50-64	27	2.2	6	<1	<1	1	2	5	8	11
65+	24	2.1	3	<1	<1	2	2	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	2.5	4	<1	1	2	3	4	6	12
20-34	70	3.3	21	1	1	2	3	8	12	26
35-49	66	2.3	4	<1	1	2	3	5	7	10
50-64	112	3.6	27	<1	1	2	4	8	10	30
65+	259	4.1	30	1	1	2	4	9	14	51
B. *Operated*										
0-19 YRS	51	3.6	12	<1	<1	2	5	9	11	14
20-34	36	8.8	170	<1	1	4	10	23	35	65
35-49	40	10.8	277	1	2	5	12	22	49	86
50-64	75	5.0	24	<1	1	3	6	11	15	23
65+	146	6.9	70	1	1	4	9	15	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1013	1.4	1	<1	<1	1	2	2	3	6
B. *Operated*	215	2.1	4	<1	<1	1	2	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	631	3.4	21	1	1	2	4	7	11	27
B. *Operated*	348	6.6	89	1	1	4	8	15	22	58
1. SINGLE DX	1228	1.5	2	<1	<1	1	2	2	4	8
2. MULTIPLE DX	979	4.5	48	1	1	2	5	10	16	39
A. NOT OPERATED	1644	2.2	10	<1	<1	1	2	4	6	16
B. OPERATED	563	4.9	61	<1	1	2	6	11	18	39
TOTAL 0-19 YRS	826	1.8	3	<1	<1	1	2	3	5	10
20-34	249	3.3	37	<1	<1	1	3	7	12	32
35-49	249	3.1	56	<1	<1	1	2	5	9	40
50-64	343	3.0	17	<1	<1	1	3	7	10	23
65+	540	4.2	37	1	1	2	5	10	15	40
GRAND TOTAL	**2207**	**2.9**	**24**	**<1**	**<1**	**1**	**3**	**6**	**10**	**24**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	5.8	25	<1	1	5	8	14	17	18
20-34	17	4.2	11	<1	<1	4	6	10	11	11
35-49	11	5.8	25	1	1	5	11	13	14	14
50-64	2	7.0	72	1	1	7	13	13	13	13
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	51	9.4	70	2	2	6	13	22	27	36
20-34	46	10.5	111	2	2	7	14	21	31	53
35-49	33	9.1	113	1	2	6	9	25	31	51
50-64	16	13.8	297	2	2	8	11	44	55	60
65+	10	17.6	453	1	1	12	25	51	71	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	6.8	25	1	1	6	10	13	14	27
20-34	46	8.6	76	1	1	6	13	19	22	48
35-49	25	7.7	49	1	2	6	8	16	21	35
50-64	20	10.1	54	1	2	8	16	20	24	27
65+	28	12.6	78	2	2	11	18	23	32	36
B. *Operated*										
0-19 YRS	137	18.8	278	3	4	14	27	43	55	94
20-34	156	20.1	379	2	2	13	30	54	75	99+
35-49	118	20.6	393	1	2	15	30	54	66	99+
50-64	107	21.3	292	4	5	16	35	51	81	99+
65+	70	34.0	580	6	10	30	51	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	5.6	23	<1	1	4	8	13	15	18
B. *Operated*	156	10.6	138	2	2	7	13	25	35	60
2. MULTIPLE DX										
A. *Not Operated*	182	8.6	55	1	2	7	11	18	22	36
B. *Operated*	588	21.8	385	2	4	16	32	55	82	99+
1. SINGLE DX	216	9.2	111	1	2	6	11	20	30	55
2. MULTIPLE DX	770	18.7	338	2	2	13	28	48	68	99+
A. NOT OPERATED	242	7.9	49	1	1	6	11	16	21	35
B. OPERATED	744	19.4	354	2	3	13	30	50	69	99+
TOTAL 0-19 YRS	280	13.1	190	1	2	9	16	32	42	78
20-34	265	15.4	288	2	2	10	21	43	60	99+
35-49	187	16.0	312	1	2	9	22	46	56	97
50-64	145	18.8	273	2	3	13	30	48	69	99+
65+	109	26.8	523	2	4	21	40	77	99+	99+
GRAND TOTAL	**986**	**16.6**	**303**	**1**	**2**	**11**	**23**	**46**	**61**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	4.7	18	1	1	3	6	10	13	19
20-34	120	3.5	12	1	1	2	5	7	10	18
35-49	60	5.4	21	1	1	3	8	13	14	19
50-64	29	6.3	70	1	1	2	9	18	26	36
65+	8	9.9	64	2	2	8	14	23	24	24
B. *Operated*										
0-19 YRS	64	10.4	167	1	2	7	13	21	26	85
20-34	44	6.0	27	<1	1	5	8	15	16	23
35-49	23	8.5	46	1	2	7	10	18	22	29
50-64	14	10.3	55	1	1	11	15	20	23	24
65+	9	10.8	46	1	2	11	18	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	577	5.8	26	1	1	4	8	13	16	22
20-34	328	4.7	27	1	1	3	6	10	14	30
35-49	181	5.9	29	1	1	4	8	12	17	29
50-64	114	7.7	64	1	1	5	10	16	23	40
65+	133	12.5	152	1	3	9	16	27	36	66
B. *Operated*										
0-19 YRS	176	10.0	77	1	2	7	13	21	29	40
20-34	141	11.1	115	1	2	8	14	27	36	47
35-49	73	12.1	145	1	2	8	16	24	30	65
50-64	69	13.9	142	1	2	10	17	34	42	92
65+	62	23.4	343	5	8	19	28	64	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	4.7	22	1	1	3	6	10	14	23
B. *Operated*	154	8.9	94	1	1	7	12	18	23	39
2. MULTIPLE DX										
A. *Not Operated*	1333	6.4	47	1	1	4	8	14	18	34
B. *Operated*	521	12.7	153	1	2	9	17	28	39	74
1. SINGLE DX	643	5.7	42	1	1	4	8	13	17	25
2. MULTIPLE DX	1854	8.1	85	1	1	5	10	18	26	47
A. NOT OPERATED	1822	5.9	41	1	1	4	8	13	17	32
B. OPERATED	675	11.8	142	1	2	8	16	25	37	71
TOTAL 0-19 YRS	1089	6.5	44	1	1	5	9	14	18	33
20-34	633	6.0	51	1	1	3	8	14	21	37
35-49	337	7.3	60	1	1	5	9	16	21	32
50-64	226	9.6	96	1	1	7	14	22	33	51
65+	212	15.5	224	2	3	11	20	35	50	90
GRAND TOTAL	**2497**	**7.5**	**75**	**1**	**1**	**5**	**9**	**17**	**23**	**43**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.7	7	1	1	2	3	5	9	12
20-34	39	3.6	7	<1	1	3	5	7	10	11
35-49	18	3.4	8	1	1	3	4	7	10	12
50-64	11	8.1	38	<1	1	7	10	18	23	23
65+	5	8.4	58	<1	<1	8	15	18	18	18
B. *Operated*										
0-19 YRS	66	2.1	1	<1	1	2	3	4	4	6
20-34	146	2.3	4	<1	1	2	2	4	5	13
35-49	63	2.1	2	<1	<1	2	3	3	4	9
50-64	25	2.3	1	<1	1	2	3	4	5	6
65+	7	6.4	51	<1	<1	2	11	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	6.1	85	1	1	3	7	13	21	54
20-34	40	6.9	109	1	1	4	9	12	14	66
35-49	33	5.4	19	1	1	4	8	11	15	18
50-64	21	8.5	87	2	2	6	8	16	30	45
65+	63	11.4	165	2	2	8	14	26	33	99
B. *Operated*										
0-19 YRS	88	4.5	122	<1	1	2	3	5	13	70
20-34	179	3.8	43	1	1	2	3	6	12	36
35-49	96	5.5	126	1	1	2	4	11	23	70
50-64	48	7.7	175	1	1	3	7	23	37	63
65+	29	16.3	473	1	1	11	16	60	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	4.2	16	<1	1	3	6	9	12	21
B. *Operated*	307	2.3	4	<1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	196	8.1	109	1	1	5	9	16	26	79
B. *Operated*	440	5.6	127	1	1	2	4	12	24	77
1. SINGLE DX	399	2.7	7	<1	1	2	3	5	8	14
2. MULTIPLE DX	636	6.3	123	1	1	3	6	13	25	77
A. NOT OPERATED	288	6.8	82	1	1	4	8	14	22	61
B. OPERATED	747	4.2	79	<1	1	2	3	7	13	56
TOTAL 0-19 YRS	212	3.9	69	<1	1	2	3	6	9	48
20-34	404	3.5	33	<1	1	2	3	7	11	23
35-49	210	4.3	64	<1	1	2	4	9	12	44
50-64	105	6.6	106	1	1	3	7	14	27	59
65+	104	12.3	241	1	1	8	15	28	51	99+
GRAND TOTAL	**1035**	**5.0**	**81**	**<1**	**1**	**2**	**4**	**10**	**16**	**57**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	2.3	4	<1	1	2	3	4	6	9
20-34	188	3.0	6	<1	1	2	4	7	8	10
35-49	91	3.2	5	1	1	2	4	7	9	10
50-64	37	4.3	11	1	1	3	5	10	12	13
65+	22	4.6	10	1	2	4	6	10	11	11
B. *Operated*										
0-19 YRS	60	3.4	12	<1	1	2	4	7	11	18
20-34	70	5.7	120	<1	<1	3	6	13	16	74
35-49	34	4.6	20	1	1	3	6	11	16	19
50-64	17	5.4	34	<1	1	3	9	13	18	21
65+	11	10.8	368	<1	<1	4	9	36	64	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	3.4	22	1	1	2	4	6	9	21
20-34	276	4.2	20	<1	1	3	5	8	12	27
35-49	185	5.1	18	1	1	4	7	10	13	21
50-64	152	6.9	36	1	2	5	9	13	17	28
65+	307	8.1	54	1	2	6	11	17	24	51
B. *Operated*										
0-19 YRS	57	6.6	62	1	1	5	9	14	21	96
20-34	139	11.4	166	1	1	7	15	30	43	99+
35-49	76	10.5	192	1	2	5	14	27	36	75
50-64	64	10.5	126	1	1	8	15	22	31	62
65+	87	16.9	407	2	2	10	19	45	69	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	578	2.9	6	<1	1	2	4	6	8	12
B. *Operated*	192	5.0	76	<1	1	3	5	11	16	48
2. MULTIPLE DX										
A. *Not Operated*	1142	5.6	34	1	1	4	7	12	16	30
B. *Operated*	423	11.6	208	1	2	7	15	28	43	91
1. SINGLE DX	770	3.4	24	<1	1	2	4	7	9	18
2. MULTIPLE DX	1565	7.2	88	1	1	4	9	16	24	64
A. NOT OPERATED	1720	4.7	26	1	1	3	6	10	14	27
B. OPERATED	615	9.6	176	1	1	5	11	22	37	86
TOTAL 0-19 YRS	579	3.3	19	<1	1	2	4	7	9	19
20-34	673	5.5	66	<1	1	3	6	11	20	45
35-49	386	5.7	55	1	1	4	7	11	17	35
50-64	270	7.3	57	1	1	5	10	15	21	34
65+	427	9.8	144	1	2	6	11	20	29	86
GRAND TOTAL	**2335**	**6.0**	**70**	**1**	**1**	**3**	**7**	**13**	**19**	**47**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1507	1.9	2	<1	1	1	2	4	5	8
20-34	704	2.1	3	<1	<1	1	3	4	5	9
35-49	214	2.1	3	<1	<1	1	2	4	6	9
50-64	85	2.8	8	<1	1	2	3	6	9	15
65+	42	3.5	5	<1	1	3	5	7	8	10
B. *Operated*										
0-19 YRS	5	2.8	2	1	1	3	4	5	5	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	5	2.6	2	<1	<1	2	3	5	5	5
50-64										
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1847	3.9	38	<1	1	2	4	8	13	37
20-34	2651	4.4	44	<1	1	2	4	10	16	35
35-49	1406	5.6	64	1	1	3	6	13	20	41
50-64	768	6.4	52	1	1	4	8	15	21	34
65+	1148	8.7	85	1	2	6	10	18	25	48
B. *Operated*										
0-19 YRS	17	8.5	92	1	2	5	10	20	33	40
20-34	67	8.9	102	<1	1	6	10	17	30	50
35-49	54	15.3	275	1	2	9	24	33	66	99
50-64	57	13.9	222	2	2	9	19	36	52	99
65+	110	19.4	326	3	5	13	27	49	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2552	2.0	3	<1	1	1	2	4	5	9
B. *Operated*	13	3.1	6	<1	1	2	4	6	9	10
2. MULTIPLE DX										
A. *Not Operated*	7820	5.3	56	1	1	3	6	12	19	39
B. *Operated*	305	14.7	250	1	2	9	19	40	57	99+
1. SINGLE DX	2565	2.0	3	<1	1	1	2	4	5	9
2. MULTIPLE DX	8125	5.7	66	1	1	3	6	13	20	44
A. NOT OPERATED	10372	4.5	45	<1	1	2	5	10	16	35
B. OPERATED	318	14.2	246	1	2	9	19	39	53	99+
TOTAL 0-19 YRS	3376	3.0	24	<1	1	2	3	6	9	29
20-34	3424	4.0	38	<1	1	2	4	8	14	33
35-49	1679	5.5	67	<1	1	3	6	13	21	43
50-64	910	6.6	63	1	1	4	8	16	22	43
65+	1301	9.5	112	1	2	7	11	20	29	69
GRAND TOTAL	**10690**	**4.8**	**53**	**<1**	**1**	**2**	**5**	**11**	**18**	**39**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	717	2.5	6	<1	1	1	3	6	7	12
20-34	225	1.5	1	<1	<1	1	2	3	3	5
35-49	149	1.6	2	<1	<1	1	2	3	3	5
50-64	67	1.9	3	<1	1	1	2	4	5	10
65+	38	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	2	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	379	4.1	37	<1	1	2	5	8	13	34
20-34	327	4.0	58	<1	1	2	4	8	14	39
35-49	221	4.7	58	1	1	2	5	9	17	51
50-64	173	4.3	57	1	1	2	4	9	13	37
65+	174	5.9	67	1	1	3	7	14	24	56
B. *Operated*										
0-19 YRS	6	15.8	291	2	2	8	31	42	43	43
20-34	19	6.8	63	1	1	4	8	14	26	35
35-49	18	14.0	214	1	2	9	31	73	99+	99+
50-64	17	13.7	172	2	2	11	20	38	44	46
65+	14	32.6	1081	4	5	18	59	94	96	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1196	2.1	4	<1	<1	1	2	5	6	11
B. *Operated*	7	4.1	11	1	1	3	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	1274	4.4	53	<1	1	2	5	9	15	39
B. *Operated*	74	15.8	393	1	2	8	22	46	87	99+
1. SINGLE DX	1203	2.1	4	<1	<1	1	2	5	6	11
2. MULTIPLE DX	1348	5.1	78	1	1	2	5	11	18	52
A. NOT OPERATED	2470	3.3	31	<1	1	2	3	7	10	32
B. OPERATED	81	14.8	370	1	2	7	19	45	78	99+
TOTAL 0-19 YRS	1105	3.1	19	<1	1	2	4	6	8	24
20-34	573	3.1	37	<1	<1	1	3	5	10	31
35-49	388	3.9	50	<1	1	2	4	8	16	57
50-64	258	4.3	57	1	1	2	4	9	14	41
65+	227	6.8	161	1	1	3	7	16	27	94
GRAND TOTAL	**2551**	**3.7**	**46**	**<1**	**1**	**2**	**4**	**7**	**12**	**39**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	406	3.0	21	<1	1	2	3	5	8	20
20-34	174	2.3	14	<1	1	1	3	4	5	15
35-49	127	2.2	4	<1	1	1	3	4	6	11
50-64	105	2.5	5	<1	1	2	3	5	6	12
65+	83	3.1	5	1	1	2	5	6	8	10
B. *Operated*										
0-19 YRS	4	7.0	18	2	2	7	10	11	11	11
20-34	6	9.2	27	5	5	7	11	18	19	19
35-49	5	12.2	113	3	3	9	17	30	30	30
50-64	2	9.0	8	7	7	9	11	11	11	11
65+	2	7.5	41	3	3	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	453	4.5	19	1	1	3	6	10	13	24
20-34	303	3.5	18	<1	1	2	4	6	11	27
35-49	301	3.8	12	1	1	3	5	7	10	17
50-64	466	5.5	50	1	1	4	6	11	15	32
65+	1221	8.3	85	1	2	6	10	16	25	66
B. *Operated*										
0-19 YRS	19	13.5	277	1	1	8	15	45	52	58
20-34	29	21.0	510	1	1	13	41	67	75	99+
35-49	30	16.2	300	1	4	10	20	68	97	99+
50-64	53	17.0	283	1	2	11	31	51	90	99+
65+	135	19.1	291	3	5	15	26	53	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	895	2.7	14	<1	1	2	3	5	7	16
B. *Operated*	19	9.3	42	2	3	7	11	17	25	30
2. MULTIPLE DX										
A. *Not Operated*	2744	6.2	57	1	1	4	7	13	17	41
B. *Operated*	266	18.2	312	1	3	13	26	56	76	99+
1. SINGLE DX	914	2.8	15	<1	1	2	3	5	8	18
2. MULTIPLE DX	3010	7.2	91	1	1	4	8	15	25	73
A. NOT OPERATED	3639	5.3	48	1	1	3	6	11	16	36
B. OPERATED	285	17.6	299	1	3	12	24	51	75	99+
TOTAL 0-19 YRS	882	4.0	28	1	1	2	4	9	12	25
20-34	512	4.1	61	<1	1	2	4	7	13	50
35-49	463	4.3	40	1	1	3	5	9	13	44
50-64	626	6.0	74	1	1	4	6	12	20	54
65+	1441	9.0	112	1	2	6	11	19	31	83
GRAND TOTAL	**3924**	**6.2**	**77**	**1**	**1**	**4**	**7**	**13**	**21**	**62**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.4	14	<1	1	2	4	9	13	16
20-34	58	3.6	29	<1	<1	2	4	8	9	29
35-49	37	4.2	27	<1	1	2	5	10	11	30
50-64	28	6.4	23	<1	1	5	10	13	14	17
65+	90	6.1	45	1	1	4	8	15	20	36
B. *Operated*										
0-19 YRS	216	4.8	22	<1	1	3	6	9	13	26
20-34	414	4.1	41	<1	<1	2	4	9	13	36
35-49	307	4.8	31	<1	1	3	6	12	16	30
50-64	451	7.4	89	1	1	4	10	17	23	52
65+	833	7.6	63	1	2	4	10	18	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	5.6	34	1	1	4	8	11	17	34
20-34	134	6.1	38	1	1	4	7	13	19	32
35-49	124	6.5	38	1	1	5	9	14	19	30
50-64	213	8.0	66	1	1	6	10	19	22	46
65+	533	9.1	108	1	2	6	12	19	30	51
B. *Operated*										
0-19 YRS	562	8.3	95	1	2	5	10	18	27	51
20-34	662	7.8	91	<1	1	4	10	21	28	53
35-49	951	8.7	129	1	1	4	11	22	33	57
50-64	1918	10.6	140	1	2	7	14	25	37	72
65+	3419	12.4	185	2	2	8	16	29	43	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	4.8	33	<1	1	3	6	11	16	29
B. *Operated*	2221	6.2	58	<1	1	3	8	15	20	35
2. MULTIPLE DX										
A. *Not Operated*	1087	8.0	79	1	1	5	10	17	24	44
B. *Operated*	7512	10.8	154	1	2	6	14	26	38	74
1. SINGLE DX	2474	6.1	56	<1	1	3	8	15	20	35
2. MULTIPLE DX	8599	10.4	146	1	2	6	13	25	36	71
A. NOT OPERATED	1340	7.4	72	1	1	5	9	16	22	43
B. OPERATED	9733	9.7	136	1	1	5	13	23	33	68
TOTAL 0-19 YRS	901	7.0	71	1	1	4	8	15	23	42
20-34	1268	6.2	69	<1	1	3	7	16	24	45
35-49	1419	7.5	100	1	1	4	9	17	27	53
50-64	2610	9.8	126	1	2	6	13	23	33	66
65+	4875	11.1	157	1	2	7	15	26	37	79
GRAND TOTAL	**11073**	**9.4**	**129**	**1**	**1**	**5**	**12**	**22**	**33**	**65**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	1.6	1	<1	1	1	2	3	4	7
20-34	167	2.4	2	<1	1	2	3	5	5	7
35-49	109	2.7	4	<1	1	2	4	5	7	10
50-64	130	3.4	5	1	1	3	5	6	7	11
65+	158	3.8	4	1	1	4	5	6	7	11
B. *Operated*										
0-19 YRS	151	1.8	2	<1	<1	2	2	3	4	7
20-34	194	2.9	10	<1	1	2	3	6	8	16
35-49	74	3.0	5	1	1	2	4	7	9	11
50-64	66	3.3	5	<1	1	3	5	6	8	10
65+	59	5.9	21	1	1	5	7	11	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	2.6	5	1	1	2	3	5	9	10
20-34	76	3.4	6	1	1	3	4	7	9	11
35-49	85	4.0	10	1	1	3	5	9	10	15
50-64	170	4.6	12	1	1	4	6	8	11	19
65+	347	5.6	45	1	2	4	6	10	13	32
B. *Operated*										
0-19 YRS	26	3.5	17	1	1	2	4	9	15	17
20-34	82	4.8	17	1	1	3	7	13	14	15
35-49	55	4.7	28	1	1	3	6	9	14	32
50-64	99	7.0	44	1	1	5	10	14	21	34
65+	200	8.7	99	1	2	6	11	16	24	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	765	2.7	4	1	1	2	4	5	6	9
B. *Operated*	544	3.0	9	<1	1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	736	4.7	27	1	1	4	6	9	12	23
B. *Operated*	462	6.9	63	1	1	5	9	14	18	36
1. SINGLE DX	1309	2.8	6	<1	1	2	4	6	7	11
2. MULTIPLE DX	1198	5.6	42	1	1	4	7	12	15	30
A. NOT OPERATED	1501	3.7	16	1	1	3	5	7	9	18
B. OPERATED	1006	4.8	37	1	1	3	6	11	14	29
TOTAL 0-19 YRS	436	1.9	3	<1	1	1	2	4	5	9
20-34	519	3.1	9	1	1	2	4	6	9	14
35-49	323	3.5	10	1	1	3	4	7	9	15
50-64	465	4.6	18	1	1	3	5	9	12	22
65+	764	6.1	52	1	2	4	7	12	16	34
GRAND TOTAL	**2507**	**4.1**	**25**	**1**	**1**	**3**	**5**	**8**	**12**	**22**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	5.4	12	1	1	5	8	10	11	18
20-34	125	5.6	10	2	3	5	6	10	14	15
35-49	131	6.7	30	2	2	5	8	12	16	29
50-64	88	6.4	22	2	2	5	8	11	20	24
65+	70	8.9	68	2	3	7	11	15	20	57
B. *Operated*										
0-19 YRS	62	7.4	27	2	3	6	9	14	17	28
20-34	122	8.3	61	2	2	6	11	18	23	37
35-49	90	8.4	118	2	2	6	8	15	23	70
50-64	72	7.7	57	2	3	5	9	15	21	47
65+	88	11.4	99	1	2	9	14	24	33	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	5.8	17	1	2	5	7	11	16	20
20-34	125	6.5	20	2	3	5	8	11	13	26
35-49	174	8.1	41	2	3	6	10	17	22	33
50-64	236	10.3	89	2	3	8	11	21	30	52
65+	285	11.3	103	3	3	9	14	21	31	57
B. *Operated*										
0-19 YRS	80	13.1	162	2	4	9	15	24	41	70
20-34	151	12.7	175	1	3	9	15	31	50	99+
35-49	148	14.0	153	2	3	10	19	30	39	63
50-64	268	17.3	228	3	4	12	23	42	53	95
65+	308	18.1	202	3	5	15	24	37	47	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	502	6.4	27	2	2	5	8	12	15	23
B. *Operated*	434	8.7	76	2	2	6	10	17	24	48
2. MULTIPLE DX										
A. *Not Operated*	893	9.3	72	2	3	7	11	19	25	47
B. *Operated*	955	16.0	198	2	4	11	21	37	50	92
1. SINGLE DX	936	7.5	51	2	2	6	9	14	20	36
2. MULTIPLE DX	1848	12.8	148	2	3	9	16	28	40	69
A. NOT OPERATED	1395	8.3	58	2	3	6	10	16	21	42
B. OPERATED	1389	13.7	171	2	3	9	17	31	44	79
TOTAL 0-19 YRS	303	7.9	65	1	2	6	9	15	20	49
20-34	523	8.5	80	2	2	6	10	17	27	58
35-49	543	9.4	89	2	3	7	11	19	27	54
50-64	664	12.3	151	2	3	8	15	28	42	65
65+	751	13.9	152	3	4	10	18	29	40	66
GRAND TOTAL	**2784**	**11.0**	**122**	**2**	**3**	**7**	**13**	**24**	**34**	**62**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.5	12	1	1	2	5	8	10	17
20-34	99	4.4	31	<1	1	2	6	10	11	34
35-49	101	5.3	72	<1	1	3	6	12	18	50
50-64	59	6.0	57	1	1	4	6	12	18	48
65+	64	6.3	32	1	1	5	8	13	17	31
B. *Operated*										
0-19 YRS	56	4.6	40	<1	1	2	5	12	20	32
20-34	125	5.0	24	<1	1	4	6	10	13	25
35-49	101	6.0	59	<1	1	4	8	12	14	48
50-64	131	5.8	39	<1	1	4	8	12	17	38
65+	136	6.2	72	1	1	3	7	13	23	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	4.1	56	<1	1	2	4	11	16	82
20-34	152	4.3	24	1	1	3	5	10	12	19
35-49	177	5.4	30	1	1	4	7	11	14	34
50-64	269	7.6	55	1	1	5	11	17	21	51
65+	395	8.6	80	1	2	6	11	17	23	37
B. *Operated*										
0-19 YRS	96	9.8	116	1	1	6	13	24	33	52
20-34	209	7.7	70	1	1	5	10	15	26	42
35-49	273	11.1	140	1	1	7	15	27	36	71
50-64	465	13.3	195	2	2	9	18	32	44	71
65+	747	13.6	215	1	2	9	18	34	49	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	5.1	45	1	1	3	6	11	15	31
B. *Operated*	549	5.6	47	<1	1	3	7	12	17	36
2. MULTIPLE DX										
A. *Not Operated*	1096	6.8	59	1	1	5	9	15	20	40
B. *Operated*	1790	12.2	180	1	2	8	16	29	44	76
1. SINGLE DX	917	5.4	46	1	1	3	7	11	16	34
2. MULTIPLE DX	2886	10.2	141	1	1	6	13	24	37	69
A. NOT OPERATED	1464	6.4	56	1	1	4	8	14	19	39
B. OPERATED	2339	10.7	157	1	1	6	14	26	40	70
TOTAL 0-19 YRS	300	5.9	72	1	1	2	7	15	23	51
20-34	585	5.7	44	1	1	4	7	12	17	34
35-49	652	7.9	94	1	1	5	10	18	27	58
50-64	924	10.1	134	1	2	6	13	23	38	65
65+	1342	11.0	161	1	1	7	14	25	40	76
GRAND TOTAL	**3803**	**9.0**	**122**	**1**	**1**	**5**	**11**	**21**	**31**	**62**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.6	4	<1	1	2	3	5	6	9
20-34	18	4.0	15	<1	<1	3	5	11	13	14
35-49	6	7.7	114	1	1	4	7	27	29	29
50-64	5	3.4	4	1	1	4	5	6	6	6
65+	3	3.3	4	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49										
50-64	2	19.5	685	<1	<1	19	38	38	38	38
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.2	5	1	1	3	4	6	7	10
20-34	20	5.2	13	1	2	4	7	11	12	13
35-49	28	8.4	46	1	2	6	12	18	22	29
50-64	43	5.8	19	1	1	5	7	13	15	18
65+	64	5.3	45	1	1	3	6	12	15	41
B. *Operated*										
0-19 YRS	3	4.7	10	<1	<1	6	7	7	7	7
20-34	10	7.1	28	2	2	7	8	15	19	19
35-49	10	13.8	186	1	2	9	19	34	46	46
50-64	8	7.0	10	3	3	7	10	10	10	10
65+	9	20.7	434	6	6	13	21	55	73	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.7	19	<1	1	2	4	7	11	28
B. *Operated*	4	12.0	305	<1	<1	4	22	38	38	38
2. MULTIPLE DX										
A. *Not Operated*	192	5.4	30	1	1	4	7	12	15	28
B. *Operated*	40	11.6	174	1	2	7	13	21	37	73
1. SINGLE DX	60	4.3	38	<1	1	3	5	8	13	37
2. MULTIPLE DX	232	6.5	60	1	1	4	8	13	19	44
A. NOT OPERATED	248	5.0	28	1	1	3	6	12	14	29
B. OPERATED	44	11.7	179	1	2	7	13	24	40	73
TOTAL 0-19 YRS	64	3.0	5	1	1	2	4	6	7	10
20-34	50	5.1	17	1	1	3	7	12	13	19
35-49	44	9.5	86	1	1	6	13	21	29	46
50-64	58	6.2	34	1	1	5	8	13	16	36
65+	76	7.0	110	1	1	4	8	14	24	65
GRAND TOTAL	**292**	**6.0**	**56**	**1**	**1**	**4**	**7**	**13**	**18**	**41**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	14	1.7	1	<1	<1	<1	2	3	5	5
20-34	3719	1.8	1	<1	<1	1	2	3	4	5
35-49	1808	1.8	1	<1	<1	2	2	3	4	5
50-64	16	1.6	1	<1	<1	1	2	3	4	5
65+	7	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	94	1.4	2	<1	<1	1	1	2	3	11
35-49	45	1.2	1	<1	<1	1	1	2	3	6
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.9	11	<1	<1	2	3	8	12	12
20-34	2492	2.1	2	<1	<1	2	3	4	5	7
35-49	1632	2.2	2	<1	<1	2	3	4	5	7
50-64	6	2.2	4	<1	<1	1	2	6	6	6
65+	2	4.0	8	2	2	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		1	1	1	2	2	2	2
B. *Operated*	5564	1.8	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	140	1.3	2	<1	<1	1	1	2	3	8
B. *Operated*	4142	2.2	2	<1	<1	2	3	4	5	7
1. SINGLE DX	5568	1.8	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	4282	2.1	2	<1	<1	2	3	4	5	7
A. NOT OPERATED	144	1.3	2	<1	<1	1	1	2	3	7
B. OPERATED	9706	2.0	2	<1	<1	2	2	4	4	6
TOTAL 0-19 YRS	25	2.2	5	<1	<1	2	2	3	7	12
20-34	6308	1.9	2	<1	<1	2	2	4	4	6
35-49	3486	2.0	2	<1	<1	2	3	4	4	7
50-64	22	1.8	2	<1	<1	1	2	4	5	6
65+	9	2.4	2	<1	<1	2	3	5	6	6
GRAND TOTAL	**9850**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**4**	**4**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	2	17.5	221	7	7	17	28	28	23	28
1750-2499	703	3.3	2	2	2	3	4	5	6	8
2500+	60947	3.1	2	2	2	3	3	5	6	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	25	4.0	4	2	2	3	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	30	62.5	576	10	15	69	80	92	99	99+
1000-1499	148	41.5	230	20	23	41	52	60	70	75
1500-1749	197	25.4	92	13	15	24	30	37	45	56
1750-2499	2920	7.7	47	2	3	5	10	16	21	33
2500+	37642	4.0	5	2	2	3	5	6	7	11
B. *Operated*										
1-999 G	31	71.6	683	24	43	92	99+	99+	99+	99+
1000-1499	64	56.8	321	32	35	58	73	95	99+	99+
1500-1749	41	37.5	137	21	25	35	46	55	64	99+
1750-2499	166	20.2	228	5	6	17	25	37	51	94
2500+	587	7.8	67	2	3	6	9	14	21	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61652	3.1	2	2	2	3	3	5	6	7
B. *Operated*	25	4.0	4	2	2	3	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	40937	4.5	20	2	2	3	5	7	8	23
B. *Operated*	889	17.3	433	2	3	9	23	59	87	99+
1. SINGLE DX	61677	3.1	2	2	2	3	3	5	6	7
2. MULTIPLE DX	41826	4.8	32	2	2	3	5	7	10	31
A. NOT OPERATED	102589	3.7	9	2	2	3	4	6	6	13
B. OPERATED	914	16.9	426	2	3	8	23	58	86	99+
TOTAL 1-999 G	61	67.2	641	12	27	82	99+	99+	99+	99+
1000-1499	212	46.1	306	21	25	45	58	73	87	99+
1500-1749	240	27.4	121	13	15	26	32	43	50	71
1750-2499	3789	7.4	57	2	2	5	9	16	21	37
2500+	99201	3.5	4	2	2	3	4	5	6	9
GRAND TOTAL	**103503**	**3.8**	**15**	**2**	**2**	**3**	**4**	**6**	**7**	**16**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	114	4.7	3	2	3	5	6	7	7	10
2500+	606	4.5	2	2	3	4	6	7	7	9
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	40.3	1221	9	9	70	78	99+	99+	99+
1000-1499	34	41.8	345	15	23	39	54	66	75	95
1500-1749	44	29.9	196	12	15	26	36	54	61	67
1750-2499	546	9.5	42	3	4	7	13	18	23	32
2500+	481	5.6	11	3	3	5	6	8	9	16
B. *Operated*										
1-999 G	4	70.0	267	54	55	93	99+	99+	99+	99+
1000-1499	23	62.7	347	33	43	68	79	90	96	99+
1500-1749	6	40.8	251	26	26	36	48	67	69	69
1750-2499	22	22.4	106	6	9	22	26	37	43	48
2500+	9	6.9	7	3	4	7	9	56	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	720	4.5	2	2	3	4	6	7	7	9
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1109	9.7	105	3	3	6	11	20	30	59
B. *Operated*	64	39.4	700	6	7	39	69	92	99+	99+
1. SINGLE DX	721	4.5	2	2	3	4	6	7	7	9
2. MULTIPLE DX	1173	11.3	182	3	3	6	12	25	44	85
A. NOT OPERATED	1829	7.7	71	3	3	5	7	15	23	52
B. OPERATED	65	38.8	707	5	6	39	69	92	99+	99+
TOTAL 1-999 G	8	55.1	890	9	11	82	99+	99+	99+	99+
1000-1499	57	50.2	447	22	25	48	68	81	93	99+
1500-1749	50	31.2	211	13	15	27	39	54	61	69
1750-2499	682	9.1	46	3	3	6	12	18	23	33
2500+	1097	5.0	7	3	3	5	6	7	8	13
GRAND TOTAL	**1894**	**8.7**	**125**	**3**	**3**	**5**	**7**	**18**	**30**	**74**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	7	4.4	18	2	2	3	3	12	14	14
2500+	163	2.5	2	1	1	2	3	4	4	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	4	38.5	207	18	18	42	48	51	51	51
1500-1749	3	27.0	64	19	19	27	33	35	35	35
1750-2499	30	9.7	77	2	2	6	15	18	19	43
2500+	65	3.5	4	1	1	3	4	6	7	11
B. *Operated*										
1-999 G	1	58.0		58	58	79	99+	99+	99+	99+
1000-1499										
1500-1749										
1750-2499	2	36.0	1800	6	6	36	66	66	66	66
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	2.6	3	1	1	2	3	4	4	12
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	102	7.4	93	1	2	4	7	18	30	48
B. *Operated*	3	43.3	1061	6	6	62	83	99+	99+	99+
1. SINGLE DX	170	2.6	3	1	1	2	3	4	4	12
2. MULTIPLE DX	105	8.4	147	1	2	4	7	19	43	81
A. NOT OPERATED	272	4.4	42	1	1	3	4	7	18	42
B. OPERATED	3	43.3	1061	6	6	62	83	99+	99+	99+
TOTAL 1-999 G	1	58.0		58	58	79	99+	99+	99+	99+
1000-1499	4	38.5	207	18	18	42	48	51	51	51
1500-1749	3	27.0	64	19	19	27	33	35	35	35
1750-2499	39	10.1	150	2	2	5	14	18	32	66
2500+	228	2.8	3	1	1	3	3	4	5	9
GRAND TOTAL	**275**	**4.8**	**66**	**1**	**1**	**3**	**4**	**8**	**18**	**56**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	<1	<1	1	2	4	4	4
20-34	8	3.9	15	<1	<1	2	7	10	11	11
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	5	2.0		2	2	2	2	2	2	2
65+	6	6.5	39	1	1	5	11	15	16	16
B. *Operated*										
0-19 YRS	639	2.5	2	<1	1	2	3	4	5	10
20-34	897	2.5	3	<1	<1	2	3	4	5	9
35-49	434	2.7	4	<1	1	2	3	4	5	12
50-64	334	2.7	5	<1	<1	2	3	4	5	11
65+	229	3.8	11	<1	1	3	4	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.2	12	<1	<1	1	2	4	8	18
20-34	7	2.1	5	<1	<1	1	2	6	7	7
35-49	11	1.4		<1	<1	1	2	3	3	3
50-64	7	2.4	7	<1	<1	1	3	7	8	8
65+	13	4.7	25	<1	1	2	7	14	16	16
B. *Operated*										
0-19 YRS	341	3.2	6	<1	1	3	4	5	7	11
20-34	264	3.9	16	1	1	3	4	7	10	23
35-49	173	4.1	26	1	1	3	4	6	11	25
50-64	221	4.4	27	1	2	3	5	7	10	32
65+	233	6.9	44	1	2	5	9	16	18	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.2	13	<1	<1	2	3	9	11	16
B. *Operated*	2533	2.7	4	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	63	2.6	12	<1	<1	1	2	7	10	18
B. *Operated*	1232	4.4	23	1	1	3	5	8	12	26
1. SINGLE DX	2566	2.7	4	<1	1	2	3	4	6	11
2. MULTIPLE DX	1295	4.3	23	1	1	3	5	8	12	26
A. NOT OPERATED	96	2.8	12	<1	<1	1	3	7	11	17
B. OPERATED	3765	3.2	11	<1	1	2	4	6	8	17
TOTAL 0-19 YRS	1017	2.7	4	<1	1	2	3	5	6	11
20-34	1176	2.8	6	<1	1	2	3	5	7	12
35-49	620	3.0	10	<1	1	2	4	5	7	15
50-64	567	3.3	14	<1	1	3	4	5	7	25
65+	481	5.3	30	1	1	3	6	12	16	29
GRAND TOTAL	**3861**	**3.2**	**11**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	<1	3	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	1.3		1	1	1	2	2	2	2
65+	9	1.6		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	1.2		<1	<1	<1	1	2	3	3
20-34	7	3.0	1	1	1	3	4	4	4	4
35-49	38	1.7	1	<1	<1	1	2	3	4	5
50-64	20	2.5	7	1	1	2	3	7	9	10
65+	102	1.9	6	1	1	1	2	3	5	16
B. *Operated*										
0-19 YRS										
20-34	12	3.5	14	1	1	2	3	8	14	15
35-49	13	7.7	75	1	2	5	10	16	31	34
50-64	8	15.1	481	4	4	8	10	52	69	69
65+	13	15.8	425	3	4	11	17	35	72	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	211	1.8	4	<1	<1	1	2	3	5	11
B. *Operated*	46	10.2	239	1	2	5	11	20	41	81
1. SINGLE DX	22	2.0	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX	257	3.3	56	<1	<1	1	3	6	11	33
A. NOT OPERATED	230	1.8	4	<1	<1	1	2	3	4	10
B. OPERATED	49	9.8	227	1	2	5	11	18	36	81
TOTAL 0-19 YRS	47	1.3		<1	<1	<1	1	2	3	4
20-34	20	3.4	9	1	1	3	4	5	10	15
35-49	55	3.2	24	<1	<1	2	3	7	11	33
50-64	32	5.5	144	1	1	2	6	9	12	69
65+	125	3.3	65	1	1	1	2	5	12	38
GRAND TOTAL	**279**	**3.2**	**52**	**<1**	**<1**	**1**	**3**	**5**	**11**	**31**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	840	2.5	8	<1	<1	1	3	5	7	15
20-34	854	2.6	22	<1	<1	2	3	5	6	22
35-49	424	2.3	7	<1	<1	1	2	5	6	17
50-64	511	2.2	14	<1	<1	1	2	4	6	20
65+	457	3.1	34	<1	<1	1	2	6	12	34
B. *Operated*										
0-19 YRS	321	3.0	12	<1	<1	2	3	8	10	17
20-34	798	3.3	13	<1	<1	2	4	7	10	16
35-49	559	3.5	9	<1	<1	2	5	8	10	14
50-64	443	4.3	18	<1	<1	2	7	10	12	17
65+	386	5.4	45	<1	1	2	9	12	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1720	3.4	46	<1	<1	2	3	6	10	42
20-34	1744	4.1	61	<1	<1	2	4	6	12	45
35-49	2913	3.7	37	<1	1	2	4	6	11	34
50-64	8213	3.7	30	1	1	2	4	6	10	31
65+	7912	5.1	67	1	1	2	5	10	19	47
B. *Operated*										
0-19 YRS	481	3.6	30	<1	<1	2	4	9	12	25
20-34	1103	4.3	44	<1	<1	2	5	9	12	41
35-49	1575	4.6	38	<1	<1	2	6	10	13	31
50-64	2500	5.6	57	1	1	3	8	13	18	42
65+	3260	6.4	77	1	1	3	9	15	21	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3086	2.6	17	<1	<1	1	3	5	7	22
B. *Operated*	2507	3.8	18	<1	<1	2	5	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	22502	4.2	48	<1	1	2	4	7	14	39
B. *Operated*	8919	5.5	59	<1	1	3	7	12	17	43
1. SINGLE DX	5593	3.1	18	<1	<1	2	3	7	10	20
2. MULTIPLE DX	31421	4.6	51	<1	1	2	5	9	15	40
A. NOT OPERATED	25588	4.0	44	<1	1	2	4	7	12	38
B. OPERATED	11426	5.1	51	<1	<1	2	7	12	16	38
TOTAL 0-19 YRS	3362	3.2	31	<1	<1	2	3	6	10	27
20-34	4499	3.7	41	<1	<1	2	4	7	11	36
35-49	5471	3.8	33	<1	<1	2	4	8	11	30
50-64	11667	4.1	35	<1	1	2	5	8	13	34
65+	12015	5.4	68	1	1	2	6	12	19	48
GRAND TOTAL	**37014**	**4.3**	**47**	**<1**	**1**	**2**	**5**	**9**	**14**	**38**

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever